



LEEDS  
BECKETT  
UNIVERSITY

---

Citation:

Hurren, A (2017) Sunderland Tracheoesophageal Perceptual Scale. As part of Newcastle PhD thesis.

Link to Leeds Beckett Repository record:

<https://eprints.leedsbeckett.ac.uk/id/eprint/4126/>

Document Version:

Other (Supplemental Material)

---

Creative Commons: Attribution-Noncommercial-No Derivative Works 3.0

The aim of the Leeds Beckett Repository is to provide open access to our research, as required by funder policies and permitted by publishers and copyright law.

The Leeds Beckett repository holds a wide range of publications, each of which has been checked for copyright and the relevant embargo period has been applied by the Research Services team.

We operate on a standard take-down policy. If you are the author or publisher of an output and you would like it removed from the repository, please [contact us](#) and we will investigate on a case-by-case basis.

Each thesis in the repository has been cleared where necessary by the author for third party copyright. If you would like a thesis to be removed from the repository or believe there is an issue with copyright, please contact us on [openaccess@leedsbeckett.ac.uk](mailto:openaccess@leedsbeckett.ac.uk) and we will investigate on a case-by-case basis.

# SToPS (Hurren, Miller and Carding 2018)

Name:

Date of Audio Recording:

Type/length/french gauge of voice prosthesis:

Reason for voice measurement:

Routine post-surgical

Pre-intervention (add details)

Post intervention (detail type and date)

Other (specify)

Additional features of audio recording:

Hands-free valve (detail type)


Manual stoma occlusion digit to skin

Manual stoma occlusion over stoma cover (detail type)

Other (specify)


Patient report of percentage use of voice prosthesis to communicate (plus % other methods of communication):

## 1. Overall Voice Rating



## Section A – Voice Quality Parameters


### 2. Perceptual Voice Tonicity




### 3. Strain (Audible Effort for Voicing):




**4. “Wetness” (gurgliness) of Voice Quality**




**5. Impairment of volume**



**6. Impairment of Social Acceptability of Voice**




**7. Whisper**




**Section B – Parameters not related to Voice Quality**

**8. Impairment of intelligibility**



**9. Stoma Blast**



**10. Impairment of fluency**

