
Citation:

Zhu, FF and Yeung, AY and Poolton, JM and Lee, TM and Leung, GK and Masters, RS (2015) Cathodal Transcranial Direct Current Stimulation Over Left Dorsolateral Prefrontal Cortex Area Promotes Implicit Motor Learning in a Golf Putting Task. *Brain stimulation*, 8 (4). 784 - 786. ISSN 1935-861X DOI: <https://doi.org/10.1016/j.brs.2015.02.005>

Link to Leeds Beckett Repository record:

<https://eprints.leedsbeckett.ac.uk/id/eprint/1645/>

Document Version:

Article (Accepted Version)

The aim of the Leeds Beckett Repository is to provide open access to our research, as required by funder policies and permitted by publishers and copyright law.

The Leeds Beckett repository holds a wide range of publications, each of which has been checked for copyright and the relevant embargo period has been applied by the Research Services team.

We operate on a standard take-down policy. If you are the author or publisher of an output and you would like it removed from the repository, please [contact us](#) and we will investigate on a case-by-case basis.

Each thesis in the repository has been cleared where necessary by the author for third party copyright. If you would like a thesis to be removed from the repository or believe there is an issue with copyright, please contact us on openaccess@leedsbeckett.ac.uk and we will investigate on a case-by-case basis.

Short Communication

Cathodal transcranial direct current stimulation over left dorsolateral prefrontal cortex area promotes implicit motor learning in a golf putting task

Frank Zhu ^{a,b,*}, Andrew Yeung ^a, Jamie Poolton ^{a,c}, Tatia Lee ^d, Gilberto Leung ^b, Rich Masters ^{a,e}

^a Institute of Human Performance, The University of Hong Kong, Hong Kong SAR, China

^b Department of Surgery, The University of Hong Kong, Hong Kong SAR, China

^c Leeds Beckett University, United Kingdom

^d Institute of Clinical Neuropsychology, The University of Hong Kong, Hong Kong SAR, China

^e Department of Sport and Leisure Studies, University of Waikato, New Zealand

Conflict of interest: Authors report no conflicts of interest.

* Corresponding author:

Dr. Frank Zhu,

Institute of Human Performance & Department of Surgery,

The University of Hong Kong,

3/F, Hong Kong Jockey Club Building for Interdisciplinary Research,

5 Sassoon Road, Pokfulam,

Hong Kong SAR, China.

Tel: +852 2831 5309;

Fax: +852 2855 1712;

Email: ffzhu@hku.hk

Abstract

Background: Implicit motor learning is characterized by low dependence on working memory and stable performance despite stress, fatigue, or multi-tasking. However, current paradigms for implicit motor learning are based on behavioral interventions that are often task-specific and limited when applied in practice.

Objective: To investigate whether cathodal transcranial direct current stimulation (tDCS) over the left dorsolateral prefrontal cortex (DLPFC) area during motor learning suppressed working memory activity and reduced explicit verbal-analytical involvement in movement control, thereby promoting implicit motor learning.

Methods: Twenty-seven healthy individuals practiced a golf putting task during a Training Phase while receiving either real cathodal tDCS stimulation over the left DLPFC area or sham stimulation. Their performance was assessed during a Test phase on another day. Verbal working memory capacity was assessed before and after the Training Phase, and before the Test Phase.

Results: Compared to sham stimulation, real stimulation suppressed verbal working memory activity after the Training Phase, but enhanced golf putting performance during the Training Phase and the Test Phase, especially when participants were required to multi-task.

Conclusion: Cathodal tDCS over the left DLPFC may foster implicit motor learning and performance in complex real-life motor tasks that occur during sports, surgery or motor rehabilitation.

Keywords

Cathodal tDCS; Left dorsolateral prefrontal cortex; Verbal working memory; Implicit motor learning;

Introduction

Contemporary theories of motor learning argue that motor skills can be acquired explicitly or implicitly [1,2]. Explicit motor learning is intentional and uses working memory to manage verbal-analytical aspects of learning, such as the utilization of verbal instructions, monitoring and control of performance, formation and testing of hypotheses, correction of errors, and the accumulation, retrieval and implementation of declarative knowledge [3,4]. In contrast, implicit motor learning reduces verbal-analytical involvement in motor control by encouraging limited dependence on working memory. This form of learning has been shown to result in less conscious knowledge of the movements involved [5,6] and performance with higher neural efficiency [7,8] than explicit motor learning, leaving the performer more able to deal with stress [9-12] or fatigue [13,14], and to multi-task [15,16]. Although no form of motor learning is purely implicit or explicit, researchers have deliberately attempted to devise implicit motor learning paradigms that reduce conscious control of movements during learning and performance of motor tasks. Such paradigms include dual-task learning [3,4,9,17,18], analogy learning [5,10,20], and errorless learning [6,13,14,20]. However, all of these paradigms suppress working memory activity indirectly by using task-specific behavioral interventions and may encounter limitations when applied in practice [2].

Transcranial direct current stimulation (tDCS) is a noninvasive brain stimulation technique that modulates cortical excitability in a polarity-dependent manner: anodal stimulation increases excitability, whereas cathodal decreases it [21,22]. More specifically, tDCS over the left dorsolateral prefrontal cortex (DLPFC) area has been shown to modulate working memory [23-25]. Hence, we hypothesized that cathodal tDCS over the left DLPFC area during motor learning would suppress the use of working memory and reduce explicit verbal-analytical involvement in movement control, thereby promoting implicit motor learning.

Material and methods

1 *Participants*

2 Twenty-seven college students, right-handed with no golf experience, participated in the study to learn a
3 golf putting motor task while receiving either Real cathodal tDCS over the left DLPFC area ($n = 14$, mean
4 age = 21.5, $SD = 2.28$) or Sham stimulation ($n = 13$, mean age = 20.46, $SD = 2.03$). All research methods
5 were approved by the University's Institutional Review Board. Participants were asked to provide written
6 informed consent and were paid an honorarium of HK\$150 (approximately US\$20).

7 *Golf putting task*

8 The golf putting task required participants to putt standard white golf balls to a target hole (12cm in
9 diameter) on an artificial grass putting surface that was even and level. Putts were made from a distance
10 of 1.9m using a standard golf putter.

11 *Verbal working memory measure*

12 Verbal working memory capacity was measured using a counting recall task from the Automated
13 Working Memory Assessment (AWMA) [26]; participants were presented with a series of shapes and
14 were required to count aloud the number of red circles in each set of shapes. Afterwards, they had to
15 recall the number of red circles in each set of shapes in the correct sequence. Scores on the counting recall
16 task were derived by the AWMA program.

17 *Procedure*

18 The experiment was divided into a Training Phase and a Test Phase on two separate days. Participants
19 were instructed to putt as accurately as possible. In order to familiarize participants with the task, ten
20 warm-up trials were completed. The Training Phase consisted of 7 practice blocks, with 10 trials in each
21 block. The Test Phase employed an A-B-A reversal design consisting of three blocks of 10 trials. The first
22 and last blocks (Retention Test 1 and 2) were designed to assess the levels of performance of the two
23 groups after training. The second block of putts, the Multi-task Test, was performed in conjunction with a

secondary tone-counting task [4], which required participants to monitor and count the number of both high and low pitch tones randomly generated by a computer every 2 seconds. Verbal working memory capacity was tested using the counting recall task on three occasions: before the Training Phase, after the Training Phase, and before the Test Phase.

tDCS

tDCS was delivered by a DC-Stimulator (NeuroConn, Ilmenau, Germany) and a pair of 50 x 50 mm saline-soaked sponge electrodes. The stimulator was fitted onto a backpack so that it could comfortably be carried by participants and did not interfere with their movements. The cathodal contact was placed over the left DLPFC area (F3) and the anodal contact was placed over the right supraorbital area (FP2) in accordance with the 10-20 international system for EEG electrode placement. For the Real Stimulation (RS) learning group, a constant current of 1.5mA with 30-second fade in/out was applied throughout the Training Phase, which took around 15-20 minutes. For the Sham Stimulation (SS) learning group, the stimulator was turned off automatically after 15 seconds of 1.5 mA stimulation with 30-second fade in/out.

Results

AWMA counting recall task scores were analyzed using a Group x Occasion (2 x3) repeated measures ANOVA. The analysis revealed a significant main effect of Occasion ($P < 0.001$) and a Group x Occasion interaction ($P = 0.038$). As shown in Table 1, the RS learning group did not display any significant change in AWMA counting recall task scores after the Training Phase compared to before the Training Phase ($P = 0.666$), whereas the SS learning group displayed higher scores ($P = 0.001$). However, the RS learning group displayed higher AWMA counting recall task scores before the Test Phase compared to after the Training Phase ($P = 0.018$), whereas the SS learning group displayed no change ($P = 0.915$).

Table 1 about here

The number of successful putts in each practice block during the Training Phase was analyzed using a Group x Block (2 x 7) repeated measures ANOVA, which revealed significant main effects of Group ($P = 0.015$) and Block ($P = 0.01$) (Figure1). The number of successful putts in each block of the Test Phase was analyzed using a Group x Test (2 x 3) repeated measures ANOVA, which revealed a significant main effect of Group ($P = 0.019$) only. Furthermore, independent t-tests showed that the RS learning group had more successful putts than the SS learning group in the Multi-task Test ($P = 0.019$), but not in Retention Test 1 ($P = 0.321$) and 2 ($P = 0.253$). No group difference was shown in the Tone-counting accuracy during the Multi-task Test (High pitch: $P = 0.894$, Low pitch: $P = 0.666$).

Figure 1 about here

Discussion

To our knowledge, this is the first study to investigate the effect of cathodal tDCS over the left dorsolateral prefrontal cortex (DLPFC) area on the learning and performance of a complex motor task. We hypothesized that cathodal tDCS over the left DLPFC area would suppress verbal working memory activity, which would reduce explicit verbal-analytical engagement movement control, thereby promoting implicit motor learning.

While the Real Stimulation (RS) learning group did not display decreased AWMA counting recall task scores after the Training Phase as we expected, the Sham Stimulation (SS) learning group unexpectedly displayed increased scores. It is likely that this was a result of a positive psychometric bias caused by retesting on a cognitive ability test [27,28]. The results suggest that cathodal tDCS over the left DLPFC area did suppress verbal working memory activity in the RS learning group but its negative effect on scores in the counting recall task was cancelled by the positive effect caused by retesting familiarity. After the effect of tDCS on the cortical excitability washed out on the second day, the RS learning group displayed increased AWMA counting recall task scores that were similar to the SS learning group on the first day, which suggests that suppression of verbal working memory activity by cathodal tDCS over the

1 left DLPFC during the Training Phase was only temporary, with no long-term adverse effect on
2 participants' verbal working memory capacity.

3 With respect to motor performance (i.e., putting score) the RS learning group performed better
4 than the SS learning group during both the Training and Test phases. In particular, the RS learning group
5 displayed better putting performance than the SS learning group during the Multi-task test (concurrent
6 tone-counting), suggesting that cathodal tDCS over the left DLPFC promoted performance that was more
7 implicit and automatic than the SS learning group. Stable motor performance when multi-tasking is a
8 standard outcome of implicit motor learning [1,2,4,6,13,14] and the findings are consistent with recent
9 claims that inhibition of the prefrontal cortex using cathodal tDCS encourages a shift in dominance from
10 the declarative (explicit) memory system to the non-declarative procedural (implicit) system [29].
11 Consequently, cathodal tDCS over the left DLPFC area may be a new tool with which to promote implicit
12 motor learning and performance of important real-life motor tasks in domains such as sport, surgery or
13 motor rehabilitation.

15 **Acknowledgments**

16 The work was supported by a Continuing Professional Development Grant (CPDG) from the University
17 of Hong Kong (Ref. No. 00005832).

1 **Legends**

2 Table 1. AWMA counting recall task scores of Real Stimulation (RS) and Sham Stimulation (SS)

3 learning groups before the Training Phase, after the Training Phase, and before the Test Phase.

4 Figure 1. Number of successful putts of Real Stimulation (RS) and Sham Stimulation (SS) learning

5 groups across the Training Phase (B1-7) and the Test Phase (Retention Test 1: R1, Multi-task Test: M,

6 Retention Test 2: R2).

7

1 **References**

- 2 [1] Masters RSW, Maxwell JP. Implicit motor learning, reinvestment and movement disruption: What
3 you don't know won't hurt you? In: Williams AM, Hodges NJ, editors. Skill acquisition in sport: Research,
4 Theory and Practice. London: Routledge; 2004, p. 207-228.
- 5 [2] Masters RSW, Poolton JM. Advances in implicit motor learning. In: Hodges NJ, Williams AM,
6 editors. Skill Acquisition in Sport: Research, Theory and Practice (2nd ed.), London: Routledge; 2012, p.
7 59-75.
- 8 [3] Masters RSW. Knowledge, knerves and know-how: The role of explicit versus implicit knowledge in
9 the breakdown of a complex motor skill under pressure. *Brit J Psychol* 1992;83:343-358.
- 10 [4] Maxwell JP, Masters RSW, Eves FF. The role of working memory in motor learning and performance.
11 *Conscious Cogn* 2003;12:376-402.
- 12 [5] Liao CM, Masters RSW. Self-focused attention and performance failure under psychological stress. *J*
13 *Sport Exerc Psychol* 2002;24:289-305.
- 14 [6] Maxwell JP, Masters RSW, Kerr E, Weedon E. The implicit benefit of learning without errors. *Q J*
15 *Exp Psychol-A* 2001;54:1049-1068.
- 16 [7] Zhu FF, Poolton JM, Wilson MR, Maxwell JP, Masters RSW. Neural co-activation as a yardstick of
17 implicit motor learning and the propensity for conscious control of movement. *Biol Psychol* 2011;87:66-
18 73.
- 19 [8] Zhu FF, Poolton JM, Wilson MR, Hu Y, Maxwell JP, Masters RSW. Implicit motor learning
20 promotes neural efficiency during laparoscopy. *Surg Endosc* 2011;25:2950-2955.
- 21 [9] Hardy L, Mullen R, Jones G. Knowledge and conscious control of motor actions under stress. *Brit J*
22 *Psychol* 1996;86:621-636.
- 23 [10] Lam WK, Maxwell JP, Masters RSW. Analogy learning and the performance of motor skills under
24 pressure. *J Sport Exerc Psychol* 2009;31:337-357.
- 25 [11] Law J, Masters RSW, Bray SR, Eves, FF, Bardswell I. Motor performance as a function of audience
26 affability and metaknowledge. *J Sport Exerc Psychol* 2003;25:484-500.
- 27 [12] Mullen R, Hardy L, Oldham A. Implicit and explicit control of motor actions: Revisiting some early
28 evidence. *Brit J Psychol* 2007;98:141-156.
- 29 [13] Masters RSW, Poolton JM, Maxwell JP. Stable implicit motor processes despite aerobic locomotor
30 fatigue. *Conscious Cogn* 2008;17:335-338.
- 31 [14] Poolton JM, Masters RSW, Maxwell JP. Passing thoughts on the evolutionary stability of implicit
32 motor behaviour: Performance retention under physiological fatigue. *Conscious Cogn* 2007;16:456-468.

- [15] Masters RSW, Poolton JM, Maxwell JP, et al. Implicit motor learning and complex decision making in time-constrained environments. *J Motor Behav* 2008;40:71-79.
- [16] Poolton JM, Masters RSW, Maxwell JP. The influence of analogy learning on decision-making in table tennis: Evidence from behavioural data. *Psychol Sport Exerc* 2006;7:677-688.
- [17] Maxwell JP, Masters RSW, Eves FF. From novice to no know-how: A longitudinal study of implicit motor learning. *J Sports Sci* 2000;18:111-120.
- [18] MacMahon KMA, Masters RSW. The effects of secondary tasks on implicit motor skill performance. *Int J Sport Psychol* 2002;33:307-324.
- [19] Masters RSW. Theoretical aspects of implicit learning in sport. *Int J Sport Psychol* 2000;31:530-541.
- [20] Poolton JM, Masters RSW, Maxwell JP. The relationship between initial errorless learning conditions and subsequent performance. *Hum Movement Sci* 2005;24:362-378.
- [21] Nitsche MA, Paulus W. Excitability changes induced in the human motor cortex by weak transcranial direct current stimulation. *J Physiol* 2000;527:633-639.
- [22] Nitsche MA, Paulus W. Transcranial direct current stimulation - Update 2011. *Restor Neurol Neuros* 2011;29:463-492.
- [23] Javadi AH, Walsh V. Transcranial direct current stimulation (tDCS) of the left dorsolateral prefrontal cortex modulates declarative memory. *Brain Stim* 2012;5:231-241.
- [24] Javadi AH, Cheng P, Walsh V. Short duration transcranial direct current stimulation (tDCS) modulates verbal memory. *Brain Stim* 2012;5:468-474.
- [25] Brunoni AR, Vanderhasselt M-A. Working memory improvement with non-invasive brain stimulation of the dorsolateral prefrontal cortex: A systematic review and meta-analysis. *Brain Cogn* 2014;86:1-9.
- [26] Alloway TA. Automated Working Memory Assessment. London: Pearson Assessment; 2007.
- [27] Lievens F, Reeve CL, Heggstad ED. An examination of psychometric bias due to retesting on cognitive ability tests in selection settings. *J Appl Psychol* 2007;92:1672-1682.
- [28] Hausknecht JP, Halpert JA, Di Paolo NT, Moriarty Gerrard MO. Retesting in selection: a meta-analysis of coaching and practice effects for tests of cognitive ability. *J Appl Psychol* 2007;92:373-385.
- [29] McKinley RA, McIntire LK, Nelson JM, Nelson JT. Acceleration of Procedural Learning with transcranial Direct Current Stimulation (tDCS). *Brain Stim* 2014;7:e4-e5.