

Citation:

Bagnall, A and South, J and Trigwell, J and Kinsella, K and White, J and Harden, A (2015) National Institute for Health and Care Excellence Review 4: Community engagement – approaches to improve health: map of the literature on current and emerging community engagement policy and practice in the UK. Project Report. Centre for Health Promotion Research, Leeds Beckett University / Institute for Health and Human Development, University of East London, Leeds.

Link to Leeds Beckett Repository record: https://eprints.leedsbeckett.ac.uk/id/eprint/2052/

Document Version: Monograph (Updated Version)

The aim of the Leeds Beckett Repository is to provide open access to our research, as required by funder policies and permitted by publishers and copyright law.

The Leeds Beckett repository holds a wide range of publications, each of which has been checked for copyright and the relevant embargo period has been applied by the Research Services team.

We operate on a standard take-down policy. If you are the author or publisher of an output and you would like it removed from the repository, please contact us and we will investigate on a case-by-case basis.

Each thesis in the repository has been cleared where necessary by the author for third party copyright. If you would like a thesis to be removed from the repository or believe there is an issue with copyright, please contact us on openaccess@leedsbeckett.ac.uk and we will investigate on a case-by-case basis.





National Institute for Health and Care Excellence Review 4: Community engagement – approaches to improve health: map of the literature on current and emerging community engagement policy and practice in the UK

Anne-Marie Bagnall¹, Jane South¹, Joanne Trigwell¹, Karina Kinsella¹, Judy White¹, Angela Harden²

- 1 Centre for Health Promotion Research, Leeds Beckett University
- 2 Institute for Health and Human Development, University of East London

Version 3.1.1 25th February 2016

Contact for further information Dr Anne-Marie Bagnall Reader in Evidence Synthesis (Health Inequalities) Centre for Health Promotion Research Institute for Health and Wellbeing Leeds Beckett University Calverley Lane Leeds LS1 3HE

t: +44(0)113 812 4333 e: <u>a.bagnall@leedsbeckett.ac.uk</u>

LEEDS BECKETT UNIVERSITY

Acknowledgements

We would like to acknowledge our collaborative partners in this Stream 2 work (Reviews 4, 5 and Primary Research Report 1) at the Institute of Health and Human Development, University of East London: Angela Harden, Kevin Sheridan, Alex McKeown, Ifeoma Dan-Ogosi and Farah Jamal, who have worked closely with us at every stage. We would also like to acknowledge the thoughtful discussion and help provided by colleagues producing Stream 1 work (Reviews 1, 2 and 3) at the EPPI-Centre, Institute of Education, University of London: Ginny Brunton, James Thomas, Jenny Caird, Gillian Stokes, Claire Stansfield, Dylan Kneale, Michelle Richardson, and by the NICE project team: Tracey Shield, Peter Shearn, James Jagroo and Antony Morgan.

Funding

This is an independent report commissioned and funded by the National Institute for Health and Care Excellence (NICE). The views expressed are not necessarily those of NICE.

Conflicts of interest

Professor Jane South was a member of the NICE Public Health Advisory Committee (PHAC) developing the community engagement guideline and was seconded to Public Health England to develop the family of community centred approaches during development of the guideline. There were no other conflicts of interest in the writing of this report.

Contributions

The opinions expressed in this publication are not necessarily those of Leeds Beckett University or of the funders (NICE). Responsibility for the views expressed remains solely with the authors.

This report should be cited as: Bagnall AM, South J, Trigwell J, Kinsella K, White J, Harden A (2015) Community engagement – approaches to improve health: Map of the literature on current and emerging community engagement policy and practice in the UK. Leeds: Centre for Health Promotion Research, Institute for Health and Wellbeing, Leeds Beckett University.

© Copyright 2015

The authors of this report hold the copyright for the text of the report. The authors give permission for readers of the report to display and print the contents for their own non-commercial use, provided that the source is cited clearly following the citation details provided.

Contents

Glossary	1
Abbreviations	7
Executive summary	3
1. Introduction	3
2. Methodology	1
3. Findings	2
4. Discussion	3
5. Conclusion and recommendations	3
References	9
APPENDIX A Sample search strategy from O'Mara-Eves et al. 2013	5
Appendix B Sample search strategy from Stream 1 update	3
Appendix C Sample search strategy from PHE mapping review 12	1
APPENDIX D Bibliography of included studies122	2
APPENDIX E Bibliography of excluded studies143	3
APPENDIX F List of Systematic Reviews mined for relevant studies	1
APPENDIX G Table of included studies/ projects168	3
APPENDIX H The family of community-centred approaches (South 2014)	2
APPENDIX I Studies by type of community engagement approach (South 2014; South 2015).	3

Glossary

Asset-based approaches

An asset based approach makes visible and values the skills, knowledge, connections and potential in a community. It promotes capacity, connectedness and social capital (Glasgow Centre for Population Health, 2011).

Community engagement

The direct or indirect process of involving communities in decision making and/ or in the planning, design, governance and delivery of services, using methods of consultation, collaboration and/ or community control (O'Mara-Eves et al. 2013)

Community mobilisation/ action

A capacity building process, through which communities plan, carry out and/ or evaluate activities on a participatory and sustained basis to achieve an agreed goal. Includes community development and asset based approaches.

Community development

A process where community members come together to take collective action and generate solutions to common problems (United Nations 1995¹)

Community organisations

New and existing service development; connecting people to community resources and information.

Extent of community engagement

Taken from Stream 1 (Brunton et al. 2014): HIGH if level of CE = HIGH in all 3 of design, delivery and evaluation; MODERATE if level of CE = HIGH in 2 out of 3 of design, delivery and evaluation; LOW if level of CE = HIGH in 0 or 1 out of 3 of design delivery or evaluation.

Level of community engagement

Taken from Stream 1 (Brunton et al. 2014), for each of design, delivery and evaluation: Community members leading or collaborating = HIGH; Community members consulted or informed = LOW

Mining

In this review, this refers to screening reference lists of relevant systematic reviews to find further primary studies that may meet the review inclusion criteria. These are then retrieved as full text and screened for inclusion.

¹<u>http://unterm.un.org/DGAACS/unterm.nsf/8fa942046ff7601c85256983007ca4d8/526c2eaba978f007852569f</u> <u>d00036819?OpenDocument</u>

Mixed methods evaluation

An evaluation that uses both quantitative methods (e.g. questionnaires) and qualitative methods (e.g. interviews).

Non-peer health advocacy

Possible roles are similar to those under "peer involvement" but involve members of the community that are not peers of the target participants.

Peer involvement

Peers are defined as people sharing similar characteristics (e.g. age group, ethnicity, health condition) who provide advice, information and support and/ or organise activities around health and wellbeing in their or other communities. Can include "bridging roles" (e.g. health trainers, navigators) or peer-based interventions (e.g. peer support, peer education and peer mentoring).

Public health

All organized measures (whether public or private) to prevent disease, promote health, and prolong life among the population as a whole. Its activities aim to provide conditions in which people can be healthy and focus on entire populations, not on individual patients or diseases (World Health Organisation)

Social capital

The disposition to create, develop and maintain networks that may be used for the purpose of social integration (The Social Capital Foundation)

Social exclusion

Social exclusion is a complex and multi-dimensional process. It involves the lack or denial of resources, rights, goods and services, and the inability to participate in the normal relationships and activities, available to the majority of people in a society, whether in economic, social, cultural or political arenas. It affects both the quality of life of individuals and the equity and cohesion of society as a whole' (Levitas et al., 2007)

Social networks

Explicit use of the term in study reports. Community mobilisation/ action approaches could use social networks (e.g. time banks).

Targeted approaches

Eligibility and access to services are determined by selection criteria, such as income, health status, employment status or neighbourhood (National Collaborating Centre for Determinants of Health, 2013).

Universal approaches

Eligibility and access are based simply on being part of a defined population such as all women, all children under age six, or all people living in a particular geographic area, without

any further qualifiers such as income, education, class, race, place of origin, or employment status (National Collaborating Centre for Determinants of Health, 2013).

Volunteers

Used when this term is explicitly used in study reports. Peer and non-peer roles could involve volunteers but may not be explicitly labelled as such.

Abbreviations

CE	Community engagement
CBPR	Community based participatory research
CRD	Centre for Reviews and Dissemination, University of York
DARE	Database of Abstracts of Reviews of Effects
DOPHER	Database of Public Health Effectiveness Reviews
TROPHI	Trials of Public Health Interventions database
СРН	Centre for Public Health
NICE	National Institute of Health and Care Excellence
PHAC	Public Health Advisory Committee
PPI	Patient and Public Involvement
HTA	Health Technology Assessment
NIHR	National Institute of Health Research
EPPI-Centre	Evidence for Policy and Practice Information and Co-ordinating Centre
PCT	Primary Care Trust
RCT	Randomised Controlled Trial
C2	Connecting Communities
LTC	Long term condition

Executive summary

Background

Community engagement has been defined as the 'direct or indirect process of involving communities in decision making and/or in the planning, design, governance and delivery of services, using methods of consultation, collaboration, and/or community control' (O'Mara-Eves et al. 2013). Community engagement for health was defined in the scope for this work ((National Institute for Health and Care Excellence, 2014) as being about people improving their health and wellbeing by helping to develop, deliver and use local services. It is also about being involved in the local political process. Community engagement can involve varying degrees of participation and control: for example, giving views on a local health issue, jointly delivering services with public service providers (co-production) and completely controlling services. The more a community of people is supported to take control of activities to improve their lives, the more likely their health will improve (Popay et al., 2007).

Since the publication of The National Institute for Health and Care Excellence's guidance on community engagement in 2008 (National Institute for Health and Care Excellence, 2008) there has been considerable research activity in this topic area. A recent NIHR review (O'Mara-Eves et al., 2013) which focused on community engagement for health inequalities found 319 relevant studies, and concluded that community engagement interventions "are effective in improving health behaviours, health consequences, participant self-efficacy and perceived social support for disadvantaged groups".

The Centre for Public Health at NICE are now updating the 2008 guidance, and this update includes three streams of evidence:

Stream 1 (Reviews 1, 2 and 3): Community engagement: a report on the current effectiveness and process evidence, including additional analysis.

Stream 2 (Reviews 4 and 5 and Primary Research Report 1): Community engagement: UK qualitative evidence, including one mapping report and one review of barriers and facilitators.

Stream 3: An economic analysis (Reviews 6 and 7).

Stream 2 includes three components:


Review 4: a map of the literature on current and emerging community engagement policy and practice in the UK.

Primary Research Report 1: a map of current UK practice based on a case study approach. This consists of a series of six case studies of current or recent community engagement projects;

Review 5: Evidence review of barriers to, and facilitators of, community engagement approaches and practices in the UK.

Figure 1 demonstrates how Reviews 4 and 5 and Primary Research Report 1 are related to each other and to the evidence from Reviews 1-3.





This report is of Review 4: Community engagement – approaches to improve health: map of the literature on current and emerging community engagement policy and practice in the UK.

Aims and objectives

This mapping review provides a synopsis of the key findings from documentary analysis (including grey literature) of the current evidence base for UK local and national policy and practice for community engagement. It aims to identify, describe and provide insight into current and emerging community engagement policy and practice in the UK.

In addition to the main aim above, the review set out to address any or all of the following research questions, from the final NICE Guidance scope:

Question 3: What processes and methods help communities and individuals realise their potential and make use of all the resources (people and material) available to them?

Question 4: Are there unintended consequences from adopting community engagement approaches?

Question 5: What barriers and facilitators affect the delivery of effective community engagement activities – particularly to people from disadvantaged groups?

In terms of the research questions, as this is not a review of effectiveness, this component on its own is unable to answer any of the review questions fully. Question 3 is answered in part by Reviews 1-3, and more specific UK-focused answers will be provided by Primary Research Report 1 (case studies) and Review 5 (systematic evidence review of barriers and facilitators). Primary Research Report 1 and Review 5 will also seek to answer review questions 4 and 5.

Methods

a) Search strategy

Our search strategy was designed in collaboration with our consortium partner, the EPPI-Centre, who carried out the systematic review of effectiveness for Stream 1. Given the difficulties of identifying studies via traditional electronic database searches we focused our search efforts on

- Specialised research registers and websites;
- The pool of included and excluded studies from the recent NIHR review (O'Mara-Eves et al., 2013);
- An update of the searches from the recent NIHR review (O'Mara-Eves et al., 2013) carried out for Stream 1 which included a search of specialist systematic review websites and databases (DoPHER; DARE; the Cochrane Database of Systematic Reviews, the Campbell Library, the HTA programme website) and a search of the TRoPHI database of studies in health promotion and public health;
- The results of searches carried out for a recent review of community based interventions for Public Health England (Public Health England and NHS England, 2015);
- Mining of the reference lists of relevant systematic reviews obtained from any of these sources;
- Website searches of relevant organisations;
- Direct calls for evidence by NICE and by Leeds Beckett University via networks of contacts with community practitioners and groups.

b) Screening

Records identified from all searches were assessed by hierarchical inclusion screening. Inclusion criteria covered populations, interventions, outcomes, study design, country, date and language.

- 1 DATE: studies published before 2000² (or for policy and conceptual papers, before 2006)³ were excluded.
- 2 COUNTRY: UK only. Studies of non-UK projects or communities or policies were excluded.
- 3 INTERVENTION: only studies of community engagement in public health topics were included (see glossary and Chapter 2 for working definitions)
- 4 STUDY DESIGN: Empirical or theoretical research, or practice descriptions, or policy documents were included. Secondary research (e.g. systematic reviews) and discussion or commentary papers that did not present empirical or theoretical research were excluded. The reference lists of systematic reviews were "mined" for relevant studies.

Records were first screened on title and abstract. The inclusion criteria were tested and refined after piloting them on a random sample of 10% of the titles and abstracts. All reviewers independently screened these records and any differences were resolved by discussion and where necessary, informed by the advice of the NICE CPH team. Further pilot screening was conducted until at least 80% agreement between reviewers was reached. Once this level of reliability was reached the remaining records were randomly divided between reviewers for single screening. All included records were marked for full text retrieval. Any disagreements were discussed or if necessary resolved by the lead researcher.

All full text studies were screened by one reviewer using the agreed inclusion criteria, with a random sample of 30% being double screened. Any disagreements were resolved by discussion and recourse to a third reviewer. Those documents that passed the inclusion criteria on the basis of full text screening were included in the review.

c) Coding

As this was a mapping review, which encompasses a wide range of evidence rather than focussing in depth on a narrower topic, data extraction was limited to coding within categories, with limited explanatory text. Quality assessment was not undertaken.

Included studies were coded by one reviewer and a random selection of 20% checked by a second reviewer, using piloted pre-agreed forms. Any disagreements were resolved by discussion with reference to the full paper and, where necessary, a third reviewer.

Coding categories included:

• Document type, summarised in this report as

²*Search date of 2000 onwards would capture relevant and appropriate records related to community engagement as conceived in the scoping document. The date range is informed by various legislation (e.g. The Health & Social Care Act, Section 11: Public Involvement & Consultation; Local Government Act) published at this time which generated research activity.

³ Date chosen to avoid duplication of effort with a previous review commissioned by NICE (Popay et al. 2007) to inform the previous NICE guidance on community engagement (National Institute of Health and Care excellence 2008). Searches for that review ended in 2007; we included articles from 2006 to allow for any delays in articles being indexed on electronic databases.

- S = research (research or evaluation studies), or
- D = non-research (conceptual papers, policy documents or practice descriptions);
- Study design (if research/ evaluation study);
- Type of community engagement (see glossary);
- Level and extent of community engagement (low, medium, high: see below);
- Name of initiative;
- Lead organisation;
- Type of activity;
- Setting;
- Targeted or universal approach;
- Health or wellbeing issues;
- Population group(s) (PROGRESS-Plus categories (Kavanagh et al., 2008))⁴;
- Outcomes reported (for research/ evaluation studies only):

Level of community engagement in design, delivery or evaluation:

Taken from Reviews 1-3 (Brunton et al., 2014), for each of design, delivery and evaluation:

Community members leading or collaborating = HIGH;

Community members consulted or informed = LOW.

Extent of community engagement:

HIGH – if level of CE = HIGH in all 3 of: design AND delivery AND evaluation.

MODERATE – if level of CE = HIGH in 2 out of 3 of: design, delivery and evaluation.

LOW - if level of CE = HIGH in 0 or 1 out of: design, delivery and evaluation.

⁴ The PROGRESS-plus framework highlights several social and personal dimensions that may affect health inequalities i.e.: Place of residence; Race/ ethnicity; Occupation; Gender; Religion; Education; Socio-economic position; Social capital; Other (e.g. age, disability, sexual orientation, being "looked after", etc.). Recommended by the Cochrane/Campbell Health Equity Group (Kavanagh J et al. 2008)

d) Synthesis

The key findings of the mapping review were summarised narratively in the first instance, with frequencies and proportions of documents in certain categories also being presented. The literature was mapped, grouping papers using categories from the coding process. Areas where there were multiple papers, or conversely, limited research were noted. Any findings that related directly to the research questions were noted.

Further narrative synthesis was undertaken of policy and conceptual documents.

Main findings

4441 (91% of total) records were identified through searches of electronic databases, and 456 records (9% of total) were identified from additional sources (see below), making 4897 records for initial screening. After screening 577 full text articles, 316 articles (6.5% of initial number) were included in the map.

<u>Source:</u> Less than half (39%, n=123) of the 316 included articles came from electronic database searches. 108 (34%) came from "mining" the reference lists of identified systematic reviews and other secondary research articles, 37 (12%) came from website searches (including our own institutions), 20 (6%) came from NICE's call for evidence, 21 (7%) from the Register of Interest, three (<1%) from citation searches carried out for Review 5 (Harden et al., 2015) and four (1.3%) came directly from Reviews 1-3 (Brunton et al., 2014).

<u>Document type</u>: 227 of the 316 included articles (72%) were coded as research or evaluation, 77 (24%) were coded as practice description, 40 (13%) as policy-related documents, and 30 (9%) as conceptual or theoretical papers. Articles could be coded in more than one of these categories, most commonly policy combined with practice description or research/ evaluation.

<u>Study design</u>: Of the 227 research or evaluation documents, the majority were coded as either mixed methods evaluation (n=90, 40%) or qualitative studies (n=88, 39%). Seventeen studies (7%) were coded as questionnaires or surveys, fifteen (7%) were randomised controlled trials, seven (3%) were before and after studies and five (2%) were non-randomised controlled trials. Twenty studies (9%) were coded as "other": the majority of these were case studies, or the methods were not described. There was some overlap between these categories, with some studies being coded as more than one study design.

<u>Policy:</u> There are a number of consistent themes relating to the UK policy context for community engagement and health, based on analysis of 42 policy publications*

Firstly, policy documents, reviews and commentary concerning community engagement and health can be mapped across a wide range of policy areas and sectors. These include: health policy and the NHS, local government policy and regeneration, third sector and volunteering and also health inequalities as a cross cutting policy issue. Very few publications were focused exclusively on community engagement and public health, but all related to in some way to the active participation of individuals and communities as a mechanism to improve health, community life or quality of local services or alternatively to reduce inequalities and area disadvantage.

Secondly, since 2006 there are consistent themes across government policy relating to the significance of community engagement and empowerment. The review has highlighted a number of specific policy initiatives from both Labour government 2005-2010 and the Conservative-Liberal Democrat Coalition government of 2010-2015. These include changes in patient and public involvement (PPI) structures and public involvement mechanisms affecting health planning and services; neighbourhood management, Localism aimed at devolution of power to local communities and health inequalities policy. There are also relevant policies from the devolved assemblies (Scottish Government, 2013, Welsh Assembly Government, 2008). Overall, publications relating to inequalities and community

empowerment, whether originating from government or from independent sources, like the Marmot review (Marmot, 2010), called for new relationships between services and communities that give more power to communities, enabling individuals to play a greater part in local decisions that affect their health and lives.

Thirdly, the review has identified a consistent theme around the contribution of individuals and communities to health and to society in general. Discussion and commentary cluster round various concepts which are frequently cross-referenced to each other. These include asset-based approaches, co-production and volunteering.

**(Atkinson, 2012, Barnes et al., 2008a, Blank et al., 2007, Boydell and Rugkåsa, 2007, Boyle et al., 2010, Bridgen, 2006, Communities and Local Government, 2007, Department for Communities & Local Government, 2006b, Department for Communities & Local Government, 2007a, Department for Communities & Local Government, 2007b, Department of Health, 2006a, Department of Health, 2006b, Department of Health, 2007a, Department of Health, 2008b, Department of Health, 2008a, Department of Health, 2009a, Department of Health, 2010, Department of Health, 2012a, Department of Health, 2012b, HM Government, 2007, HM Government, 2010b, HM Government, 2010a, HM Government, 2011, HM Government, 2012, Kennedy, 2006, Lawless et al., 2007, Local Government Information Unit, 2012, Mauger and et al., 2010, Nesta, 2013, NHS England, 2013, Office of the Deputy Prime Minister, 2006, Public Health England, 2013, Scottish Community Development, 2013, Scottish Community Development Centre, 2013, Wait and Nolte, 2006, Wallace, 2007, Welsh Assembly Government, 2008, Whitehead and Dahlgren, 2007)

<u>Concepts:</u> 30 articles explored concepts and theories related to community engagement**. A diverse range of concepts are used to explain and critique aspects of power and participation. There is no common terminology and a number of papers point to the challenges of defining what are complex sets of ideas. Only four papers specifically dealt with community engagement as a defined topic (Fountain et al., 2007, Glasgow Centre for Population Health, 2007, Sheridan and Tobi, 2010, South and Phillips, 2014). Empowerment continues to be a significant theme – both how it can be achieved and what it means. Since 2006, other relevant concepts, such as co-production and volunteering, have gained some prominence in public health literature. The implications are that community engagement, as proposed in the earlier NICE guidance (National Institute for Health and Care Excellence, 2008), is best seen as an umbrella term that covers a range of concepts relating to participation and empowerment.

*(Jones, 2004, Attree et al., 2011, Beresford, 2007, Boydell and Rugkåsa, 2007, Boyle et al., 2010, Brownlie et al., 2006, Burton et al., 2006, Cabinet Office, 2011, Chadderton et al., 2008, Chirewa, 2012, Communities and Local Government, 2007, Department of Health, 2006b, Draper et al., 2010, Fountain et al., 2007, Glasgow Centre for Population Health, 2007, Hardill et al., 2007, Kennedy, 2006, Laverack, 2006, Local Government Information Unit, 2012, Mahoney et al., 2007, McDaid, 2009, Nesta, 2013, Office of the Deputy Prime Minister, 2006, Scottish Government, 2013, Sheridan and Tobi, 2010, Spencer, 2014, Truman and Raine, 2001, Wait and Nolte, 2006, Wallace, 2007, South and Phillips, 2014)

<u>Communities:</u> The largest group of articles (n=112, 36%), both research (n=89, 39%) and non-research (n=28, 31%), looked at initiatives in urban settings. A large number (n=90,

29%) also looked at initiatives in both urban and rural settings. Only 11 articles (4%) looked at initiatives in rural settings alone (Bromley, 2014, Davis, 2008, Dickens Andy et al., 2011, East Midlands Regional Empowerment Partnership, 2009a, Elliott et al., 2007, Halliday and Asthana, 2005, Hoddinott et al., 2006a, Hoddinott et al., 2006b, Osborne et al., 2002, Starkey et al., 2005, Stutely, 2002). In 43 studies, the setting was not clear.

As this was a mapping review, we did not undertake detailed data extraction on the populations other than to code for indicators of health inequalities using the PROGRESS-plus tool (see Health Inequalities below). However, the UK map includes articles on communities of place (e.g. Well London (Phillips et al., 2012)), communities of culture (e.g. Roma support group (Roma Support Group, 2009)), ethnicity, age (e.g. Youth.com (Craig, 2010); MAC UK (Mental Health Foundation, 2013); Partnerships for Older People (Williamson et al., 2009, Windle et al., 2009) or health and wellbeing issues (e.g. long term conditions (Hills et al., 2007)).

The health and wellbeing issues addressed most frequently by UK community engagement initiatives were community level or wellbeing outcomes, rather than individual behaviour change outcomes:

Social capital or social cohesion (n=129, 41%) e.g. improved social networks (Burgess 2014), reduction in crime (Stutely and Cohen 2004);

Community wellbeing (n=110, 35%) e.g. community resilience (Cinderby et al. 2014), empowerment (Hothi et al. 2007) ;

Personal wellbeing (n=82, 26%) e.g. positive mental health (IRISS 2012, Tunariu et al. 2011), quality of life (Nazroo and Matthews 2012);

General health – personal (n=99, 31%) e.g. weight management (Jennings et al. 2013), healthy lifestyle promotion (Robinson et al. 2010; and

General health – community (n=95, 30%) e.g. setting up group activities (Woodall et al. 2012), reducing health inequalities (Race for Health 2010).

This seems to be a different pattern from initiatives in included studies in the systematic reviews of effectiveness (Reviews 1-3 (Brunton et al. 2014)), which have focused on individual health issues such as physical activity and healthy eating.

<u>Health Inequalities:</u> Indicators of potential health inequality observed most frequently in the included articles were socioeconomic (n=89 S; 35 D) and "other" indicators of disadvantage (n= 95 S, 28 D) – these included a range of groups such as:

People with disabilities (e.g. Edwards 2002, inclusion in regeneration);

People with learning difficulties (LD) (e.g. McCaffrey 2008, commissioning from the perspective of people with LD);

Older people (e.g. Williamson et al. 2009, Partnerships for Older People);

Offenders (e.g. Dooris et al. 2013, health trainer service);

People with long term health conditions (e.g. Hills et al. 2007, healthy living centres);

People with substance use disorders (e.g. Elliott et al. 2001, involving peer interviewers in research);

Gay Lesbian Bisexual or Transgender groups (e.g. Flowers et al. 2002, bar-based peer-led sexual health promotion with gay men);

Mental health service users (e.g. O'Brien et al. 2011, volunteering in nature);

Refugees and asylum seekers (e.g. Bhavnani and Newburn 2014, NCT peer support).

Other indicators of inequality were race/ ethnicity (n=53 S, 16 D), lack of social capital or social exclusion (n=37 S, 9 D). This demonstrates that community engagement initiatives in the UK go beyond the approach of targeting the most obvious indicators of inequality (i.e. those that are included in health equity profiles such as ethnicity, gender and occupational or socioeconomic status) and seek to engage some of the most marginalised, disadvantaged or excluded population groups. This is true of both research and non-research articles.

Community engagement initiatives for populations with "Other indicators of disadvantage" were more likely to use peer (45S (47%), 6D (21%)) or volunteer (34S (36%), 4D (14%)) involvement approaches than those for populations coded as having socioeconomic indicators of disadvantage (Peer involvement 31S (34%), 6D (17%); Volunteers 11S (12%), 3S 11%)), which were similar to the percentages given across the range of UK initiatives in this mapping review (see "Approaches" below). Initiatives targeting populations with any indicators of health inequalities were more likely to use a targeted than a universal approach (other than populations with low social capital, where a universal approach was more likely to be used).

As for all initiatives included in this map, initiatives for populations with "other" indicators of disadvantage were also most likely to address social capital or cohesion issues (46S (48%), 11D (39%)), but individual issues such as physical activity (24S (25%), 1D (4%)), healthy eating (28S (29%), 1D (4%)), mental health (28S (29%), 4D (14%)) and substance use (23S (24%), 2D (7%)) were also commonly targeted. "Personal assets" was a health and wellbeing category that was more commonly addressed in this group than any other (14S (15%), 1D (4%))

Examination of trends over time (from 2000 to 2014) revealed that socioeconomic indicators and other indicators of disadvantage were consistently the most targeted indicators of health inequality in the UK community engagement literature on policy and practice.

<u>Approaches to community engagement:</u> The mapping review found a wide range of approaches to community engagement in the 316 included articles, which were grouped into seven types: Community mobilisation/ action; Community partnerships/ coalitions; Peer involvement; Community organisations; Non-peer health advocacy; Social networks; Volunteers (see Glossary for definitions). Community mobilisation/ action (138 articles, 89S, 49D; 44%) and community partnerships/ coalitions (180 articles, 113S, 67D; 57%) were the most commonly used approaches in both research and non-research articles. Peer involvement (n=97, 82S, 15D; 31%) and volunteers (n=64, 50S, 14D; 20%) were common approaches in research articles, but less so in non-research articles. In more than half of these articles, peer involvement approaches were combined with other community

engagement approaches. Different approaches seemed to be used to target different types of health or wellbeing issues, for example peer involvement was most often seen in interventions targeting individual behaviour change (e.g. physical activity, healthy eating, substance use), whereas community mobilisation/ action or partnership/ coalition approaches were more often seen in initiatives that focused on community wellbeing, social capital or community assets.

Most included initiatives reported a low (n=141 (45%), 110S (48%), 31D (35%)) or moderate (n=124 (39%), 85S (37%), 39D (44%)) extent of community engagement, with only 33 initiatives (10%, 17S (7%), 16D (18%)) reporting a high extent of CE (defined as community leading or collaborating in all three of: design; delivery; evaluation). Most of the initiatives with a high extent of CE took a community mobilisation/ activation approach (n=21 (64%)), and/ or a collaboration/ partnership approach (n=26 (79%)) to community engagement. The comparatively high proportion of these initiatives which were reported in the non-research literature (20% of all non-research articles, compared to 8% of research articles) may be indicative of a gap between the types of organisations which usually write and publish research articles (e.g. academics and health professionals), and the types of organisations which usually involve community members in the evaluation process (e.g. community-based, non-academic), and/or may indicate challenges in the evaluation or publication process of high community engagement initiatives. It is worth noting due to the potential for publication bias if non-research articles had not been included in this map of UK practice.

Examination of trends over time (from 2000 to 2014) revealed that there has been an increase in approaches using peer involvement since 2009 and that non-peer health advocacy approaches (such as health trainers) seen to have been increasing in frequency since 2007.

<u>Outcomes:</u> In the 227 research and evaluation studies, the most frequently reported outcome type was process outcomes (n=187 S (82%)) such as recruitment of lay workers, followed by wellbeing outcomes (n=116 S (51%)) such as confidence, self-efficacy and quality of life, and health outcomes (n=102 S (45%)) such as increased awareness and uptake of cancer screening. Community level outcomes (n=92 S (41%)) were reported more frequently than outcomes at the individual level (n=83 S (37%)). Harmful or unintended effects (n=12 S (5%)) and economic outcomes (n=11 S (5%)), such as unit costs and funding, were reported less frequently.

Effects: Direction of effect was not routinely coded for in this systematic mapping review, so we are unable to comment on effectiveness.

Unintended or harmful effects: There is some evidence in this component 1a to contribute to review question 4, with 12 studies (5%) coded as reporting unintended or harmful consequences. Evidence from these 12 studies suggests that unintended effects can be positive (e.g. improved mental health in community members delivering interventions) but may also be negative or harmful, either to community deliverers (e.g. volunteers feeling overburdened), to organisations or partnerships (e.g. tensions between lay and professional role boundaries), or to the wider community (e.g. community members becoming so attached to projects that there are no places left for newer members).

Examination of trends over time (from 2000 to 2014) revealed that reporting of mental health and wellbeing outcomes have increased in frequency since 2007.

<u>Structure and focus of existing evidence base:</u> There is a substantial amount of information in the following topic areas: Urban or mixed settings (i.e. both urban and rural); socioeconomically deprived groups or areas; socially excluded or isolated groups; areas that lack social cohesion; other potentially disadvantaged groups (e.g. older people; people with disabilities; people in poor physical or mental health); black or minority ethnic groups; initiatives targeting health behaviours (physical activity, healthy eating, substance use), mental health, personal and community wellbeing, general health (personal and community), social capital or cohesion; initiatives with low or moderate extent of community engagement; process, wellbeing, health and community level outcomes.

There seems to be little information in the following areas: rural settings; unintended or harmful effects; cultural adaptation; initiatives with a high extent of community engagement; population groups that may experience health inequalities due to religion, culture or educational reasons.

Summary Statements

Summary statement 1: Conceptual

A number of overlapping terms are used to cover concepts and approaches that relate to the active participation of people in decisions about their health and lives (based on 30 conceptual/ theoretical papers*). This includes community engagement (4 papers: Fountain et al. 2007; Glasgow Centre for Population Health 2007; Sheridan and Tobi 2010; South and Phillips 2014), community participation (2 papers: Mahoney et al. 2007; Draper et al. 2010), community or public involvement (4 papers: Burton et al. 2006; Chadderton et al. 2008; Department of Health, 2006b; Wait and Nolte 2006) and empowerment: (3 papers: (Communities and Local Government, 2007, Laverack, 2006, Spencer, 2014). Empowerment is a complex concept that has different dimensions both relating to process and outcomes (Laverack, 2006, Spencer, 2014). The review of conceptual papers suggests that community engagement also relates to social action by communities through volunteering and building social capital (based on 11 conceptual/ theoretical papers (Cabinet Office, 2011, Communities and Local Government, 2007, Dobbs and Moore, 2002, Nesta, 2013, Fountain et al., 2007, Glasgow Centre for Population Health, 2007, Hardill et al., 2007, Laverack, 2006, Local Government Information Unit, 2012, Sheridan and Tobi, 2010, Wallace, 2007)).

*(Jones, 2004, Attree et al., 2011, Beresford, 2007, Boydell and Rugkåsa, 2007, Boyle et al., 2010, Brownlie et al., 2006, Burton et al., 2006, Cabinet Office, 2011, Chadderton et al., 2008, Chirewa, 2012, Communities and Local Government, 2007, Department of Health, 2006b, Draper et al., 2010, Fountain et al., 2007, Glasgow Centre for Population Health, 2007, Hardill et al., 2007, Kennedy, 2006, Laverack, 2006, Local Government Information Unit, 2012, Mahoney et al., 2007, McDaid, 2009, Nesta, 2013, Office of the Deputy Prime Minister, 2006, Scottish Government, 2013, Sheridan and Tobi, 2010, Spencer, 2014, Truman and Raine, 2001, Wait and Nolte, 2006, Wallace, 2007, South and Phillips, 2014)

Summary statement 2: Policy

Policy interest in community engagement and health can be mapped across a wide range of policy areas and sectors (based on 42 policy-related articles**). These include: health policy and the NHS, local government policy and regeneration, third sector and volunteering and also health inequalities as a cross-cutting policy issue. Community engagement in public health continues to be supported through these various policy drivers (4 publications: (Department of Health, 2010, Department of Health, 2012a, Department of Health, 2012b, HM Government, 2010b)); however, there appears to be a greater policy emphasis on patient and public involvement (PPI) structures in relation to the NHS (6 publications: (Department of Health, 2006b, Department of Health, 2006a, Department of Health, 2007a, Department of Health, 2010, HM Government, 2012, NHS England, 2013)).

The key role of local government in leading community engagement and supporting public participation in local decision making has been a major policy theme throughout the period covered by the review (based on 4 publications: (Department for Communities & Local Government, 2006b, Department for Communities & Local Government, 2007a, Department for Communities & Local Government, 2007b, HM Government, 2007)). Community

engagement and empowerment have been consistently linked to strategies to address health inequalities (3 publications: (Department of Health, 2008b, Department of Health, 2008a, Department of Health, 2009a), with emphasis given to enabling individuals to play a greater part in local decisions that affect their health and lives. Two specific policy initiatives identified in the review were New Deal for Communities (Lawless et al., 2007, Wallace, 2007) and Neighbourhood Management/partnerships (Blank et al., 2007, Office of the Deputy Prime Minister, 2006, Sustainable Development Commission, 2010).

The contribution of individuals and communities to health and to society in general is a policy theme, with the importance of social action on health being endorsed in government documents and policy commentary. Interrelated concepts found in the map of policy include asset-based approaches, co-production, volunteering and peer support, and a number of (non-governmental) documents advocate for methods that draw on community strength and build on the lay contribution.

**(Atkinson, 2012, Barnes et al., 2008a, Blank et al., 2007, Boydell and Rugkåsa, 2007, Boyle et al., 2010, Bridgen, 2006, Communities and Local Government, 2007, Department for Communities & Local Government, 2006b, Department for Communities & Local Government, 2007a, Department for Communities & Local Government, 2007b, Department of Health, 2006a, Department of Health, 2006b, Department of Health, 2007a, Department of Health, 2008b, Department of Health, 2008a, Department of Health, 2009a, Department of Health, 2010, Department of Health, 2012a, Department of Health, 2012b, HM Government, 2007, HM Government, 2010b, HM Government, 2010a, HM Government, 2011, HM Government, 2012, Kennedy, 2006, Lawless et al., 2007, Local Government Information Unit, 2012, Mauger and et al., 2010, Nesta, 2013, NHS England, 2013, Office of the Deputy Prime Minister, 2006, Public Health England, 2013, Scottish Community Development, 2013, Scottish Community Development Centre, 2013, Wait and Nolte, 2006, Wallace, 2007, Welsh Assembly Government, 2008, Whitehead and Dahlgren, 2007).

Summary Statement 3: Communities

Most community engagement activity in the UK takes place in urban or mixed (urban and rural) settings (based on 209 articles).

The health and wellbeing issues addressed most frequently by UK community engagement initiatives were community level or wellbeing outcomes, rather than individual behaviour change outcomes:

Social capital or social cohesion (n=129, 41%) e.g. improved social networks (Burgess 2014), reduction in crime (Stutely and Cohen 2004);

Community wellbeing (n=110, 35%) e.g. community resilience (Cinderby et al. 2014), empowerment (Hothi et al. 2007);

Personal wellbeing (n=82, 26%) e.g. positive mental health (IRISS 2012, Tunariu et al. 2011), quality of life (Nazroo and Matthews 2012);

General health – personal (n=99, 31%) e.g. weight management (Jennings et al. 2013), healthy lifestyle promotion (Robinson et al. 2010; and

General health – community (n=95, 30%) e.g. setting up group activities (Woodall et al. 2012), reducing health inequalities (Race for Health 2010).

Summary Statement 4: Health inequalities

Much UK practice in community engagement is directly relevant to health inequalities (based on 124 studies coded as socioeconomic indicators (n=89 S; 35 D) e.g. deprivation (Greene 2007; Hills et al. 2013) and 123 studies coded as "other" indicators of disadvantage (n= 95 S, 28 D) – these included a range of characteristics such as:

People with disabilities (e.g. Edwards 2002, inclusion in regeneration);

People with learning difficulties (LD) (e.g. McCaffrey 2008, commissioning from the perspective of people with LD);

Older people (e.g. Williamson et al. 2009, Partnerships for Older People);

Offenders (e.g. Dooris et al. 2013, health trainer service);

People with long term health conditions (e.g. Hills et al. 2007, healthy living centres);

People with substance use disorders (e.g. Elliott et al. 2001, involving peer interviewers in research);

Gay Lesbian Bisexual or Transgender groups (e.g. Flowers et al. 2002, bar-based peer-led sexual health promotion with gay men);

Mental health service users (e.g. O'Brien et al. 2011, volunteering in nature);

Refugees and asylum seekers (e.g. Bhavnani and Newburn 2011, NCT peer support).

This demonstrates that community engagement initiatives in the UK go beyond the approach of targeting the most obvious indicators of inequality (i.e. those that are included in health equity profiles such as ethnicity, gender and occupational or socioeconomic status) and seek to engage some of the most marginalised, disadvantaged or excluded population groups.

Peer- and volunteer-based approaches to community engagement were more common in populations with "other" indicators of disadvantage than in any other group (based on 51 articles on peer approaches (45S (47%), 6D (16%)), such as peer education for preventing falls in older people (Allen 2004) and 38 articles on volunteer approaches (34S (36%), 4D (14%)), such as volunteering for mental health (Institute for Volunteering Research 2003).

Summary statement 5: Approaches to community engagement

The mapping review found a wide range of approaches to community engagement in the 316 included articles. Approaches aligned to community development and empowerment and/ or participatory principles are commonly used in the UK, with peer and volunteer

involvement also being prominent approaches. Different approaches seem to be appropriate to address different health and wellbeing issues, for example peer, volunteer or lay involvement for targeting individual behaviour change; community mobilisation/ action or community partnerships/ coalitions for targeting community level outcomes, such as wellbeing, community assets or social capital.

Most of the initiatives with a high extent of CE took a community mobilisation/ activation approach (n=21 (64%))*, and/ or a collaboration/ partnership approach (n=27 (79%))** to community engagement. Health or wellbeing issues most frequently addressed were community wellbeing (n=15 (45%) 8D, 7S), social capital/ cohesion (n=14 (42%) 6D, 8S), general health personal (n=8 (24%) 5D, 3S), general health community (n=11 (33%) 7D, 4S). A comparatively high proportion of these initiatives were reported in the non-research literature (n=16 (20%) compared to n=17 (8%) in research literature).

* Anastacio et al. 2000; Boyle et al. 2006; Christie et al. 2012; Phillips et al. 2012; Platt et al. 2003; Quinn and Knifton 2012; Reeve and Peerbhoy 2007; Roma Support Group 2011; Spencer 2014; Webster and Johnson 2000; Coulter 2010; Coulter 2014; Fountain et al. 2007; GCPH 2007; Jones 2014; Laverack 2006; Nesta 2012; Scottish Government 2009; Stuteley 2014; Sheridan & Tobi 2010; Spencer 2014)

** Anastacio et al. 2000; Boyle et al. 2006; Christie et al. 2012; JRF 2011; Marais 2007; Murray 2010; Phillips et al. 2012; Quinn and Knifton 2012; Race for Health 2010; Reeve and Peerbhoy 2007; Roma Support Group 2011; NHS Greater Glasgow & Clyde 2010; Baines et al. 2006; Webster and Johnson 2000; Beresford 2007; Boyle et al. 2010; Brownlie et al. 2006; Coulter 2010; Coulter 2014; Fountain et al. 2007; GCPH 2007; Mahoney et al. 2007; McDaid 2009; Nesta 2012; Stutely 2014; Sheridan & Tobi 2010; Spencer 2014)

Summary statement 6: Outcomes

In the 227 research and evaluation studies, the most frequently reported outcome type was process outcomes (n=187 S (82%)) such as recruitment of lay workers (e.g. Chapman 2010), followed by wellbeing outcomes (n=116 S (51%)) such as confidence, self-efficacy and quality of life (e.g. White et al. 2010), and health outcomes (n=102 S (45%)) such as increased awareness and uptake of cancer screening (Curno 2012). Community level outcomes (n=92 S (41%) e.g. Barnes et al. 2004 (Health Action Zones)) were reported more frequently than outcomes at the individual level (n=83 S (37%) e.g. Platt et al. 2003 (smoking cessation)). Harmful or unintended effects (n=12 S (5%)) and economic outcomes (n=11 S (5%)), such as unit costs and funding, were reported less frequently.

Unintended or harmful effects: Evidence from 12 studies (Andrews et al., 2003, Ball and Nasr, 2011, Boydell and Rugkåsa, 2007, Bridge Consortium, 2002, Lawless et al., 2007, Lorenc and Wills, 2013, McLean and McNeice, 2012, Muscat, 2010, New Economics Foundation, 2002, Skidmore et al., 2006, Steven and Priya, 2000, Ward and Banks, 2009) on unintended or harmful effects suggests that these can be positive (e.g. improved mental health in community members delivering interventions) but may also be negative or harmful, either to community deliverers (e.g. volunteers feeling overburdened), to organisations or partnerships (e.g. tensions between lay and professional role boundaries), or to the wider

community (e.g. community members becoming so attached to projects that there are no places left for newer members).

Summary statement 7: Structure and focus of existing evidence base

There is a substantial amount of information in the following topic areas: Urban or mixed settings (i.e. both urban and rural); socioeconomically deprived groups or areas; socially excluded or isolated groups; areas that lack social cohesion; other potentially disadvantaged groups (e.g. older people; people with disabilities; people in poor physical or mental health); black or minority ethnic groups; initiatives targeting health behaviours (physical activity, healthy eating, substance use), mental health, personal and community wellbeing, general health (personal and community), social capital or cohesion; initiatives with low or moderate extent of community engagement; process, wellbeing, health and community level outcomes.

There is very little information, either from research, or from other sources, on what is being done in terms of community engagement in rural settings (n=11 (3%) 7 S, 4 D), or in communities that may experience health inequalities due to religion/ culture (n= 12 (4%) 6 S, 6 D) or educational reasons (n= 17 (5%) 14 S, 3 D). There is little information on harmful or unintended effects of community engagement initiatives (n = 12 S (5%)), or on economic outcomes (n = 11 S (5%)).

Conclusions

This mapping review found a substantial evidence-base on current and emerging UK policy and practice in community engagement, encompassing a diverse range of populations and approaches to community engagement. The use of community engagement as an "umbrella" term to encompass different approaches and activities for different population and health or wellbeing issues seems to fit well with the UK perspective.

The key role of local government in leading community engagement and supporting public participation in local decision making has been a major policy theme throughout the period covered by the review. Community engagement and empowerment have been consistently linked to strategies to address health inequalities, with emphasis given to enabling individuals to play a greater part in local decisions that affect their health and lives. Dominant concepts include asset-based approaches, co-production, volunteering and peer support.

There was a high volume of evidence from: qualitative and mixed methods studies; initiatives targeting health inequalities via socioeconomically deprived areas and groups, and via "hard to reach" groups (such as people with disabilities, substance users, homeless people). Community level outcomes (e.g. improved housing) and wellbeing outcomes (e.g. improved self-esteem) were most commonly addressed, and community mobilisation/ action and community partnerships/ coalitions were the types of community engagement most commonly employed.

<u>Recommendations for practice</u>: A varied "toolbox" of approaches to community engagement in the UK is needed in order to engage with a wide range of populations and health and wellbeing issues.

Communities targeted by community engagement initiatives in the UK include a substantial proportion who are at risk of health inequalities (such as people with mental health issues, offenders, homeless people, Gay, Lesbian, Bisexual or Transgender), but who are not routinely fully represented in health equity profiles/ audits, which tend to focus on age, gender, ethnicity and deprivation indices. Consideration should continue to be given to these "marginalised" groups, in terms of both initial engagement and measurement of impact.

<u>Recommendations for research</u>: The lack of initiatives found in rural settings, and the lack of evidence on cultural adaptation, groups at risk of health inequalities due to religion/ culture or lack of education suggests that it would be beneficial to explore community engagement in practice for these groups. Future research studies should report any harmful or unintended effects.

1. Introduction

1.1 Review context

The Centre for Public Health (CPH) at the National Institute for Health and Care Excellence (NICE) is developing a guideline on 'Community engagement – approaches to improve health'. The guideline is being developed by a Public Health Advisory Committee (PHAC) in 2014-15 in line with the final scope for this work. The guideline is expected to be published in January 2016 and will contain recommendations based on the evidence considered by the PHAC. There are three streams of work associated with the guideline's development that the CPH has commissioned:

Stream 1 (Reviews 1-3): Community engagement: a report on the current effectiveness and process evidence, including additional analysis.

Stream 2 (Reviews 4 and 5, and Primary Research Report 1): Community engagement: UK qualitative evidence, including one mapping report and one review of barriers and facilitators.

Stream 3: An economic analysis (Reviews 6 and 7).

Component 1 of Stream 2 comprises a mapping report (Review 4, and Primary Research Report 1) to identify, describe and provide insight into current and emerging community engagement policy and practices in the UK. Component 2 (Review 5) is a systematic review of barriers and facilitators to community engagement.

The mapping review (component 1) consists of the following two parts:

(a) **Review 4: map of the literature on current and emerging community engagement policy and practice in the UK.** This provides a synopsis of the key findings from documentary analysis (including grey literature and practice surveys) of the current evidence base for UK local and national policy and practice for community engagement, as well as an assessment of the extent to which relevant scope questions can be answered by the evidence base.

(b) Primary research report 1: Map of current practice based on a case study approach. This consists of a series of six case studies of current or recent community engagement projects to improve health and reduce health inequalities. The focus will be on processes of community engagement and barriers and facilitators to these, and will include: practitioner and community members' views on inclusion, involvement and decision making; structures and processes; background (local culture, resources, needs and priorities); outcomes (perceived benefits/ disbenefits and impacts on individuals and wider community); unanticipated effects; measures of success identified by communities and professionals; wider connections. Case studies were identified and selected to reflect different approaches of current community engagement within the UK, in particular those approaches targeted at disadvantaged groups or communities, and other evidence gaps identified in Reviews 1-5.

Figure 1 demonstrates how Reviews 4 and 5, and primary research report 1 are related to each other and to the evidence from Reviews 1-3. The work was entered into as part of a consortium, with the EPPI-Centre (University of London) delivering Reviews 1-3 and Leeds

Beckett University and the University of East London delivering Reviews 4 and 5, and Primary Research Report 1. As such there has been a common approach and sharing of evidence between the two Streams.




Figure 1: Relationship of Stream 2 components with each other and with Stream 1.

1.2 Aims and objectives of the review

This mapping review provides a synopsis of the key findings from documentary analysis (including grey literature) of the current evidence base for UK local and national policy and practice for community engagement. It aims to identify, describe and provide insight into current and emerging community engagement policy and practice in the UK.

1.3 Research questions.

In addition to the main aim above, the mapping review set out to address any or all of the following research questions, from the final Guidance scope:

Question 3: What processes and methods help communities and individuals realise their potential and make use of all the resources (people and material) available to them?

This question could include sub-questions to explore the impact on the effectiveness and acceptability of different interventions conferred by: those delivering the intervention; community representatives or groups; health topic; setting; timing; or theoretical framework.

Question 4: Are there unintended consequences from adopting community engagement approaches?

Question 5: What barriers and facilitators affect the delivery of effective community engagement activities – particularly to people from disadvantaged groups?

Question 5 will encompass the following overarching questions:

Q5.1 To what extent do these barriers and facilitators vary according to key differences in community engagement approaches and practices, the health outcomes and populations to which they are targeted, and the context in which they are delivered?

Q5.2 How can the barriers and challenges be overcome?

1.4 Operational definitions

The scope of the evidence covered by this project is outlined in the final Guidance scope document (<u>http://www.nice.org.uk/nicemedia/live/14266/67533/67533.pdf</u>).

'Community engagement' is used as an umbrella term covering community engagement and community development. It is about people improving their health and wellbeing by helping to develop, deliver and use local services. It is also about being involved in the local political process. Community engagement can involve varying degrees of participation and control: for example, giving views on a local health issue, jointly delivering services with public service providers (co-production) and completely controlling services.

For this map, we have used the definition of community engagement from a recent NIHRfunded systematic review (O'Mara-Eves et al., 2013), in line with the work carried out for Reviews 1-3 as part of this guidance (Brunton et al., 2014): 'direct or indirect process of involving communities in decision making and/or in the planning, design, governance and delivery of services, using methods of consultation, collaboration, and/or community control' (O'Mara-Eves et al. 2013).

The eligible population is communities defined by at least one of the following, especially where there is an identified need to address health inequalities: geographical area or setting, interest, health need, disadvantage and/or shared identity.

The eligible interventions/ activities are defined as: activities to ensure that community representative are involved in developing, delivering or managing services to promote, maintain or protect the community's health and wellbeing. An example of a community engagement activity is community-based participatory research. Examples of where this might take place include: care or private homes, community or faith centres, public spaces, "cyberspace", leisure centres, schools and colleges and Sure Start centres. Examples of community engagement roles include: community (health) champions; community or neighbourhood committees or forums; community lay or peer leaders.

Eligible activities also include local activities to improve health by supporting community engagement. Examples include (can be delivered separately or in combination): raising awareness of, and encouraging participation in, community activities, evaluation and feedback mechanisms, funding schemes and incentives, programme management, resource provision, training for community members and professionals involved in community engagement.

The guideline will not cover community engagement activities that: do not aim to reduce the risk of disease or health condition, do not aim to promote or maintain good health, do not report on primary or intermediate health outcomes, focus on the planning, design, delivery or governance of treatment in healthcare settings, target individual people (rather than community).

The eligible outcomes are defined as: improvement in individual and population level health and wellbeing. Other expected intermediate outcomes may include: positive changes in health related knowledge, attitudes and behaviour, improvement in process outcomes, increase in the number of people involved in community activities to improve health, increase in the community's control of health promotion activities, improvement in personal outcomes, improvement in community's ability and capacity to make changes and improvements to foster a sense of belonging, views on the experience of community engagement (including what supports and encourages people to get involved and how to overcome barriers to engagement).

1.5 Identification of possible equality and other equity issues

This mapping review of UK practice includes community engagement in all contexts and is not limited to communities experiencing health inequalities. However, much of the identified literature and practice does target disadvantaged groups and those groups experiencing health inequalities. The PROGRESS-Plus tool (Kavanagh et al., 2008) was used to categorise articles in terms of which disadvantaged groups were targeted⁵.

1.6 Review team

The review team comprised researchers led by Dr Anne-Marie Bagnall at the Centre for Health Promotion Research at Leeds Beckett University, working in partnership with a team of researchers led by Professor Angela Harden at the Institute for Health and Human Development, University of East London. The Centre for Health Promotion Research has a long history of research that has community engagement at its heart. The team, under the leadership of Jane South, Professor of Healthy Communities, has recently delivered two high quality NIHR-funded systematic reviews on the roles of lay people in public health (South et al. 2010), and on peer interventions in prison settings (South et al., 2014). We also

⁵ The PROGRESS-plus framework highlights several social and personal dimensions that may affect health inequalities i.e.: Place of residence; Race/ ethnicity; Occupation; Gender; Religion; Education; Socio-economic position; Social capital; Other (e.g. age, disability, sexual orientation, being "looked after", etc.). Recommended by the Cochrane/Campbell Health Equity Group (Kavanagh J et al. 2008)

delivered a series of rapid evidence reviews for Altogether Better, on: Community Health Champions and Older People; Empowerment and Health and Wellbeing (see: <u>http://www.altogetherbetter.org.uk/evidence-and-resources</u>).

The CHPR team members and their roles for the current review were as follows: Anne-Marie Bagnall is a Reader in Evidence Synthesis (Heath Inequalities), acting as principal investigator, lead and project manager for the review, developing codes and undertaking screening, coding and overall narrative synthesis. Jane South is Professor of Healthy Communities, who is a co-investigator with a specific role in the synthesis of the conceptual and policy documents. Joanne Trigwell is a Research Fellow whose role included acquisition, screening and coding of articles. Karina Kinsella is a Research Assistant whose role included acquisition, screening and coding of articles. Judy White is a Senior Lecturer in Health Promotion and Director of Health Together – her role included linking to practice to acquire grey literature and advertise the Register of Interest. Each team member, apart from Jane South, has declared no conflict of interest. Jane South is a member of the NICE Public Health Advisory Committee and has declared this.

2. Methodology

2.1 Search Strategy

Our search strategy was designed in collaboration with our consortium partner, the EPPI-Centre, who carried out the systematic reviews of effectiveness (Reviews 1-3) (Brunton et al., 2014). Given the difficulties of identifying studies via traditional electronic database searches (terms for community engagement are not well indexed or applied in uniform) (O'Mara-Eves et al., 2013, O'Mara-Eves et al., 2014) we focused our search efforts on specialised research registers and websites.

We searched the following sources:

1. The pool of studies (both included **and** excluded studies) that were identified within the recent NIHR funded review on community engagement (O'Mara-Eves et al., 2013). The searching for this review identified many potentially relevant UK studies. The search syntax originally used for these searches (including date of searches) is presented in Appendix A.

2. Updating the original searches that were carried out for the O'Mara-Eves et al. (2013) review. This part of the search strategy had the following two elements. The search syntax that was used in updating the search process is presented in Appendix B:

- a) A systematic search for existing systematic reviews which include studies of community engagement through specialist websites and databases dedicated to systematic reviews: DoPHER (the *Database of Promoting Health Effectiveness Reviews* developed and maintained by the EPPI-Centre); the *Cochrane Database of Systematic Reviews (CDSR); Database of abstracts of reviews of effects (DARE)*; the *Campbell Library; the* NIHR Health Technology Assessment (HTA) programme website; and Health Technology Assessment (HTA) database hosted by CRD.
- b) A systematic search of the EPPI-Centre database of studies in health promotion and public health that the EPPI-Centre has built up over many years as a result of carrying out systematic reviews (known as TRoPHI). The studies in this database are the product of systematic searches in core NICE databases and have already been systematically classified.

Both of these elements were run from January 2011 onwards.

- 3. The results of searches that were carried out in April 2014 for a Public Health England mapping review of community-based interventions (Public Health England and NHS England, 2015; Bagnall et al. 2015) were rescreened for primary research (only secondary sources were included in the PHE review). The search strategy for this review is presented in Appendix C.
- 4. Systematic reviews identified from any of the above sources were "mined" for relevant primary studies.
- a. The following internet sources were searched:

National organisations

- Open Grey
- healthevidence.org
- UK government (gov.uk) portal
- NICE Evidence (including NICE website and former Health Development Agency documents)
- Public Health Observatories
- ESRC research investments: health and wellbeing (<u>http://www.esrc.ac.uk/research/major-investments/health-wellbeing.aspx</u>)
- Local Government Association health (<u>http://www.local.gov.uk/health</u>)
- Local Government Association and Department of Health 'From transition to transformation in public health (<u>http://www.local.gov.uk/health/-</u> /journal_content/56/10180/3374673)
- NICE 'support for local government' (<u>http://www.nice.org.uk/localgovernment/localgovernment.jsp</u>)
- NHS Scotland (<u>http://www.healthscotland.com</u>)
- NIHR Public Health Research Programme (<u>http://www.nets.nihr.ac.uk/programmes/phr</u>)
- NIHR School for Public Health Research (<u>http://www.sphr.nihr.ac.uk</u>)
- Policy Research Unit in Commissioning and the Healthcare System (<u>http://www.prucomm.ac.uk</u>)
- Public Health Agency (for Northern Ireland) Health and social wellbeing improvement (<u>http://www.publichealth.hscni.net/directorate-public-health/health-and-social-wellbeing-improvement</u>)
- Public Health England (<u>http://www.gov.uk/government/organisations/public-health-england</u>)
- Royal Society for Public Health (<u>http://www.rsph.org.uk</u>)
- The King's Fund public health and inequalities (<u>http://www.kingsfund.org.uk/topics/public-health-and-inequalities</u>)
- Centre for Translational Research in Public Health (<u>http://www.fuse.ac.uk/shifting-the-gravity-of-spending%3f-/3131</u>)
- UCL Institute of Health Equity (<u>http://www.instituteofhealthequity.org</u>)
- UK Faculty of Public Health (<u>http://www.fph.org.uk/</u>)
- UK Healthy Cities Network (<u>http://www.healthycities.org.uk/</u>)
- Welsh Government Health and social care (<u>http://www.wales.gov.uk/topics/health/?lang=en</u>)
- World Health Organisation Europe Health 2020:the European policy for health and wellbeing (<u>http://www.euro.who.int/en/health-topics/health-policy/health-2020-theeuropean-policy-for-health-and-well-being</u>)
- Altogether Better evidence resources
- Association of Public Health Observatories (<u>http://www.apho.org.uk</u>)
- BIG Lottery wellbeing evaluation
- Centre for Public Scrutiny (<u>http://www.cfps.org.uk</u>)
- Charities Evaluation Service (<u>http://www.ces-vol.org.uk</u>)
- Community Development Exchange (<u>http://www.cdx.org.uk</u>)

- Community development foundation (<u>http://www.cdf.org.uk</u>)
- Department of communities and local government Community empowerment division (<u>http://www.togetherwecan.direct.gov.uk</u>)
- Community Health Exchange (<u>http://www.scdc.org.uk</u>)
- Federation of Community Development learning (<u>http://www.fcdl.org.uk</u>)
- Health Link (<u>http://www.health-link.org.uk</u>)
- Improvement Foundation healthy community collaborative (<u>http://www.improvementfoundation.org</u>)
- Improvement and development agency for local government (<u>http://www.idea.gov.uk</u>)
- NHS Involve (<u>http://www.invo.org.uk/</u>)
- National Council for Voluntary Organisations (<u>http://www.ncvo-vol.org.uk</u>)
- NHS Centre for Involvement (<u>http://www.nhscentreforinvolvement.nhs.uk</u>)
- National Social Marketing Centre (<u>http://www.nsms.org.uk</u>)
- National Support Team for health inequalities
 (http://www.dh.gov.uk/en/publichealth/healthinequalities/index.htm)
- NESTA people powered health
- New economics foundation (<u>http://www.neweconomics.org</u>)
- Pacesetters programme

 (http://www.dh.gov.uk/managingyourorganisation/equalityandhumanrights/pacesetter sprogramme/index.htm)
- Patient and public involvement specialist library (http://www.library.nhs.uk/ppi/)
- Picker institute Europe (<u>http://www.pickereurope.org</u>)
- Turning point (<u>http://www.turning-point.co.uk</u>)
- Joseph Rowntree Foundation
- Academy for Sustainable Communities (http://www.ascskills.org.uk/what-we-do.html)

Local organisations

- Bradford and Airedale PCT (<u>http://www.bradfordandairdale-pct.nhs.uk</u>)
- Bromley by Bow Centre (<u>http://www.bbbc.org.uk</u>)
- Community Health Action partnership (<u>http://www.chalk-ndc.info/doing/ndc-health/chap</u>)
- East Midlands community dialogue project (<u>http://www.communitydialogue.typepad.com</u>)
- Heart of Birmingham PCT (<u>http://www.hobpct.nhs.uk</u>)
- Herefordshire PCT (<u>http://www.herefordshire.nhs.uk</u>)
- Liverpool PCT (<u>http://www.liverpoolpct.nhs.uk</u>)
- Murray Hall Community Trust (<u>http://www.murrayhall.co.uk</u>)
- St. Mathews Project, Leicester (<u>http://www2.le.ac.uk/departments/health-</u> sciences/extranet/research-groups/nuffield/project_profiles/eqh.html)
- NHS Tower Hamlets (http://www.towerhamlets.nhs.uk)

Organisation with a specific focus on ethnic minority communities

- Apnee Sehat (<u>http://www.apneeseehat.net</u>)
- Black and ethnic minority community care forum (<u>http://www.bemccf.org.uk</u>)
- Communities in Action Enterprises (<u>http://www.communitiesinaction.org</u>)

- Community Health Involvement and Empowerment Forum (<u>http://www.chiefcic.com</u>)
- Delivery Race Equality in mental health (<u>http://www.nmhdu.org.uk/our-work/promoting-equalities-in-mental-health</u>)
- Social Action for Health (<u>http://www.safh.org.uk/safh_php/index</u>)

Universities

- Oxford University Department of Social Policy and Social Work (<u>http://www.ox.ac.uk</u>)
- University of Central Lancashire International school for communities, rights and inclusion (<u>http://www.uclan.ac.uk</u>)
- London School of Economics Personal Social Services Research Unit (<u>http://www.lse.ac.uk</u>)
- Bath University School for Health (<u>http://www.bath.ac.uk</u>)
- Durham University School of Applied Social Science (<u>http://www.dur.ac.uk/sass</u>)
- Lancaster University School of Health and Medicine (<u>http://www.lancs.ac.uk</u>)
- Liverpool University School of population, Community and Behavioural Sciences (<u>http://www.liv.ac.uk</u>)
- York University Social Policy Research Unit (<u>http://www.york.ac.uk</u>)
- University of Warwick
- Health Together <u>www.leedsbeckett.ac.uk/healthtogether</u>
- NIHR School for Public Health Research <u>www.sphr.nihr.ac.uk</u>

Citizens/public experiences

- Healthtalk online (http://healthtalkonline.org/home)
- Involve (<u>http://invo.org.uk/invonet/about-invonet</u>)
- 10,000 voices (<u>http://www.publichealth.hscni.net/publications/10000-voices-improving-patient-experience</u>)
- Amazing Stories (<u>http://www.altogetherbetter.org.uk/amazing-stories-collection</u>)
- Our Stories (<u>http://www.bbbc.org.uk/</u>)
- Our Communities (<u>http://community.bhf.org.uk/</u>).
- locality.org.uk
- Well London
- People's Health Trust
- 5. Contact was made with community practitioners and groups, and other academics, via established networks (People in Public Health database; Health Together database; Putting the Public back into Public Health database; Volunteering Fund database of projects; CHAIN; Healthwatch Leeds; CommUNIty; locality) and local authority, academic and practice mailing lists, to request published literature, grey literature, practice surveys and details of emerging practice. An online Register of Interest was placed on the Health Together website to invite and facilitate interested parties to submit evidence.

6. There was a call for evidence to the project stakeholders made by NICE (17 June - 15 July 2014).

2.2 Inclusion/exclusion criteria for review

The following inclusion criteria were used for screening titles and abstracts. Definitions reflect the eligibility criteria of populations, activities, outcomes as outlined in section 1.4 and the final guidance scope (<u>https://www.nice.org.uk/guidance/GID-PHG79/documents/community-engagement-update-final-scope-2</u>).

Inclusion (Titles and abstracts):

Population: UK only. Communities involved in interventions to improve their health; health or social care practitioners or other individuals involved in developing, delivering or managing relevant interventions. Studies which target individuals rather than a specific community (including self-management *e.g.* expert patient) were excluded.

Intervention: Focus on community engagement of any kind (for example, activities that ensure community representatives are involved in developing, delivering or managing or evaluating services; or local activities that support community engagement) **within public health;** or local or national policy or practice. See below for working definitions of community engagement and public health. Studies which do not aim to reduce the risk of a disease or health condition, or which do not aim to promote or maintain good health (by tackling, for example, the wider determinants of health) were excluded. Studies which focus on the planning, commissioning, design, delivery or governance of treatment in healthcare/ clinical care settings were excluded.

Outcomes: improvement/ change in individual and population-level health and wellbeing; positive changes in health-related knowledge, attitudes and behaviour; improvement/ change in process outcomes (*e.g.* service acceptability, uptake, efficiency, productivity, partnership working); increase/ change in the number of people involved in community activities to improve health; increase in the community's control of health promotion activities; improvement in personal wellbeing outcomes such as self-esteem and independence; improvement in the community's capacity to make changes and improvements to foster a sense of belonging; adverse or unintended outcomes; economic outcomes; changes in social capital, social inclusion and social determinants of health such as housing, employment.

Study designs: Empirical research: either quantitative, qualitative or mixed methods outcome or process evaluations. To include grey literature and practice descriptions or surveys. Relevant policy documents and theoretical/ conceptual models or frameworks were also included. Published in English. Discussion articles or commentaries not presenting empirical or theoretical research or policy were excluded.

Working definitions

Community engagement: We have used the same definition as Reviews 1-3 (Brunton et al., 2014) 'direct or indirect process of involving communities in decision making and/or in the planning, design, governance and delivery of services, using methods of consultation, collaboration, and/or community control' (O'Mara-Eves et al., 2013).

Whilst screening titles and abstracts for inclusion, and following discussion with NICE, with our Stream 2 partners at UEL and with the EPPI-Centre team producing Reviews 1-3, we added the following clarifications:

What Community Engagement is:

- People championing the public health needs and interests of local communities and citizens;
- Activities aimed at redesigning, reconfiguring or delivering public health care services;
- Effective participation of the public in the commissioning process of public health services that reflect the needs of the local population;
- Expert patient groups of patients with a condition/diagnosis where the purpose is to improve health and wellbeing and/or protect against other health conditions *(i.e.* public health interventions).

What Community Engagement isn't:

- Activities aimed at redesigning, reconfiguring or delivering clinical care services;
- Effective participation of the public in the commissioning process of clinical health services that reflect the needs of the local population;
- Patients and carers participating in planning, managing and making decisions about their own care and treatment;
- Expert patient groups where the purpose is to improve an individual's experience of managing their treatment / care.

Public health: NOT clinical health services, not social care. Interventions delivered at community level, outcomes measured at population level. Public health includes health protection and health improvement (both prevention of illness and promotion of health).

2.3 Study Selection Process

Records were first screened on title and abstract. The inclusion criteria were tested and refined after piloting them on a random sample of 10% of the titles and abstracts. All reviewers independently screened these records and any differences were resolved by discussion and where necessary, informed by the advice of the CPH team. Further pilot screening was conducted until a good level of reliability was reached. (A good level of reliability was defined as 80% agreement between reviewers assigning exclusion/inclusion codes. The percent agreement was calculated as the number of agreement scores divided by the total number of scores). Once this level of reliability was reached one reviewer screening a random selection of 5%. Any disagreements were discussed or if necessary resolved by the lead researcher.

Full text studies for those records that met the inclusion criteria were retrieved. All full text studies were randomly allocated between the review team members and screened using the agreed inclusion criteria, with a random sample of 30% being double screened. Any disagreements were resolved by discussion and recourse to a third reviewer. Those documents that passed the inclusion criteria on the basis of full text screening were included in the review.

Records identified from all searches were assessed by hierarchical inclusion screening. Inclusion criteria covered populations, interventions, outcomes, study design, country, date and language.

DATE: studies published before 2000⁶ (or for policy and conceptual papers, before 2006⁷) were excluded.

COUNTRY: UK only. Studies of non-UK projects or communities or policies were excluded.

INTERVENTION: only studies of community engagement in public health topics were included (see above for working definitions)

STUDY DESIGN: Empirical or theoretical research, or practice descriptions, or policy documents were included. Secondary research (e.g. systematic reviews) and discussion or commentary papers that did not present empirical or theoretical research were excluded. Systematic reviews were "mined" for relevant studies (see Search Strategy).

We used EPPI-Reviewer 4 (ER4) (Thomas et al., 2010) to support the management and analyses of the references and the data extraction for all components.

^{6*}Search date of 2000 onwards would capture relevant and appropriate records related to community engagement as conceived in the scoping document. The date range is informed by various legislation (e.g. The Health & Social Care Act, Section 11: Public Involvement & Consultation; Local Government Act) published at this time which generated research activity.

⁷ Date chosen to avoid duplication of effort with a previous review commissioned by NICE (Popay et al. 2007)

2.4 Data extraction/ coding

Included studies were coded by one reviewer and a random selection of 20% checked by a second reviewer, using piloted pre-agreed forms on EPPI-Reviewer 4. Any disagreements were resolved by discussion with reference to the full paper and, where necessary, a third reviewer. Coding differed depending on the type of document being coded e.g. for research/ evaluation articles, codes on the type of outcomes presented were used. Quality assessment was not undertaken, as this was a mapping review.

Coding categories were:

- Bibliographic details;
- Coder;
- Year of publication;
- Document type (evaluation/research; practice description; policy document; conceptual or theoretical paper)

Articles were classified as:

- Studies (S) papers that include original data. These may be trials, surveys, meta- analyses, service audits or qualitative studies. S papers may be cited for their data, but also for issues flagged up in the discussion of the findings or implementation.
- Discussions (D) papers which do not present any new data but consist of descriptions of current practice, discussions of issues, policy documents, conceptual or theoretical papers or reviews of or commentaries on other papers.
- Study design (if evaluation or research): RCT; Controlled trial; Before and after study; Qualitative study; Mixed methods evaluation; Survey/ questionnaire;
- Type of community engagement: Community action/ mobilisation; Community partnerships/ coalitions; Peer roles; Community organisations; Non-peer lay advocacy; Volunteers; Social networks; Cultural adaptation;
- Level of community engagement in design, delivery and evaluation;
- Extent of community engagement (low, medium, high);
- Name of initiative;
- Lead organisation;
- Type of activity;
- Setting;
- Targeted or universal;

- Health or wellbeing issues;
- Population group(s) (PROGRESS-Plus categories)⁸;
- Outcomes reported (for research/ evaluation studies only):
 - Health outcomes reported?
 - Wellbeing outcomes reported?
 - Effects on social determinants reported?
 - Effects at individual level reported?
 - Effects at community level reported?
 - Harmful/ unintended outcomes reported?
 - Process or service delivery outcomes reported?
 - Economic outcomes reported?
 - Uptake outcomes reported
 - Overall effectiveness outcome (if relevant);
- markers for relevance to other streams

Further working definitions for type, level and extent of community engagement:

Level of community engagement in design, delivery or evaluation:

Taken from Reviews 1-3 (Brunton et al., 2014), for each of design, delivery and evaluation:

Community members leading or collaborating = HIGH;

Community members consulted or informed = LOW.

Extent of community engagement:

HIGH – if level of CE = HIGH in all 3 of: design AND delivery AND evaluation.

MODERATE – if level of CE = HIGH in 2 out of 3 of: design, delivery and evaluation.

⁸ The PROGRESS-plus framework highlights several social and personal dimensions that may affect health inequalities i.e.: Place of residence; Race/ ethnicity; Occupation; Gender; Religion; Education; Socio-economic position; Social capital; Other (e.g. age, disability, sexual orientation, being "looked after", etc.). Recommended by the Cochrane/Campbell Health Equity Group (Kavanagh J et al. 2008)

LOW - if = level of CE = HIGH in 0 or 1 out of: design, delivery and evaluation.

Type of community engagement:

For type of community engagement, the typology developed in the NIHR systematic review of effectiveness (O'Mara-Eves et al., 2013) was used to ensure consistency between stream 1 (Reviews 1-3) and stream 2 (Reviews 4 and 5, and Primary Research Report 1), although the definitions were then expanded using a new typology that was developed in parallel with this work, for Public Health England (South 2014, Public Health England & NHS England 2015, and see Appendix H).

Figure 2: A typology of community engagement (adapted from O'Mara-Eves et al., 2013)*

Type of Community Engagement	Definition*				
Community mobilization/action	A capacity building process, through which communities plan, carry out and/or evaluate activities on a participatory and sustained basis to achieve an agreed goal. Includes community development and asset based approaches				
Community partnerships/coalitions	Working in partnership with communities to design and/or deliver services and programmes. Partnerships/ coalitions may be in the form of forums; committees; advisory groups, task forces				
Peer involvement	Peers defined as people sharing similar characteristics (e.g. age group, ethnicity, health condition) who provide advice, information and support and/or organise activities around health and wellbeing in their or other communities. Can include 'bridging roles' (e.g. health trainers, navigators) or peer-based interventions (e.g. peer support, peer education and peer mentoring)				
Community organisations – new and existing service development	Connecting people to community resources and information (e.g. social prescribing and other types of non-medical referral systems; community hubs, such as healthy living centres; community-based commissioning)				
Non-peer health advocacy	Possible roles are similar to those under 'peer involvement' but involve members of the community that are not peers of the target participants				
Social Networks	Explicit use of the term in study reports. Community mobilization/action approaches could use social networks (e.g. time banks)				

Volunteers	Used when this term is explicitly used in study reports. Peer and non-peer roles could involve volunteers but may not be explicitly labeled as such			
Cultural adaptation	Using knowledge of a community's norms, values and preferences to make an intervention more appropriate. Note: simply translating an intervention into the relevant language is not considered cultural adaptation, as this can potentially require no community engagement			

*Definitions expanded using family of community-based interventions (Public Health England and NHS England, 2015)

2.5 Methods of synthesis and data presentation.

The findings of the review were summarised narratively, grouping papers using categories in the coding process, with frequencies and proportions of documents in certain categories being presented as bar charts. Topic areas where there were multiple papers, or alternatively, limited research were noted. A separate synthesis was undertaken of policy, theoretical and conceptual documents.

We have used the Reviews 1-3 typology of community-centred approaches as an initial framework to begin to explore the spread of intervention approaches used in the UK and how this has changed over time, together with summaries of which disadvantaged groups have been targeted, whether these are related to intervention approaches, what types of outcomes have been reported, and whether this has changed over time. The summary of policy, theoretical and conceptual documents feeds in to this analysis by identifying significant periods of change, and by highlighting the current context, within which we can identify "where we are" now.

Evidence statements have been produced which summarise findings and the overall strength of the evidence with regard to the number and type (but not quality) of studies as per NICE guidance on systematic reviews.

3. Findings

3.1 Results of literature searches

4441 (91% of total) records were identified through searches of electronic databases, and 456 records (9% of total) were identified from additional sources (see below), making 4897 records for initial screening. After the first screening stage, 4320 records were excluded and 577 full text articles were obtained and screened again. 234 articles were excluded at this stage: 13 were from before 2000 (or before 2006 if policy or conceptual articles), 43 were non-UK, 96 were not about community engagement or not about public health, and 82 were not primary research, policy or practice description pieces. We were unable to obtain 27 articles. This left 316 articles that were included in the map (Figure 3). See Appendix D for a list of included studies, and Appendix E for lists of excluded studies, with reasons for exclusion.




Figure 3: Flow chart of study selection process

3.2 Overview of included articles

See Appendix G for a table of included study characteristics.

<u>Source (Figure 4):</u> Less than half (123 = 39%) of the 316 included articles came from electronic database searches. 108 (34%) came from "mining" the reference lists of identified systematic reviews and other secondary research articles, 37 (12%) came from website searches (including our own institutions), 20 (6%) came from NICE's call for evidence, 21 (7%) from the Leeds Beckett University Register of Interest, three (1%) from citation searches from Review 5 (Harden et al., 2015) and four (1.3%) came directly from Reviews 1-3 (Brunton et al., 2014).





Figure 4: Sources of evidence

<u>Document type (Figure 5)</u>: 227 of the 316 included articles (72%) were coded as research or evaluation, 77 (24%) were coded as practice description, 40 (13%) as policy-related documents, and 30 (9%) as conceptual or theoretical papers. Articles could be coded in more than one of these categories, most commonly policy combined with practice description or research/ evaluation.

Figure 5: Document type



<u>Study design (Figure 6)</u>: Of the 227 research or evaluation documents, the majority were coded as either mixed methods evaluation (n=90, 40%) or qualitative studies (n=88, 39%). Seventeen studies (7%) were coded as questionnaires or surveys, fifteen (7%) were randomised controlled trials, seven (3%) were before and after studies and five (2%) were non-randomised controlled trials. Twenty studies (9%) were coded as "other": the majority of these were case studies, or the methods were not described. There was some overlap between these categories, with some studies being coded as more than one study design.




Figure 6: Study design

3.3 Policy and conceptual context

Concept map

Community engagement, as defined by NICE Guidance in 2008, is the process of involving communities in decisions that affect them through engagement in service planning and development or health improvement activities (National Institute for Health and Care Excellence, 2008). This aligns the term with community participation, which has been a central concept in the historical development of public health and health promotion (World Health Organisation, 2009). The Ottawa Charter, which continues to be influential as a framework for practice (Laverack and Mohammadi, 2011), has 'strengthening community action' as one of five areas for health promotion action.

In the mapping review, 30 conceptual or theoretical publications from the UK were identified (Jones, 2004, Beresford, 2007, Boydell and Rugkåsa, 2007, Boyle et al., 2010, Brownlie et al., 2006, Burton et al., 2006, Cabinet Office, 2011, Chadderton et al., 2008, Chirewa, 2012, Communities and Local Government, 2007, Department of Health, 2006b, Draper et al., 2010, Fountain et al., 2007, Glasgow Centre for Population Health, 2007, Hardill et al., 2007, Kennedy, 2006, Laverack, 2006, Local Government Information Unit, 2012, Mahoney et al., 2007, McDaid, 2009, Nesta, 2013, Office of the Deputy Prime Minister, 2006, Scottish Government, 2013, Sheridan and Tobi, 2010, Spencer, 2014, Truman and Raine, 2001, Wait and Nolte, 2006, Wallace, 2007, South and Phillips, 2014, Attree et al., 2011). These included policy documents, research papers and discussions of community engagement theory or practice. Two publications focused specifically on the concept of community participation (Draper et al., 2010, Mahoney et al., 2007), one with an international perspective (Draper et al., 2010) and the other discussing participation in Health Impact Assessment (Mahoney et al., 2007). Four publications focused on community or public involvement (Burton et al., 2006, Chadderton et al., 2008, Department of Health, 2006b, Wait and Nolte, 2006) and four on the topic of community engagement (Fountain et al., 2007, Glasgow Centre for Population Health, 2007, Sheridan and Tobi, 2010, South and Phillips, 2014). The publications on community engagement all discussed the significance of community engagement for health with two presenting frameworks to support engagement (Fountain et al., 2007, Sheridan and Tobi, 2010).

Empowerment is another enduring concept that describes the process and/or outcome of individuals and communities realising more control over their health and lives (Woodall et al., 2010). Empowerment requires active participation as it cannot be conferred by others. Most theoretical frameworks reflect the significance of shifts in power as a significant dimension of participation (Cornwall, 2008). In the mapping review, three conceptual publications focused on the topic of empowerment (Communities and Local Government, 2007, Laverack, 2006, Spencer, 2014), one of these taking an international perspective (Laverack, 2006). Spencer's paper, which focused on empowerment and young people, presented a conceptual framework for understanding the different dimensions of power that affect young people. Laverack's paper similarly presented a conceptual framework based on nine domains of empowerment: improves participation; develops local leadership; increases problem assessment capacities; enhances the ability to 'ask why'; builds empowering organizational structures; improves resource mobilization; strengthens links to other organizations and people; creates an equitable relationship with outside agencies; increases

control over programme management. These and other publications focusing on other aspects of engagement, reflect the importance of empowerment as both a process and a valued outcome in relation to health and wellbeing.

Community engagement concerns social relationships within a wider ecology or social setting (Trickett et al., 2011) and therefore other concepts, such as community cohesion, are of relevance (Elliott, 2012). Four conceptual publications covered aspects of social capital or social cohesion and seven covered aspects of community wellbeing. Other concepts identified in the mapping review included community resilience (Cabinet Office, 2011), volunteering (Hardill et al., 2007) and co-production (Boyle et al., 2006, Local Government Information Unit, 2012). Volunteering describes a specific feature of participation, that is time given freely by people to aid others. The theoretical paper by Hardill et al (Hardill 2007) on volunteering discussed how volunteering is associated with labour market policies. A publication by NESTA on Peer support (Nesta, 2013) linked the concept of peer support to volunteering.

Summary

In summary, the map of UK literature shows that a diverse range of concepts are used to explain and critique aspects of power and participation. There is no common terminology and a number of papers point to the challenges of defining of what are complex sets of ideas. Only four papers specifically dealt with community engagement as a defined topic (Fountain et al., 2007, Glasgow Centre for Population Health, 2007, Sheridan and Tobi, 2010, South and Phillips, 2014). Empowerment continues to be a significant theme – both how it can be achieved and what it means. Since 2006, other relevant concepts, such as co-production and volunteering, have gained some prominence in public health literature. The implications are that community engagement, as proposed in the earlier NICE guidance, is best seen as an umbrella term that covers a range of concepts relating to participation and empowerment.

Map of UK policy from 2006 onwards

In total, 42 publications related to UK policy and community engagement; these were a mix of government documents, policy commentary and a small number of policy evaluations. Together they give an overview of dominant policy themes around community engagement from 2006 onwards. This covers the period of the Labour government 2005-2010 and the Conservative-Liberal Democrat Coalition government of 2010-2015 (see Table 1). Concepts referred to in government documents include community engagement, empowerment and participation. Of particular significance is the Coalition heath reforms which moved public health from NHS to local government.

The mapping review shows that health policy under both governments has endorsed the active involvement of communities and the wider public in local health planning and commissioning (see Table 1). The term 'patient and public involvement' (PPI) is used to describe the participation of service users and the wider public in health service and public health planning and decision making.

In total, six government publications (Department of Health, 2006b, Department of Health, 2006a, Department of Health, 2007a, Department of Health, 2010, HM Government, 2012, NHS England, 2013) relating to PPI were identified. One of the conceptual publications focused on the involvement of minority ethnic communities in both research and consultation (Fountain et al., 2007), while another focused on mental health and reported on a participatory action research project with mental health service users to overcome barriers to participation (McDaid, 2009). Public involvement is also used to describe the active involvement of members of the public in research, including public health research. Three conceptual papers published during 2006-7 discussed public or user involvement in research (Beresford, 2007, Brownlie et al., 2006, Fountain et al., 2007), with one focused on the involvement in research discussed the value of involving people and the challenges of inclusion, with two describing approaches for practice (Brownlie et al., 2006, Fountain et al., 2007).

The review findings show how public involvement structures have undergone significant change in the last ten years. In 2006, the Labour government introduced new PPI structures including the creation of Local Involvement Networks (LINks) (Department of Health, 2006b). As part of the Coalition health reforms, Health and Wellbeing Boards were created as local structures overseeing public health strategy and also Healthwatch as one of the primary mechanisms for PPI (Department of Health, 2010, HM Government, 2012). The review identified four Coalition government documents relating to community engagement and public health (Department of Health, 2010, Department of Health, 2012a, Department of Health, 2012b, HM Government, 2010b) see Table 1, including the public health strategy 'Healthy Lives, Healthy People' which called for a new approach to empower individuals and communities (HM Government, 2010b). The most recent government publications identified in the review were NHS England's 'Transforming participation in health and care' (NHS England, 2013) and Public Health England's 2013/4 priorities (Public Health England, 2013).

Overall the review shows that there has been consistent policy interest in community engagement in health and in healthcare services from 2006 to the present day. There are some differences of emphasis between healthcare and public health policy. Policy on PPI has resulted in establishment of different involvement mechanisms, such as Healthwatch, underpinned by legislation (HM Government, 2012). In contrast, policy statements on community engagement in public health documents from the Coalition government signal the value of individuals and communities being empowered to make healthy choices, but there are no government proposals for the establishment of specific structures or public health programmes to effect those aspirations.

The key role of local government in leading community engagement and supporting public participation in local decision making has been a consistent policy theme throughout the period covered by the review. Four policy publications between 2006-7 were identified that focused on community empowerment and local government linked to the White paper 'Strong and prosperous communities' produced by the Department of Communities and Local Government in 2006 (Department for Communities & Local Government, 2006b, Department for Communities & Local Government, 2007b, HM Government, 2007). The Coalition government has pursued a policy of localism, with the Localism Act of 2011 devolving powers and responsibilities to local authorities to engage with their communities and granting citizens' various rights to

participate and to challenge a local council (HM Government, 2011) (and see Department for Communities and Local Government, 2011 (Department for Communities and Local Government, 2011)). The review identified a further eight policy publications that provided policy commentary in relation to public participation in local planning and decision making; two of these focused on community engagement/empowerment in public health (Bridgen, 2006, Wait and Nolte, 2006) and six on broader themes around public participation, governance and localism (Barnes et al., 2003, Boydell and Rugkåsa, 2007, Local Government Information Unit, 2012, Mauger and et al., 2010, Sustainable Development Commission, 2010, Thraves, 2013).

Community engagement and empowerment have been consistently linked to strategies to address health inequalities. The review identified three Labour government documents relating to health inequalities and community engagement published between 2008-9 (Department of Health, 2008b, Department of Health, 2008a, Department of Health, 2009a) (see Table 1). The period of the Labour government also saw a focus on area based initiatives, resulting in much public health activity being targeted on disadvantaged neighbourhoods through regeneration initiatives and later through spearhead primary care trusts. Three conceptual (Burton et al., 2006, Office of the Deputy Prime Minister, 2006, Wallace, 2007) and three policy publications discussed the critical part community engagement plays in relation to area disadvantage and regeneration initiatives (Office of the Deputy Prime Minister, 2006, Sustainable Development Commission, 2010, Wallace, 2007). The key initiatives were New Deal for Communities (Wallace, 2007) and Neighbourhood Management/ partnerships (Blank et al., 2007, Office of the Deputy Prime Minister, 2006, Sustainable Development Commission, 2010, Prime Minister, 2006, Sustainable Development Commission, 2010, Prime Minister, 2006, Management/ partnerships (Blank et al., 2007, Office of the Deputy Prime Minister, 2006, Sustainable Development Commission, 2010).

Action on inequalities was given further prominence with the publication of the Marmot strategic review of inequalities in England post-2010. The Marmot review made an explicit link between inequalities and community empowerment. Creating and sustaining healthy and sustainable communities was one of six recommended policy objectives (The Marmot Review, 2010). The mapping review identified four conceptual (Attree et al., 2011, Beresford, 2007, Chirewa, 2012, Scottish Government, 2013) and three policy publications (Atkinson, 2012, Bridgen, 2006, Whitehead and Dahlgren, 2007) - one on children and young people (Atkinson, 2012) - that explicitly discussed community engagement as a means to address health inequalities. The most recent government document on community engagement and health inequalities is the Scottish Government's 'Equally Well review 2013' (Scottish Government, 2013) - a report of the Ministerial taskforce on Health Inequalities. Echoing some of the themes of Marmot review, it argues for radical changes in the way public services work with communities and a need to build those local services around people and communities.

Currently, the Coalition government is pursuing a policy of austerity which includes major cuts in government spending and restructuring of the public sector aimed at bringing the deficit under control. Local government, and particularly the larger urban authorities, have seen cuts in their funding of up to 40%. No publications in the review focused on community engagement and inequalities in the context of austerity.

Volunteering is an important concept for community engagement and from 2006, there has been an increasing emphasis on social action and volunteering within health (Department of Health, 2011). One conceptual paper discussed volunteering in relation to disadvantaged

areas (Hardill et al., 2007). The Coalition government introduced the concept of a 'Big Society' which emphasises an increased role for civil society. Two policy publications discussed the Big Society in depth, one concerned with co-production (Boyle et al., 2010) and one from the Cabinet office outlining the roles of individual citizens, communities and third sector organisations (Cabinet Office, 2010).

There has been a growing interest in lay and peer roles during the review period. In 2004, the White paper 'Choosing health' introduced health trainers as a new cadre of lay health worker recruited from, and working within, disadvantaged communities (Department of Health, 2004). One conceptual paper discussed the health trainer initiative in relation to health inequalities (Attree et al., 2011) and one further publication provided an analysis of lay health and food worker roles (Kennedy, 2006). Peer support was the focus of a publication by NESTA (Nesta, 2013).

Since 2006, new sets of ideas have emerged that have generated interest and informed practice. One of these is co-production, which describes approaches that seek to build equal and reciprocal relationships between service users, carers and professionals in the design and delivery of services (Boyle et al., 2010). Co-production has been particularly linked to management of long term conditions and the personalisation agenda within the social care sector. Two publications were identified that discussed co-production (Boyle et al., 2010, Local Government Information Unit, 2012).

Another emergent theme relates to the concept of health assets. While the notion of building on community strengths to promote positive health has a long history in international literature, there has been growing interest in the UK in asset-based approaches to health (Morgan, 2014). Asset-based approaches are described as 'place-based, relationship-based, citizen-led' and therefore involve some degree of community engagement (Foot, 2012). The review identified one policy publication by the Scottish Community Development Centre focused on asset-based approaches to health improvement. This argued that asset-based approaches are an integral part of community development and linked this to Scottish health policy (Scottish Community Development Centre, 2013). The NHS England publication 'Transforming Participation in health and care' (NHS England, 2013) also argued for an asset-based approach to health. The NESTA publication on peer support (Nesta, 2013) and a report on co-production (Boyle et al., 2010) linked to ideas about individual and community assets.

Summary

In summary, there are a number of consistent themes relating to the UK policy context for community engagement and health, based on analysis of 42 policy publications from 2006 onwards. Firstly, policy documents, reviews and commentary concerning community engagement and health can be mapped across a wide range of policy areas and sectors. These include: health policy and the NHS, local government policy and regeneration, third sector and volunteering and also health inequalities as a cross cutting policy issue. Very few publications were focused exclusively on community engagement and public health, but all related to in some way to the active participation of individuals and communities as a

mechanism to improve health, community life or quality of local services or alternatively to reduce inequalities and area disadvantage.

Secondly, since 2006 there are consistent themes across government policy relating to the significance of community engagement and empowerment. The review has highlighted a number of specific policy initiatives from both Labour government 2005-2010 and the Conservative-Liberal Democrat Coalition government of 2010-2015. These include changes in PPI structures and public involvement mechanisms affecting health planning and services; neighbourhood management, Localism aimed at devolution of power to local communities and health inequalities policy. There are also relevant policies from the devolved assemblies (Welsh Assembly 2008; Scottish Government 2013). Overall, publications relating to inequalities and community empowerment, whether originating from government or from independent sources, like the Marmot review, called for new relationships between services and communities that give more power to communities, enabling individuals to play a greater part in local decisions that affect their health and lives.

Thirdly, the review has identified a consistent theme around the contribution of individuals and communities to health and to society in general. Discussion and commentary cluster round various concepts which are frequently cross-referenced to each other. These include asset-based approaches, co-production and volunteering.

Year	Health policy	Other policy
2006	 Department of Health (2006). Our Health, our care, our say: a new direction for community services. Department of Health (2006). A stronger local voice: a framework for creating a stronger local voice in the development of health and social care services. 	 Department for Communities and Local Government (2006). Strong and prosperous communities: The Local Government White Paper. Office of the Deputy Prime Minister (2006). Neighbourhood management – At the turning point? Programme review 2005-2006.
2007	 Department of Health (2007). Commissioning framework for health and well-being. 	 HM Government (2007). Local Government and Public Involvement in Health Act 2007. Communities and Local Government (2007). An Action Plan for Community Empowerment: Building on Success. Department for Communities and Local Government (2007). Local Government and Public Involvement in Health Bill: statement of intent - statutory guidance. Community empowerment.
2008	 Department of Health (2008). Tackling Health Inequalities: 2007 status report on programme for action. Department of Health (2008). Health inequalities: Progress and next steps. 	 Welsh Assembly (2008). Designed to add value: a third dimension: a strategic direction for the voluntary and community sector in supporting health and social care.
2009	 Department of Health (2009). Tackling Health Inequalities: 10 Years On – A review of developments in tackling health inequalities in England over the last 10 years. 	
2010	 Department of Health (2010). Equity and excellence: liberating the NHS. HM Government (2010). Healthy lives, healthy people: Our strategy for public health in England. 	 HM Government (2010). Building a stronger civil society: A strategy for voluntary and community groups, charities and social enterprises. HM Government (2010). Equality Act 2010. HM Government (2011). Localism Act 2011
2012	- Department of Health (2012). Improving	
	 Department of Health (2012). Improving outcomes and supporting transparency. Part 1A: A public health outcomes framework for England, 2013 to 2016. Department of Health (2012). Improving outcomes and supporting transparency. Part 2: Summary of technical specifications of public health indicators. 	


Year	Health policy	Other policy
	- HM Government (2012). Health and Social Care Act 2012.	
2013	- Public Health England (2013). Public Health England: our priorities for 2013/14	
	- NHS England (2013). <i>Transforming Participation in health and care</i> .	
	- Scottish Government (2013). Equally well: review 2013 - report of the Ministerial Task Force on Health Inequalities.	

3.4 Communities

<u>Place (Figure 7):</u> The largest group of articles (n=117, 37%), both research (n=89, 39%) and non-research (n=28, 31%), looked at initiatives in urban settings. A large number (n=92, 29%) also looked at initiatives in both urban and rural settings. Only 11 articles (3.5%) looked at initiatives in rural settings alone (Bromley 2014, Davies, 2009, Dickens et al., 2011, East Midlands Regional Empowerment Partnership, 2009a, Elliott et al., 2007, Halliday and Asthana, 2005, Hoddinott et al., 2006a, Hoddinott et al., 2006b, Osborne et al., 2002, Starkey et al., 2005, Stutely, 2002). In 43 articles (14%), the setting was not clear.

As this was a mapping review, we did not undertake detailed data extraction on the populations other than to code for indicators of health inequalities using the PROGRESS-plus tool (see below). However, the UK evidence base on community engagement includes articles on communities of place (see above and *e.g.* Well London), communities of interest, such as culture (*e.g.* Roma support group) or situation (*e.g.* NCT peer support training for refugees and asylum seekers), ethnicity, age (*e.g.* Youth.com; MAC UK; Partnerships for Older People), or health and wellbeing issues (*e.g.* long term conditions).





<u>Inequalities</u>: Included articles were coded on PROGRESS-Plus (Kavanagh et al., 2008) indicators of health inequalities targeted by initiatives. In Figure 8, it can be seen that the indicators coded for the most frequently were socioeconomic indicators (n=124, 40%) and "other" indicators of disadvantage (n=123, 39%) – these included a range of characteristics such as disability; older people; mental health service users (see Table 2 for a full breakdown of groups included in this category). Other significant indicators of inequality targeted by included initiatives were race/ ethnicity (n=69, 22%), lack of social capital or social exclusion (n=46, 15%) and initiatives targeting a specific gender (n=39, 13%).

This demonstrates that community engagement initiatives in the UK go beyond the approach of targeting the most obvious indicators of inequality (*i.e.* those that are included in health equity profiles such as ethnicity, gender and occupational or socioeconomic status) and seek to engage some of the most marginalised, disadvantaged or excluded population groups, such as offenders, homeless people, people with poor physical or mental health, disabilities or learning difficulties, and older people (at risk of social isolation). This is true of both research and non-research articles.

Community engagement initiatives for populations coded as being in the category "Other indicators of disadvantage" were more likely to use peer (45S (47%), 6D (16%)) or volunteer (34S (36%), 4D (14%)) involvement approaches than those for populations coded as having socioeconomic indicators of disadvantage (Peer involvement 31S (34%), 6D (17%); Volunteers 11S (12%), 3S (11%)), which were similar to the percentages given across the range of UK initiatives in this mapping review (see "Approaches" below).




Figure 8: Population – PROGRESS-Plus indicators

Figure 9 displays trends in the targeting of groups at risk of health inequalities over time. It can be seen that socioeconomic status and the "other indicators of disadvantage" categories were consistently the most targeted indicators of inequalities.






Table 2 Groups coded as "Other indicators of disadvantage" in PROGRESS-Plus

Group	Number of studies/ initiatives
Older people	36
Disability or learning difficulties	22
Poor health/ LTCs	20
Children and young people	20
Mental health difficulties	19
"disadvantaged" or "deprived"	18
Poor housing/ homeless	16
Offenders	9
Lone parents	9
Refugees/ asylum seekers	8
Substance abuse	8
Social isolation/ exclusion	8
Carers	6
High rates of teenage pregnancy	6
LGBT	5
"Hard to reach"	4
Crime	4
Low literacy	4
"Marginalised"	2
Low access to health or social care services	2
Gypsies, Travellers or Roma	2
"vulnerable"	2
Domestic violence	2
Sex workers	1
Looked after children	1

Group	Number of studies/ initiatives
Complex needs	1
Road accidents affecting mostly children	1
Fear & mistrust	1
Lack of access to good quality food	1

3.5 Health & Wellbeing issues

The issues addressed most frequently by the initiatives in the included articles were social capital or social cohesion (n=129, 41%), community wellbeing (n=110, 35%), personal wellbeing (n=82, 26%), general health – personal (n=99, 31%) and general health – community (n=95, 30%). There were no striking differences in the health and wellbeing issues looked at by research or non-research articles, as can be seen in Figure 10.

As for all initiatives included in this map, initiatives for populations with "other" indicators of disadvantage were also most likely to address social capital or cohesion issues (46S (48%), 11D (39%)), but individual issues such as physical activity (24S (25%), 1D (4%)), healthy eating (28S (29%), 1D (4%)), mental health (28S (29%), 4D (14%)) and substance use (23S (24%), 2D (7%)) were also commonly targeted. Personal assets was a health and wellbeing category that was more commonly addressed in this group than any other (14S (15%), 1D (4%))





Figure 10 Health and wellbeing issues

3.6 Approaches to community engagement:

The mapping review found a wide range of approaches to community engagement in the 316 included articles, which were grouped into seven types (see Glossary). Community mobilisation/ action (138 articles, 89S, 49D; 44%) and community partnerships/ coalitions (180 articles, 113S, 67D; 57%) were the most commonly used approaches to community engagement in both research and non-research articles (Figure 12). Peer involvement (n=97, 82S, 15D; 31%) and volunteers (n=64, 50S, 14D; 20%) were common approaches in research articles, but less so in non-research articles. Different approaches seemed to be used to target different types of health or wellbeing issues (Figure 13), for example peer involvement was most often seen in interventions targeting individual behaviour change (e.g. physical activity, healthy eating, substance use), whereas community mobilisation/ action or partnership/ coalition approaches were more often seen in initiatives that focused on community wellbeing, social capital or community assets.






Figure 13 Health or wellbeing issue by type of CE

Figure 12 Type of community engagement

Table 3 displays the initiatives coded in each of the seven types of approach to community engagement, for years 2006 to 2013. Further description of the key initiatives in each approach is given below, although many of these have been coded under more than one type of approach (see Table 3, and Appendix G for full details of included articles).

Community mobilisation/ action: 138 articles were coded as including community mobilisation/ action, defined as a capacity building process, through which individuals, groups and families as well as organisations, plan, carry out and evaluate activities on a participatory and sustained basis to achieve an agreed goal. Some initiatives used innovative methods such as art, music and photography to engage with community members (Callard 2005, Curno 2012, Mental Health Foundation 2013). Examples include:

- Altogether Better a five-year programme funded through the BIG Lottery that aimed to empower people across the Yorkshire and Humber region to improve their own health and that of their families and their communities. The regional programme was made up of a learning network and sixteen community and workplace projects with an emphasis on three themes: physical activity, healthy eating and mental health & well-being. Altogether Better was based on an empowerment model and at the heart of this model was the concept that community health champions can be equipped with the knowledge, confidence and skills to make a difference in their communities. This model was based on three elements: building confidence, building capacity and system challenge. (Altogether Better, 2010, White and Woodward, 2013, Woodall et al., 2012a).
- Well London Alliance: partnership headed by the London Health Commission and funded through the BIG Lottery's (BIG) Well-being fund (Chapman, 2010, Craig, 2010, Phillips et al., 2014, Phillips et al., 2012, Sadare, 2011, Tunariu et al., 2011, Well London and NHS Hammersmith &Fulham, 2011). The Well London programme used a community engagement and co-production approach to design and deliver a suite of community-based projects with the aim of increasing physical activity, healthy eating, and mental health and wellbeing in 20 of the most deprived neighbourhoods in London. The projects involved a mix of traditional health promotion interventions, community engagement activities, and changes to the physical neighbourhood environment.
- Other initiatives that used a **health champions** approach included: Life is Precious (Curno 2012); Health Literacy improvement (Liverpool John Moore's University, 2012); Sheffield All Being Well Consortium (Reece and Flint, 2012); Community Champions Fund (Watson et al., 2004).
- Health Improvement Programmes (Arora et al., 2000) these were governmentled three-year action plans, developed in each health authority district, aimed at improving the health of the local population.
- Healthy Living Centres (Bridge Consortium 2002, Hills 2007, Platt 2005) which aimed to address health inequalities and social exclusion targeting people in deprived areas, via a number of different methods including various health based

activities. These were funded by the New Opportunities Fund, which became the Big Lottery Fund.

- National Empowerment Partnership Programme (Sender 2011): The NEP
 programme aimed to empower citizens and communities, and to demonstrate the
 difference that community empowerment can make to individuals, community
 groups, communities and public agencies, develop effective methods of quality
 assurance for community empowerment, promote good practice. To achieve these
 aims, the programme: supported individuals and communities in engaging and
 taking up opportunities to be involved in and influence local decisions; built the
 capacity of local authorities and other public agencies to engage and empower
 communities; and ensured a coordinated approach to empowerment activity
 across the voluntary and community sector (VCS) and public agencies.
- Neighbourhood Management Pathfinders Programme (Brown 2002, DCLG 2007, East Midlands Regional Empowerment Partnership, ODPM 2006) - community involvement in innovative ways of delivering diverse projects/ services, by: (i) establishing and supporting a wide range of local groups and activities, especially for children and young people; (ii) creating opportunities for people from different backgrounds and communities to come together and work towards common goals (*e.g.* a local radio station); (iii) giving residents more of a sense of local identity through festivals, community centres and through reclaiming local public spaces; (iv) tackling negative stereotypes of the neighbourhood and of particular groups within it.
- Assets-based approaches (*e.g.* IRISS 2012: asset mapping project to discover community assets in Kirkintilloch that were useful and available for positive mental health and well-being, but also to help others identify their own personal assets; McLean 2012: illustrating asset based approaches for health improvement in communities in Scotland, Scottish Community Development Centre 2013)
- Co-production initiatives
 - Boyle 2006: Rushey Green Time Bank, Cares of Life project, Rhymney Time Bank, Blaengarw Time Centre, Dinas Time Bank, Gorbals Time Bank, Peer tutoring project, Patch, Seal, Peer advocacy project, Roots.
 - Hatzidimitriadou 2012: offering Improved Access to Psychological Therapies (IAPT) services in the locality
 - o Hough 2014: co-producing Cardiovascular health in Wandsworth
- Mental health initiatives:
 - National Institute for Mental Health in England Community Engagement Project (Fountain 2010): The community engagement strand of the Delivering Race Equality (DRE) action plan is a significant aspect of the work of DRE. As one of the three building blocks of the action plan and programme which developed to implement it, the work on community engagement is a good barometer to gauge – at a grassroots level – the extent to which people from Black and minority ethnic (BME)

communities feel engaged; feel that their views are taken on board by commissioners and providers of services; and feel that there is real improvement in how they access and experience mental health services.

- Positive Mental Attitudes (Quinn 2005, Quinn 2010) ten year mental health inequalities programme in Scotland using community development principles.
- Local community projects developed for specific populations (Bandesha 2005; Christie 2012, Dickens 2011, Ewles 2001, Healthy Communities 2010, Hothi 2007, Kimberlee 2008, MacKinnon 2006, Power 2001) or specific health issues *e.g.* Breathing Space for smoking cessation (Ritchie 2001, Ritchie 2004).
- Community projects developed for specific cultures *e.g.* Roma Support Group 2009) which used Action Research in order to identify the barriers and enablers faced by the Roma refugee and migrant community when engaging in mainstream empowerment mechanisms.
- Health Action Zones (Barnes 2004, Barnes 2005, Bauld 2005, Benzeval 2003, Boydell 2007, Cole 2003) – these area-based initiatives aimed to reduce the effects of persistent disadvantage, by identifying and addressing the public health needs of the local area, increasing the effectiveness, efficiency and responsiveness of services, and developing partnerships for improving people's health and relevant services, adding value through creating synergy between the work of different agencies.
- Community Participation Programmes (Taylor 2005): The Community Empowerment Fund (CEF), Community Chests (CCs) and Community Learning Chests (CLCs). These were designed to: encourage more people to become involved in the regeneration of their neighbourhoods; help residents gain the skills and knowledge they need to play an active role in Neighbourhood Renewal; and support the involvement of the local community and voluntary sector as an equal partner in local strategic partnerships (LSPs).
- Communities that Care (Crow 2004, France 2001). This early intervention
 programme targets children living in communities and families that are deemed to
 put them at risk of developing social problems. The CTC approach focuses on
 specific geographical areas and involves bringing together local community
 representatives, professionals working in the area and senior managers responsible
 for service management.
- Area regeneration programmes. The most well -known of these is the New Deal for Communities (Blank 2007, Dinham 2007, Lawless 2004, Lawless 2007, Muscat 2010, ODPM 2005, Stafford 2008), an area-based initiative that aims to improve conditions in some of the most deprived neighbourhoods in England and reduce the gap between them and the rest of the country. There are 39 NDC areas, each with a budget of approximately £50 million with which to address five specific outcome areas (health, unemployment, education, crime and the physical environment) over 10 years. In order to be considered for NDC funding, community partnerships involving local residents, local authorities, public service providers, community and voluntary organisations and businesses had to prepare a proposal for regeneration.

Other smaller regeneration programmes were also included (Anastacio 2000, Berkeley 2011, Callard 2005, Cindersby 2014, CHEX 2014, Lawson 2009, Stutely 2004, Single Regeneration Budget Partnerships (Office of the Deputy Prime Minister 2002); Residents' Consultancy Pilot (ODPM 2004). The outcomes for regeneration programmes tended to be at community level and focused on social determinants of health, social capital and wellbeing, rather than individual health.

Community partnerships/ coalitions: 180 articles were coded as including community partnerships/ coalitions. Community members can be partnered with any combination of service providers, academics, government members, or industry. Examples include:

- Wirral Healthy Homes (Seymour 2014): holistic response to improving the health and wellbeing of vulnerable residents and improving the property condition. Referrals to the network of partners Healthy Homes has established can help achieve positive health outcomes for residents and reduce health inequalities.
- Sure Start (Anning 2007, Bagley 2006): multi-agency/ multi-disciplinary parenting and early years support; health, play and learning.
- Commissioning services and support for people with learning disabilities and complex needs (David 2008, McCaffrey 2008): supporting people with learning disabilities and complex needs to live their lives fully through the activities of commissioning.
- Have a Heart Paisley (Blamey 2004): The long-term aim of HaHP was to reduce the total burden and levels of inequality of Coronary Heart Disease (CHD) in the town of Paisley through an integrated programme of secondary and primary prevention. The combined interventions were to be delivered in partnership and in a manner that engaged the community at all levels of the programme. It was hoped that this integrated approach would be capable of saturating the town of Paisley with improved and new services, projects and opportunities that would, over the long term, reduce and prevent CHD amongst the Paisley population.
- Time banks (Burgess 2014, Cambridge Centre for Housing Planning Research 2013)): an exchange system in which time is the principal currency. For every hour participants 'deposit' in a time bank, perhaps by giving practical help and support to others, they are able to 'withdraw' an hour of support when they are in need.
- Social Exclusion Partnerships (Chapman 2001): community participation in multiagency partnerships to improve social inclusion.
- Citizens' Juries (Gooberman-Hill 2008): public involvement: involving members of the public in citizen's jury setting priorities for health research.
- Boscombe Network for Change (Hamer 2000): a health-related forum of statutory and voluntary agency employees, volunteers and local residents, set up in 1996, born out of a concern to promote 'change' in the deprived ward of Boscombe.
- Govanhill Equally Well test site (Harkins 2012): a localised partnership approach (involving public and third sectors as well as community members) which aims to improve all aspects of life and conditions in the area.
- Healthy Weight Communities (Rocket Science Ltd 2011): The purpose of the Healthy Weight Communities Programme was to demonstrate the ways in which engaging communities in healthy eating, physical activity and healthy weight

activities as part of a single coherent programme may have a greater impact on health outcomes than current discrete activities.

- Health Impact Assessment (Mahoney 2007; Kearney 2004; Elliott et al. 2007; Chadderton et al. 2008): HIA is intended to support decision-making in choosing between options by predicting the future consequences of implementing the different options.
- Rural regeneration partnerships (Osborne 2002): community involvement in rural regeneration partnerships.
- Partnerships for Older People Projects (PSSRU 2009): aims to create a sustainable shift in the care of older people, moving away from a focus on institutional and hospital-based crisis care toward earlier and better targeted interventions within community settings.
- Mosaics of Meaning (NHS Greater Glasgow & Clyde 2010): a partnership to research and then address stigma relating to mental health problems with the four largest settled BME groups in Glasgow: Pakistani, Chinese, Indian and African and Caribbean.

Peer involvement

97 articles were coded as including peer involvement, defined as any peer involvement, *e.g.* peer counselling, peer education, peer leaders, peer leadership, role models, peer support. Examples include:

- Breastfeeding and parenting peer support (Alexander 2003, Curtis 2007, Hoddinott 2006, Ingram 2005, Ingram 2013, Jolly 2012, MacPerson 2010, MacArthur 2009, McInnes 2000, Newburn 2013, Raine 2003): various models both group and individual support *e.g.* Birth and Beyond community supporters programme (NCT), designed to recruit and train community volunteers to work as peer supporters for parents who are refugees or asylum seekers, with the aim of reducing isolation, stress and low mood during pregnancy and the first two years after birth.
- A Stop Smoking In Schools Trial (ASSIST) (Audrey 2006, Audrey 2008, Campbell 2008, Starkey 2005): Peer supporters in secondary schools encourage stopping smoking .
- Peer-led sex education (Stephenson 2008)
- Activity Friends (Corbin 2006): Activity Friends is a volunteer programme for the over 50s designed to help people achieve a healthier lifestyle through increasing physical activity and befriending to alleviate social isolation.
- Health Trainers (Dooris 2013) health trainers in the criminal justice setting.
- Peer Power (Duffy 2012): Peer support group for people with mental illness.
- Peer education popular onion leader "diffusion of innovation" model (Elford 2001, Flowers 2002, Kelly 2004): aimed at gay men, preventing HIV transmission.
- Active at 60 Community Agent Programme (Hatamian 2012): Community agents (community groups and their volunteers) to help people approaching and post retirement to stay or become more active and positively engaged with society, in particular those at risk of social isolation and loneliness in later life.

Community organisations

51 articles were coded as including community organisations (new or existing). Most of the initiatives in this section were also coded under at least one of the other types of community engagement. Examples include:

- Imagine East Greenwich (Callard 2005): a series of arts/health projects developed as part of a regeneration programme on two housing estates in a London borough.
- Peer Power (Duffy 2012): peer support group for people with mental illness.
- Healthy Living Centres (Hills 2007, Platt 2005): The Healthy Living Centre (HLC) programme was set up in 1998 to fund community level interventions to address health inequalities and improve health and wellbeing in innovative ways. The programme funded 351 HLCs, which in turn generated a wide range of different activities, tailored to the needs of their local communities. These operated on a number of different models some based mainly within one central building, while others functioned as partnerships or networks of activities run by different organisations at a number of different sites. Some HLCs focused on specific health-related services, but in keeping with the broad, holistic vision of the programme, many have sought to address the wider determinants of health inequalities, such as social isolation, unemployment and poverty.
- Natural Choices for health and wellbeing (Wood 2013): a joint venture between Liverpool PCT and The Mersey Forest which aimed to promote health and wellbeing in Liverpool residents using natural environments and thus create a city focused upon natural choices for health and wellbeing.

Non-peer health advocacy

45 articles were coded as including non-peer health advocacy for members of the community that are NOT peers of the target participants, where 'peer' is defined as sharing the same age group or health risk/condition or similar in key aspects (*e.g.* race/ ethnicity). Examples include:

- Health Trainers (Green 2012, Ward 2009, Lorenc 2013, South 2007): a national programme introduced by the Department of Health in 2006. The aim of the programme is to recruit people from local communities with a good understanding of local issues who can offer tailored advice, motivation and practical support to individuals who want to adopt a healthier lifestyle and act as message bearers between professionals and communities. A national package of accredited training has been developed to support the work of the health trainers and develop their skills as part of the healthcare workforce.
- Lay food and health workers (Kennedy 2008, Kennedy 2010) Any lay health worker: indigenous to the communities being served, carrying out functions related to community-based public health initiatives designed to prevent disease or promote health and wellbeing, with specific focus on food and public health; trained in some way in the context of the intervention; but having no formal professional or paraprofessional qualifications.

- Lay led walking programmes (Lamb 2002): community-based lay led walking scheme.
- Roy Castle fag ends stop smoking service (Owens 2006): adult smoking-cessation service across Liverpool. Unique aspects are that the service is provided by trained lay advisors with a nonmedical background and there is no waiting list clients can self-refer by calling a helpline or walking into a meeting.

Social networks

- 28 articles were coded as including social networks (explicit use of the term). Most
 of these articles were also coded under at least one of the other types of CE.
 Examples include: Time banks (Burgess 203, Cambridge Centre for Housing
 Planning 2014, NEF 2002): an exchange system in which time is the principal
 currency. For every hour participants 'deposit' in a time bank, perhaps by giving
 practical help and support to others, they are able to 'withdraw' an hour of support
 when they are in need.
- Community Participation Programmes (Taylor 2005): designed to encourage more people to become involved in the regeneration of their neighbourhoods, help residents gain the skills and knowledge they need to play an active role in Neighbourhood Renewal; and support the involvement of the local community and voluntary sector as an equal partner in local strategic partnerships (LSPs).

Volunteers

61 articles were coded as including volunteers (explicit use of the term). Examples include:

- Befriending schemes (Andrews 2003): voluntary sector local home visiting befriending service.
- Changing Minds (Cawley 2011): mental health awareness training.
- Walking for Health (Howlett 2000): an initiative to increase the health and fitness of sedentary people by promoting regular and brisk walking within local communities.

	Community nobilisation/ action	Collaborations & partnerships	Peer involvement	Community organisations	Non-peer health advocacy	Social Networks	Volunteering
d ir (f 2 C e R s: ((Community development ncluding people with earning difficulties Kennedy et al., 2006); Co-production (Boyle et al., 2006) Roy Castle fag ends stop smoking service Owens and Springett, 2006);	Pathfinder programme (neighbourhood management) (Office of the Deputy Prime Minister, 2006, Department for Communities & Local Government, 2006a); Co-production (Boyle et al., 2006); Public involvement in planning health care (Anderson et al. 2006); Sure Start (Bagley and Ackerley, 2006); Citynet project (Bolam et al. 2006); Community food initiatives (Pritchard et al. 2006)	ASSIST (peer-led smoking cessation in schools) (Audrey et al., 2006a, Audrey et al., 2006b); Breastfeeding peer support in rural Scotland (Hoddinott et al., 2006b, Hoddinott et al., 2006a); Activity Friends: peer mentor physical activity programme for over 50s (Corbin, 2006); Co-production (Boyle et al., 2006) Sure Start (Bagley and Ackerley, 2006); Community based peer education nutrition intervention (Hyland et al. 2006)	Citynet project: building social capital and improving ICT access for disadvantaged groups in Nottingham, UK.(Bolam et al., 2006); Sure Start (Bagley and Ackerley, 2006); Community food initiatives (Pritchard et al., 2006); Co-production (Boyle et al., 2006) Citynet project (Bolam et al. 2006);	Roy Castle fag ends stop smoking service (Owens and Springett, 2006); Lay food and health workers (Kennedy, 2006); Health Trainers(Visram et al., 2006); Citynet project (Bolam et al. 2006);	Co-production (Boyle et al., 2006); Sure Start (Bagley and Ackerley, 2006);	Volunteering (Bowers et al., 2006, Baines et al., 2006); Co-production (Boyle et al., 2006) Sure Start (Bagley and Ackerley, 2006); Community food initiatives (Pritchard et al. 2006)

	Community mobilisation/ action	Collaborations & partnerships	Peer involvement	Community organisations	Non-peer health advocacy	Social Networks	Volunteering
2007	Healthy Futures (CE model) (Glasgow Centre for Population Health, 2007);	Sure Start (Anning et al., 2007); New Deal for Communities	Breastfeeding peer support (Curtis et al., 2007)	Healthy Living Centres (Hills et al. 2007);	Health Trainers (South et al., 2007);		Breastfeeding peer support (Curtis et al., 2007);
	Local Wellbeing Project (empowerment) (Hothi et al., 2007);	(neighbourhood regeneration) (Blank et al., 2007, Dinham, 2007, Wallace, 2007, Lawless et al., 2007);					Healthy Living Centres (Hills et al. 2007);
	Healthy Living Centres (Hills et al., 2007); Community	JRF Neighbourhood Renewal Programme (Taylor et al., 2007);					
	development training course(Clay Christopher et al., 2007);	Community based participatory research (Marais, 2007);					
	New Deal for Communities (neighbourhood regeneration) (Blank	Health Impact Assessment (Elliott et al., 2007, Mahoney et al., 2007);					
	et al., 2007, Dinham, 2007, Wallace, 2007, Lawless et al., 2007);	Pathfinders programme (neighbourhood management) (Department for					

	Community mobilisation/ action	Collaborations & partnerships	Peer involvement	Community organisations	Non-peer health advocacy	Social Networks	Volunteering
	Health Impact Assessment (Elliott et al. 2007; Mahoney et al. 2007); Healthy Living Centres (Hills et al. 2007);	Communities & Local Government, 2007b); Public involvement in policy and practice (U. K. Coalition Against Poverty, 2007); Healthy Living Centres (Hills et al. 2007);					
2008	Community development and mental health (Seebohm and Gilchrist, 2008); Streets Ahead On Safety: Young people & road safety (Kimberlee, 2008); Engaging heard to reach families (Barrett 2008); Health Impact Assessment (Chadderton et al. 2008); New Deal for	Health Impact Assessment (Chadderton et al., 2008); New Deal for Communities (neighbourhood regeneration) (Stafford et al., 2008); Involvement in commissioning for people with LD and complex needs (Davis, 2008, McCaffrey, 2008); Citizens' juries (Gooberman-Hill et al 2008);	ASSIST (peer-led smoking cessation in schools) (Audrey et al., 2008, Campbell et al., 2008); RIPPLE (Peer-led sex education in schools) (Stephenson et al., 2008);	Sure Start and co- production (Pemberton and Mason, 2008) Citizens' Juries (Gooberman-Hill et al., 2008)	Lay food and health workers (Kennedy et al., 2008);		Volunteering (Community Service Volunteers (CSV), 2008); Engaging heard to reach families (Barrett 2008);

	Community mobilisation/ action	Collaborations & partnerships	Peer involvement	Community organisations	Non-peer health advocacy	Social Networks	Volunteering
	(neighbourhood regeneration) (Stafford et al., 2008);	Streets Ahead On Safety: Young people & road safety (Kimberlee, 2008);					
2009	Healthy Living Centres (Taylor, 2009); Health/ Community Champions (Davies, 2009, East Midlands Regional Empowerment Partnership, 2009a); Coomunity development (East Midlands Regional Empowerment Partnership 2009b); Community-led health improvement (Taylor 2009);	Participatory Action Research (McDaid, 2009); Partnerships for Older People Programme (Windle et al., 2009, Williamson et al., 2009); Well London (World café) (Bertotti et al., 2009); Pathfinder programme (neighbourhood management) (East Midlands Regional Empowerment Partnership, 2009b); Neighbourhood regeneration (Lawson and Kearns, 2009); Co-production & Sure Start (Pemberton & Mason 2009);	ASSIST (peer-led smoking cessation in schools) (Starkey et al., 2009); Social support for infant feeding (Watt et al., 2009); Breastfeeding peer support (MacArthur et al., 2009); Health/ Community Champions (Davies, 2009, East Midlands Regional Empowerment Partnership, 2009a)	Improving CE with Roma Community (Roma Support Group, 2009); Co-production & Sure Start (Pemberton & Mason 2009); Community-led health improvement (Taylor 2009);	Health/ Community Champions (Davies, 2009, East Midlands Regional Empowerment Partnership, 2009a); Health trainers (Ward and Banks, 2009);		Volunteers (home start) (Barnes et al., 2009); Partnerships for Older People Programme (Windle et al., 2009, Williamson et al. 2009); Community-led health improvement (Taylor 2009);

	Community mobilisation/ action	Collaborations & partnerships	Peer involvement	Community organisations	Non-peer health advocacy	Social Networks	Volunteering
		Community-led health improvement (Taylor 2009);					
2010	Empowerment (Take Part approach) (Neumark, 2010) Empowerment (West Johnstone Digital Inclusion Project; Hearts of Salford) (Smith et al., 2010); Health Champions (Altogether Better) (Yorkshire & Humber Empowerment Project, 2010, White et al., 2010); Well London (youth.com & Young Ambassadors; Community Activators; World Cafe) (Craig, 2010, Chapman, 2010, Sheridan et al., 2010);	Co-production (Boyle et al., 2010); Social Inclusion Partnerships (Carlisle, 2010); New Deal for Communities (neighbourhood regeneration)(Muscat, 2010); Regeneration (Lawson 2010); The Black and Minority Ethnic (BME) Health Forum (community participatory research) (Race for Health, 2010); National Institute for Mental Health in England Community Engagement Project (Fountain and Hicks, 2010); Addressing stigma related to mental health problems	Well London (youth.com & Young Ambassadors; Community Activators; World Cafe) (Craig, 2010, Chapman, 2010, Sheridan et al., 2010); The Black and Minority Ethnic (BME) Health Forum (community participatory research) (Race for Health, 2010); Healthy lifestyle programme (Sefton men's health project) (Robinson et al., 2010); Addressing stigma related to mental health problems with BME groups (NHS Greater	National Institute for Mental Health in England Community Engagement Project (Fountain and Hicks, 2010);	Lay food and health workers (Kennedy, 2010); Health trainers (Bpcssa, 2010, Carlson et al., 2010); Well London (Youth.com & Young Ambassadors; Community Activators; World Cafe) (Craig, 2010, Chapman, 2010, Sheridan et al., 2010); Health Champions (Altogether Better) (Yorkshire & Humber Empowerment Project, 2010, White et al., 2010);	Health Champions (Altogether Better) (Yorkshire & Humber Empowerment Project, 2010, White et al., 2010);	Volunteers (home start) (MacPherson et al., 2010);

Community mobilisation/ action	Collaborations & partnerships	Peer involvement	Community organisations	Non-peer health advocacy	Social Networks	Volunteering
Assets approaches (Foot & Hopkins 2010); National Institute for Mental Health in England Community Engagement Project (Fountain and Hicks, 2010); Community empowerment (Gregson & Court 2010); Regeneration (Lawson 2010);	 with BME groups (NHS Greater Glasgow and Clyde, 2010); Well London (youth.com & Young Ambassadors; Community Activators; World Cafe) (Craig, 2010, Chapman, 2010, Sheridan et al., 2010); Assets approaches (Foot & Hopkins 2010); Community empowerment (Gregson & Court 2010); Co-commissioning (Mauger et al. 2010); Patient public engagement (PPE) in sexual and reproductive health and HIV/ AIDS (SRHH) services (Robinson and Lorenc, 2010); Healthy lifestyle programme (Sefton men's health project) (Robinson et al., 2010); 	Glasgow and Clyde, 2010); Health Champions (Altogether Better) (Yorkshire & Humber Empowerment Project, 2010, White et al., 2010);				

	Community mobilisation/ action	Collaborations & partnerships	Peer involvement	Community organisations	Non-peer health advocacy	Social Networks	Volunteering
2011	National Empowerment Partnership Programme (Sender et al., 2011); NHS Health Empowerment Leverage Project (HELP) (Chanan, 2011); Health champions (Well London) (Well London and NHS Hammersmith &Fulham, 2011, Cawley and Berzins, 2011, Sadare, 2011, Tunariu et al., 2011); Localism – housing associations (Place Shapers Group 2011); Action Research (Roma Support	National Empowerment Partnership Programme (Sender et al., 2011); NHS Health Empowerment Leverage Project (HELP) (Chanan, 2011); Neighbourhood regeneration (Jarvis et al., 2011); Neighbourhood approaches to loneliness (JRF 2011); Healthy Weight Communities (Rocket Science Ltd 2011); Action Research (Roma Support Group 2011); Social Housing (Rosenburg, 2011);	Health champions (Well London) (Well London and NHS Hammersmith &Fulham, 2011, Cawley and Berzins, 2011, Sadare, 2011, Tunariu et al., 2011); Community Mentoring service for older people (Dickens Andy et al., 2011); Localism – housing associations (Place Shapers Group 2011); Youth health champions (RSPH 2011);	Healthy Weight Communities programme (Rocket Science Ltd, 2011); Social Housing (Rosenburg, 2011); Housing Associations (Place Shapers Group, 2011)	Health Trainers (Attree et al., 2011, Ball and Nasr, 2011, Institute for Criminal Policy Research, 2011, North West Public Health Observatory, 2011, Royal Society for Public Health, 2011); Health champions (Well London) (Well London and NHS Hammersmith &Fulham, 2011, Cawley and Berzins, 2011, Sadare, 2011, Tunariu et al., 2011);	Localism – housing associations (Place Shapers Group 2011); National Empowerment Partnership Programme (Sender et al., 2011); NHS Health Empowerment Leverage Project (HELP) (Chanan, 2011);	Volunteering (O'Brien et al., 2011); Big Lottery Fund national wellbeing programme (CLES Consulting, 2011); Localism – housing associations (Place Shapers Group 2011); NHS Health Empowerment Leverage Project (HELP) (Chanan, 2011);
	Group 2011); Youth health champions (RSPH 2011);	Public agencies and faith communities partnerships (SCDC 2011);					

	Community mobilisation/ action	Collaborations & partnerships	Peer involvement	Community organisations	Non-peer health advocacy	Social Networks	Volunteering
2012	Asset-based	Co-production (people	Well London (co-	Training course:	Well London (co-		Volunteering
2012	approaches (McLean	powered health) (Nesta,	production/ health	Health Issues In the	production/ health		(Nazroo and
	and McNeice, 2012,	2012b, Nesta, 2012a,	champions)	community	champions) (Phillips		Matthews,
	Iriss, 2012);	Local Government	(Phillips et al.,	(Community Health	et al., 2012);		2012);
	1100, 2012),	Information Unit, 2012,	2012);	Exchange, 2012a);	or all, 2012),		2012),
	Community	Hatzidimitriadou et al.,	2012),	Exonango, 2012a),	Health Champions		Community
	development and	2012);	Community agents	Positive Mental	(Sheffield All-Being		agents (Active at
		2012),	(Active at 60	Attitudes (mental	Well Consortium		60 programme)
	mental health	Well London (co-	programme)	health inequalities	2012; Woodall et al.		(Hatamian et al.,
	(Seebohm et al.,	production/ health	(Hatamian et al.,	programme)(Quinn	2012) (Reece and		2012);
	2012);	champions) (Phillips et al.,	2012);	and Knifton, 2012);	Flint, 2012);		
		2012);					
	Equally Well (Harkins		Breastfeeding peer	Service user	Health Champions		
	and Egan, 2012);	Service user involvement	support (Jolly et al.,	involvement in social	(health literacy)		
	Well London (co-	in social care (Beresford &	2012);	care (Beresford & Carr	(Liverpool John		
	production/ health	Carr 2012);	_	2012);	Moore's University,		
	champions) (Phillips		Peer power for		2012);		
		Participatory Action	people with mental	Participatory Action			
	et al., 2012);	Research (Chirewa 2012);	illness (Duffy,	Research (Chirewa	Health trainers (White		
	Health Champions	Social marketing, road	2012);	2012);	et al., 2012, Cook		
	(Sheffield All-Being	safety (Christie et al.,	Social marketing,	Women in Govan	and Wills, 2012, Data		
	Well Consortium,	2012);	road safety	fighting inequality	Collection Reporting		
	Woodall et al. 2012)	2012),	(Christie et al.,	(Mackintosh 2012);	System, 2012,		
	(Reece and Flint,	Equally Well (Harkins and	2012);	(1010011103112012),	Gardner et al., 2012,		
	2012);	Egan, 2012);	2012),		Green, 2012);		
	- //		Positive Mental				
	Health Champions	Women in Govan fighting	Attitudes (mental				
	(health literacy)	inequality (Mackintosh	health inequalities				
	(Liverpool John	2012);	programme) (Quinn				
	Moore's University,		and Knifton, 2012);				
	2012);	Positive Mental Attitudes					
		(mental health inequalities					

	Community mobilisation/ action	Collaborations & partnerships	Peer involvement	Community organisations	Non-peer health advocacy	Social Networks	Volunteering
	Social marketing, road safety (Christie et al., 2012); Co-production and mental health (Hatzidimitriadou 2012); Women in Govan fighting inequality (Mackintosh 2012); Positive Mental Attitudes (mental health inequalities programme) (Quinn and Knifton, 2012);	programme) (Quinn and Knifton, 2012);	Community development and mental health (Seebohm et al., 2012);				
2013	Assets based approaches (SCDC 2013a, b; Fenton 2013); Equally Well (Scottish Government 2013); Music and Change – mental health and young people in gangs (MHF 2013);	Timebanks (Cambridge Centre for Housing and Planning Research 2013); Assets-based approaches (SCDC 2013a, b);: Equally Well (Scottish Government 2013); Localism (Thraves 2013);	Health trainers (Dooris 2013); Breastfeeding peer support (Ingram 2013); NCT peer support (Newburn 2013,Bhavnani 2013, McCarthy 2013)	Localism (Thraves 2013);	Advocacy for pedestrian safety (Hills et al. 2013); Health trainers (Jennings et al. 2013; Lorenc & Wills 2013; Shircore 2013); Health champions (White & Woodward 2013);	Timebanks (Cambridge Centre for Housing and Planning Research 2013)	Volunteering in health and care (Naylor et al. 2013);

	Community mobilisation/ action	Collaborations & partnerships	Peer involvement	Community organisations	Non-peer health advocacy	Social Networks	Volunteering
	Localism (Thraves 2013); Health champions (White & Woodward 2013);	Natural Choices for Health and Wellbeing (Wood 2013)	Music and Change – mental health and young people in gangs (MHF 2013); Peer support (NESTA 2013); Health champions (White & Woodward 2013);				
2014	Community resilience: the good life initiative (Cinderby et al. 2014); Assets-based end of life care (Matthiesen et al. 2014); Well London (Phillips et al. 2014);	Timebanks (Burgess 2014); Community resilience: the good life initiative (Cinderby et al. 2014); Assets-based end of life care (Matthiesen et al. 2014); Well London (Phillips et al. 2014); Co-production in Wandsworth (Hough 2014)	NCT peer support (Newburn 2014, Bhavnani 2014)		Assets-based end of life care (Matthiesen et al. 2014);		

Targeted vs universal approaches

Figure 14 shows trends over time in targeted versus universal approaches. It can be seen that the popularity of targeted approaches peaked in 2005 and again in 2012. Universal approaches were relatively rare before 2005.

Initiatives targeting populations with any indicators of health inequalities were more likely to use a targeted than a universal approach (other than populations with low social capital, where a universal approach was more likely to be used).






Figure 14 Trends over time in use of targeted and universal approaches

Figure 15 shows trends in types of community engagement over time. It can be seen that there has been an increase in approaches using peer involvement since 2009, and that non-peer health advocacy approaches (e.g. health trainers) seem to have been increasing in frequency since 2007.






<u>CE type 1 = community mobilisation/ action; CE type 2 = community partnerships; CE type 3 = peer involvement; CE type 4 = community organisations; CE type 5 = non-peer health advocacy; CE type 6 = social networks; CE type 7 = volunteers</u>

Extent of community engagement (Figure 16):

Most included initiatives reported a low (n=141 (45%), 110S (48%), 31D (35%)) or moderate (n=124 (39%), 85S (37%), 39D (44%)) extent of community engagement, with only 33 initiatives (10%, 17S (7%), 16D (18%)) reporting a high extent of community engagement (defined as community leading or collaborating in all three of: design; delivery; evaluation). Most of the initiatives with a high extent of community engagement took a community mobilisation/ activation approach (n=21 (64%)), and/ or a collaboration/ partnership approach (n=26 (79%)) to community engagement (Table 4). The comparatively high proportion of these initiatives which were reported in the non-research literature (20% of all non-research articles, compared to 8% of research articles) may be indicative of a gap between the types of organisations which usually write and publish research articles (e.g. academics and health professionals), and the types of organisations which usually involve community members in the evaluation process (e.g. communitybased, non-academic), and/or may indicate challenges in the evaluation or publication process of high engagement initiatives. It is worth noting due to the potential for publication bias if non-research articles had not been included in this map of UK practice.



Extent of community engagement

Type of CE	Research	Non-research		
Community mobilisation/ action	 Small area regeneration programmes (Anastacio et al., 2000) Co-production approaches (Boyle et al., 2006, Nesta, 2012b); A road safety awareness project in the local Somali community (Christie et al., 2012); Well London programme RCT (Phillips et al., 2012); Breathing Space community based anti- smoking programme (Platt et al., 2003); Positive Mental Attitudes – a mental health inequalities initiative in Glasgow (Quinn and Knifton, 2005, Quinn and Knifton, 2012) Healthy Living Centre project catchon2us! (Reeve and Peerbhoy, 2007); Action Research to identify barriers and enablers to empowerment in the Roma community (Roma Support Group, 2009); Ethnographic study on empowerment and young people's health (Spencer, 2014); Community mapping to tackle social exclusion and food poverty (Webster and Johnson, 2000); 	 Small area regeneration programmes (Anastacio et al., 2000) Co-production approaches (Boyle et al., 2006, Nesta, 2012b); Creative consultation with children and young people for community development (Coulter 2014); Leeds Gypsy and Traveller Exchange (Jones 2014); Community empowerment policy (Scottish Government, 2009); Connecting Communities (Stuteley 2014) 		
Community partnerships/ coalitions	 Co-production approaches (Boyle et al., 2006, Nesta, 2012b); A road safety awareness project in the local Somali community (Christie et al., 2012); Community activity to address loneliness (Joseph Rowntree Foundation, 2011); CBPR in TB control (Marais, 2007); CALL-ME arts and gardening projects for older people (Murray 2014); Well London programme RCT (Phillips et al., 2012); Positive Mental Attitudes – a mental health inequalities initiative in Glasgow (Quinn and Knifton, 2005, Quinn and Knifton, 2012) The Black and Minority Ethnic (BME) Health Forum (Race for Health, 2010); 	 Co-production approaches (Boyle et al., 2006, Nesta, 2012b); User involvement research (Beresford, 2007); Children as researchers (Brownlie et al., 2006); Creative consultation with children and young people for community development (Coulter 2014); Participatory action research in mental health policy and planning (McDaid, 2009); Connecting Communities (Stuteley 2014) 		

Table 4: Type of CE approach used by articles reporting a high extent of CE

Type of CE	Research	Non-research		
	- Healthy Living Centre project catchon2us! (Reeve and Peerbhoy, 2007);			
	- Action Research to identify barriers and enablers to empowerment in the Roma community (Roma Support Group, 2009);			
	- Mosaics of Meaning – partnerships with BME communities to promote mental health (NHS Greater Glasgow and Clyde, 2010);			
	- Older people and volunteering research (Baines et al., 2006)			
	- Community mapping to tackle social exclusion and food poverty (Webster and Johnson, 2000);			
Peer involvement	- A road safety awareness project in the local Somali community (Christie et al., 2012);	- Co-production (Boyle 2010)		
	- Positive Mental Attitudes – a mental health inequalities initiative in Glasgow (Quinn and Knifton, 2005, Quinn and Knifton, 2012)	- Creative consultation with children and young people for community development (Coulter 2014);		
	The Black and Minority Ethnic (BME) Health Forum (Race for Health, 2010);			
	- Mosaics of Meaning – partnerships with BME communities to promote mental health (NHS Greater Glasgow and Clyde, 2010);			
	- Older people and volunteering research (Baines et al., 2006)			
Community organisations	- CALL-ME arts and gardening projects for older people (Murray 2014);	- Leeds Gypsy and Traveller Exchange (Jones 2014);		
	- Positive Mental Attitudes – a mental health inequalities initiative in Glasgow (Quinn and Knifton, 2005, Quinn and Knifton, 2012)			
	- Healthy Living Centre project catchon2us! (Reeve and Peerbhoy, 2007);			
Non-peer health advocacy	- Changing Minds – a mental health awareness project (Cawley and Berzins, 2011)			
Social networks	- Older people and volunteering research (Baines et al., 2006)			
Volunteers	- Changing Minds – a mental health awareness project (Cawley and Berzins, 2011)			
	- Older people and volunteering research (Baines et al., 2006)			
	- Community mapping to tackle social exclusion and food poverty (Webster and Johnson, 2000);			

In addition, some articles used a range of community engagement and participation models (Fountain et al., 2007, Coulter, 2010, Glasgow Centre for Population Health, 2007, Laverack, 2006, Mahoney et al., 2007, Sheridan and Tobi, 2010).

3.7 Type of outcomes reported (research/ evaluation studies only):

In the 227 research and evaluation studies, the most frequently reported outcome type was process outcomes (n=187 S (82%)) such as recruitment of lay workers, followed by wellbeing outcomes (n=116 S (51%)) such as confidence, self-efficacy and quality of life, and health outcomes (n=102 S (45%)) such as increased awareness and uptake of cancer screening. Community level outcomes (n=92 S (41%)) were reported more frequently than outcomes at the individual level (n=83 S (37%)). Harmful or unintended effects (n=12 S (5%)) and economic outcomes (n=11 S (5%)), such as unit costs and funding, were reported less frequently (Figure 17).

Effects: Direction of effect was not routinely coded for in this systematic mapping review, so we are unable to comment on effectiveness.




Figure 17 Types of outcomes reported

Harmful or unintended effects were reported in twelve studies (Andrews et al., 2003, Ball and Nasr, 2011, Boydell and Rugkåsa, 2007, Bridge Consortium, 2002, Lawless et al., 2007, Lorenc and Wills, 2013, McLean and McNeice, 2012, Muscat, 2010, New Economics Foundation, 2002, Skidmore et al., 2006, Steven and Priva, 2000, Ward and Banks, 2009). In some studies, the unintended effect was potentially harmful for community members delivering interventions, in that volunteers were doing more than was expected of them (Andrews et al., 2003) or felt a "burden of responsibility", having little time to themselves and feeling afraid of letting people down (Bridge Consortium, 2002, Steven and Priva, 2000) In others, the unintended effects were felt to be potentially harmful to other community members, for example becoming dependent on the project and preventing new participants from accessing a place (McLean and McNeice, 2012). Unintended effects could also be positive, for example improvements in mental health were reported by some community members delivering interventions (New Economics Foundation, 2002). Some harmful effects were due to organisational issues, for example, the speed at which one Health Trainer programme developed and delays around some aspects impacted negatively on the morale and confidence of health trainers. There were also tensions between lay and professional workers with regard to role boundaries in relation to advice giving (Ward and Banks, 2009). One report found that "the key factor influencing levels of participation in governance was the existing patter of linking social capital - those already well connected tend to get better connected" (Skidmore et al., 2006). This would not help to decrease health inequalities and might have the opposite effect, of increasing them.

Figure 18 shows trends in type of outcomes reported in research/ evaluation studies over time. It can be seen that mental health or wellbeing outcomes have increased in frequency since 2005.




Figure 18 Trends in types of outcome reported in CE research/ evaluation studies over time

IBC = individual behaviour change; SDH = social determinants of health; MHWB = mental health and/ or wellbeing

3.8 Summary

This map of current and emerging UK practice in community engagement has attempted to draw together all the UK-based research evidence and theories, with non-research practice descriptions and policies to give an overview of what is happening in terms of community engagement in the UK today. The knowledge comes from a wide range of sources – from randomised controlled trials to personal communications from small projects. These vary in depth of description and in methodological quality, but as this is a mapping review, no formal assessment of quality was undertaken, so we cannot comment further on this aspect. In terms of applicability this review is obviously very relevant to the UK setting and seems to fill in a number of evidence gaps highlighted by Reviews 1-3, for example, it includes a high proportion of interventions aimed at improving social determinants of health and a high proportion of articles recording community-based outcomes. A diverse range of population groups are included, and the evidence is dominated by initiatives that target health inequalities through working with socioeconomically disadvantaged populations, and "hard to reach" groups such as older people and those with disabilities.

316 articles have contributed to this review, the majority being research or evaluation, with the majority of these being mixed method evaluations or qualitative studies.

Policy

There are a number of consistent themes relating to the UK policy context for community engagement and health, based on analysis of 42 policy publications from 2006 onwards. Firstly, policy documents, reviews and commentary concerning community engagement and health can be mapped across a wide range of policy areas and sectors. These include: health policy and the NHS, local government policy and regeneration, third sector and volunteering and also health inequalities as a cross cutting policy issue. Very few publications were focused exclusively on community engagement and public health, but all related to in some way to the active participation of individuals and communities as a mechanism to improve health, community life or quality of local services or alternatively to reduce inequalities and area disadvantage.

Secondly, since 2006 there are consistent themes across government policy relating to the significance of community engagement and empowerment. The review has highlighted a number of specific policy initiatives from both Labour government 2005-2010 and the Conservative-Liberal Democrat Coalition government of 2010-2015. These include changes in PPI structures and public involvement mechanisms affecting health planning and services; neighbourhood management, Localism aimed at devolution of power to local communities and health inequalities policy. There are also relevant policies from the devolved assemblies (Scottish Government, 2013, Welsh Assembly Government, 2008). Overall, publications relating to inequalities and community empowerment, whether originating from government or from independent sources, like the Marmot review, called for new relationships between services and communities that give more power to communities, enabling individuals to play a greater part in local decisions that affect their health and lives.

Thirdly, the review identified a consistent theme around the contribution of individuals and communities to health and to society in general. Discussion and commentary cluster round various concepts which are frequently cross-referenced to each other. These include asset-based approaches, co-production and volunteering.

Concepts

The map of UK literature found 30 articles that explored concepts and theories related to community engagement. A diverse range of concepts are used to explain and critique aspects of power and participation. There is no common terminology and a number of papers point to the challenges of defining of what are complex sets of ideas. Only four papers specifically dealt with community engagement as a defined topic (Fountain et al., 2007, Glasgow Centre for Population Health, 2007, Sheridan and Tobi, 2010, South and Phillips, 2014). Empowerment continues to be a significant theme – both how it can be achieved and what it means. Since 2006, other relevant concepts, such as co-production and volunteering, have gained some prominence in public health literature. The implications are that community engagement, as proposed in the earlier NICE guidance, is best seen as an umbrella term that covers a range of concepts relating to participation and empowerment.

Communities

The largest group of articles (n=117, 37%), both research (n=89, 39%) and non-research (n=28, 31%), looked at initiatives in urban settings. A large number (n=92, 29%) also looked at initiatives in both urban and rural settings. Only 11 articles (3.5%) looked at initiatives in rural settings alone (Bromley 2014, Davies, 2009, Dickens et al., 2011, East Midlands Regional Empowerment Partnership, 2009a, Elliott et al., 2007, Halliday and Asthana, 2005, Hoddinott et al., 2006a, Hoddinott et al., 2006b, Osborne et al., 2002, Starkey et al., 2005, Stutely, 2002). In 43 articles (14%), the setting was not clear. As this was a mapping review, we did not undertake detailed data extraction on the populations other than to code for indicators of health inequalities using the PROGRESS-plus tool. However, the UK evidence base on community engagement includes articles on communities of place (see above and e.g. Well London), communities of interest, such as culture (*e.g.* Roma support group) or situation (*e.g.* NCT peer support training for refuges and asylum seekers), ethnicity, age (*e.g.* Youth.com; MAC UK; Partnerships for Older People), or health and wellbeing issues (*e.g.* long term conditions).

The health and wellbeing issues addressed most frequently by UK community engagement initiatives were community level or wellbeing outcomes, rather than individual behaviour change outcomes:

Social capital or social cohesion (n=129, 41%) *e.g.* improved social networks (Burgess 2014), reduction in crime (Stutely and Cohen 2004);

Community wellbeing (n=110, 35%) *e.g.* community resilience (Cinderby et al. 2014), empowerment (Hothi et al. 2007) ;

Personal wellbeing (n=82, 26%) *e.g.* positive mental health (IRISS 2012, Tunariu et al. 2011), quality of life (Nazroo and Matthews 2012);

General health – personal (n=99, 31%) *e.g.* weight management (Jennings et al. 2013), healthy lifestyle promotion (Robinson et al. 2010; and

General health – community (n=95, 30%) *e.g.* setting up group activities (Woodall et al. 2012), reducing health inequalities (Race for Health 2010).

This seems to be a different pattern to initiatives included in the systematic reviews of effectiveness (Reviews 1-3 (Brunton et al. 2014)), which have focused on individual health issues such as physical activity and healthy eating.

Inequalities

Health inequalities indicators most frequently observed were socioeconomic indicators (n=89 S; 35 D) and "other" indicators of disadvantage (n= 95 S, 28 D) – these included a range of characteristics such as:

People with disabilities (e.g. Edwards 2002, inclusion in regeneration);

People with learning difficulties (LD) (*e.g.* McCaffrey 2008, commissioning from the perspective of people with LD);

Older people (e.g. Williamson et al. 2009, Partnerships for Older People);

Offenders (e.g. Dooris et al. 2013, health trainer service);

People with long term health conditions (*e.g.* Hills et al. 2007, healthy living centres);

People with substance use disorders (*e.g.* Elliott et al. 2001, involving peer interviewers in research);

Gay Lesbian Bisexual or Transgender groups (*e.g.* Flowers et al. 2002, bar-based peer-led sexual health promotion with gay men);

Mental health service users (e.g. O'Brien et al. 2011, volunteering in nature);

Refugees and asylum seekers (e.g. Bhavnani & Newburn 2011, NCT peer support).

Other indicators of inequality targeted by included initiatives were race/ ethnicity (n= 53 S, 16 D), lack of social capital or social exclusion (n= 37 S, 9 D). This demonstrates that community engagement initiatives in the UK go beyond the approach of targeting the most obvious indicators of inequality (*i.e.* those that are included in health equity profiles such as ethnicity, gender and occupational or socioeconomic status) and seek to engage some of the most marginalised, disadvantaged or excluded population groups, such as offenders, homeless people, people with poor physical or mental health, disabilities or learning difficulties, and older people (at risk of social isolation). This is true of both research and non-research articles.

Community engagement initiatives for populations coded as being in the category "Other indicators of disadvantage" were more likely to use peer or volunteer involvement approaches than those for populations coded as having socioeconomic indicators of disadvantage, which were similar to the percentages given across the range of UK initiatives in this mapping review. Initiatives targeting populations with any indicators of health inequalities were more likely to use a targeted than a universal approach (other than populations with low social capital, where a universal approach was more likely to be used).

Approaches to community engagement

The mapping review found a wide range of approaches to community engagement in the 316 included articles, which were grouped into seven types (see Glossary). Community mobilisation/ action (138 articles, 89S, 49D; 44%) and community partnerships/ coalitions (180 articles, 113S, 67D; 57%) were the most commonly used approaches to community engagement in both research and non-research articles. Peer involvement (n=97, 82S, 15D; 31%) and volunteers (n=64, 50S, 14D; 20%) were common approaches in research articles, but less so in non-research articles. Different approaches seemed to be used to target different types of health or wellbeing issues, for example peer involvement was most

often seen in interventions targeting individual behaviour change (*e.g.* physical activity, healthy eating, substance use), whereas community mobilisation/ action or partnership/ coalition approaches were more often seen in initiatives that focused on community wellbeing, social capital or community assets.

Only 33 initiatives (11%, 17S, 16D) reported a high extent of CE (defined as community leading or collaborating in all three of: design; delivery; evaluation). Most of the initiatives with a high extent of CE took a community mobilisation/ activation approach (n=21*, 64%), and/ or a collaboration/ partnership approach (n=27**, 79%) to community engagement. The comparatively high proportion of these initiatives which were reported in the non-research literature (20% of all non-research articles, compared to 8% of research articles) may be indicative of a gap between the types of organisations which usually write and publish research articles (e.g. academics and health professionals), and the types of organisations which usually involve community members in the evaluation process (e.g. community-based, non-academic), and/or may indicate challenges in the evaluation or publication process of high engagement initiatives. It is worth noting due to the potential for publication bias if non-research articles had not been included in this map of UK practice.

* Anastacio et al. 2000; Boyle et al. 2006; Christie et al. 2012; Phillips et al. 2012; Platt et al. 2003; Quinn and Knifton 2012; Reeve and Peerbhoy 2007; Roma Support Group 2011; Spencer 2014; Webster and Johnson 2000; Coulter 2010; Coulter 2014; Fountain et al. 2007; GCPH 2007; Jones 2014; Laverack 2006; Nesta 2012; Scottish Government 2009; Stuteley 2014; Sheridan & Tobi 2010; Spencer 2014)

** Anastacio et al. 2000; Boyle et al. 2006; Christie et al. 2012; JRF 2011; Marais 2007; Murray 2010; Phillips et al. 2012; Quinn and Knifton 2012; Race for Health 2010; Reeve and Peerbhoy 2007; Roma Support Group 2011; NHS Greater Glasgow & Clyde 2010; Baines et al. 2006; Webster and Johnson 2000; Beresford 2007; Boyle et al. 2010; Brownlie et al. 2006; Coulter 2010; Coulter 2014; Fountain et al. 2007; GCPH 2007; Mahoney et al. 2007; McDaid 2009; Nesta 2012; Stutely 2014; Sheridan & Tobi 2010; Spencer 2014)

Outcomes

In the 227 research and evaluation studies, the most frequently reported outcome type was process outcomes (n=187 S (82%)) such as recruitment of lay workers, followed by wellbeing outcomes (n=116 S (51%)) such as confidence, self-efficacy and quality of life, and health outcomes (n=102 S (45%)) such as increased awareness and uptake of cancer screening. Community level outcomes (n=92 S (41%)) were reported more frequently than outcomes at the individual level (n=83 S (37%)). Harmful or unintended effects (n=12 S (5%)) and economic outcomes (n=11 S (5%)), such as unit costs and funding, were reported less frequently.

Effects: Direction of effect was not routinely coded for in this systematic mapping review, so we are unable to comment on effectiveness.

Unintended or harmful effects: There is some evidence in this component 1a to contribute to review question 4, with 12 studies (5%) coded as reporting unintended or harmful consequences. Evidence from these 12 studies suggests that unintended effects can be positive (*e.g.* improved mental health in community members delivering interventions) but may also be negative or harmful, either to community deliverers (*e.g.* volunteers feeling overburdened), to organisations or partnerships (*e.g.* tensions between lay and professional role boundaries), or to the wider community (*e.g.* community members becoming so attached to projects that there are no places left for newer members).

Structure and focus of existing evidence base

There is a substantial amount of information in the following topic areas: Urban or mixed settings (*i.e.* both urban and rural); socioeconomically deprived groups or areas; socially excluded or isolated groups; areas that lack social cohesion; other potentially disadvantaged groups (*e.g.* older people; people with disabilities; people in poor physical or mental health); black or minority ethnic groups; initiatives targeting health behaviours (physical activity, healthy eating, substance use), mental health, personal and community wellbeing, general health (personal and community), social capital or cohesion; initiatives with low or moderate extent of community engagement; process, wellbeing, health and community level outcomes.

There seems to be little information in the following areas: rural settings; unintended or harmful effects; cultural adaptation; initiatives with a high extent of community engagement; population groups that may experience health inequalities due to religion, culture or educational reasons.

3.9 Summary statements

Summary statement 1: Conceptual

A number of overlapping terms are used to cover concepts and approaches that relate to the active participation of people in decisions about their health and lives (based on 30 conceptual/ theoretical papers*). This includes community engagement (4 papers: Fountain et al. 2007; Glasgow Centre for Population Health 2007; Sheridan and Tobi 2010; South and Phillips 2014), community participation (2 papers: Mahoney et al. 2007; Draper et al. 2010), community or public involvement (4 papers: Burton et al. 2006; Chadderton et al. 2008; Department of Health 2006b; Wait and Nolte 2006) and empowerment (3 papers: Communities and Local Government 2007; Laverack 2006; Spencer 2014). Empowerment is a complex concept that has different dimensions both relating to process and outcomes (Laverack 2006; Spencer 2014). The review of conceptual papers suggests that community engagement also relates to social action by communities through volunteering and building social capital (based on 11 conceptual/ theoretical papers (Cabinet Office, 2011, Communities and Local Government, 2007, Dobbs and Moore, 2002, Nesta, 2013, Fountain et al., 2007, Glasgow Centre for Population Health, 2007, Hardill et al., 2007, Laverack, 2006, Local Government Information Unit, 2012, Sheridan and Tobi, 2010, Wallace, 2007)).

*(Jones, 2004, Attree et al., 2011, Beresford, 2007, Boydell and Rugkåsa, 2007, Boyle et al., 2010, Brownlie et al., 2006, Burton et al., 2006, Cabinet Office, 2011, Chadderton et al., 2008, Chirewa, 2012, Communities and Local Government, 2007, Department of Health, 2006b, Draper et al., 2010, Fountain et al., 2007, Glasgow Centre for Population Health, 2007, Hardill et al., 2007, Kennedy, 2006, Laverack, 2006, Local Government Information Unit, 2012, Mahoney et al., 2007, McDaid, 2009, Nesta, 2013, Office of the Deputy Prime Minister, 2006, Scottish Government, 2013, Sheridan and Tobi, 2010, Spencer, 2014, Truman and Raine, 2001, Wait and Nolte, 2006, Wallace, 2007, South and Phillips, 2014)

Summary statement 2: Policy

Policy interest in community engagement and health can be mapped across a wide range of policy areas and sectors. These include: health policy and the NHS, local government policy and regeneration, third sector and volunteering and also health inequalities as a cross cutting policy issue. Community engagement in public health continues to be supported through these various policy drivers (4 publications: (Department of Health, 2010, Department of Health, 2012a, Department of Health, 2012b, HM Government, 2010b)); however, there appears to be a greater policy emphasis on patient and public involvement (PPI) structures in relation to the NHS (6 publications: (Department of Health, 2006b, Department of Health, 2006a, Department of Health, 2007a, Department of Health, 2010, HM Government, 2010, HM Government, 2012, NHS England, 2013)).

The key role of local government in leading community engagement and supporting public participation in local decision making has been a major policy theme throughout the period covered by the review (based on 4 publications: (Department for Communities & Local Government, 2006b, Department for Communities & Local Government, 2007a, Department for Communities & Local Government, 2007b, HM Government, 2007)). Community engagement and empowerment have been consistently linked to strategies to address health inequalities (3 publications: (Department of Health, 2008b, Department of Health, 2008a, Department of Health, 2009a), with emphasis given to enabling individuals to play a greater part in local decisions that affect their health and lives Two specific policy initiatives identified in the review were New Deal for Communities (Lawless, 2004, Lawless et al., 2007, Wallace, 2007) and Neighbourhood Management/partnerships (Office of the Deputy Prime Minister, 2006, Sustainable Development Commission, 2010).

The contribution of individuals and communities to health and to society in general is a policy theme, with the importance of social action on health being endorsed in government documents and policy commentary. Interrelated concepts found in the map of policy include asset-based approaches, co-production, volunteering and peer support, and a number of (non-governmental) documents advocate for methods that draw on community strength and build on the lay contribution.

Summary Statement 3: Communities

Most community engagement activity in the UK takes place in urban or mixed (urban and rural) settings (based on 209 articles).

The health and wellbeing issues addressed most frequently by UK community engagement initiatives were community level or wellbeing outcomes, rather than individual behaviour change outcomes:

Social capital or social cohesion (n=129, 41%) *e.g.* improved social networks (Burgess 2014), reduction in crime (Stutely and Cohen 2004);

Community wellbeing (n=110, 35%) *e.g.* community resilience (Cinderby et al. 2014), empowerment (Hothi et al. 2007);

Personal wellbeing (n=82, 26%) *e.g.* positive mental health (IRISS 2012, Tunariu et al. 2011), quality of life (Nazroo and Matthews 2012);

General health – personal (n=99, 31%) *e.g.* weight management (Jennings et al. 2013), healthy lifestyle promotion (Robinson et al. 2010; and

General health – community (n=95, 30%) *e.g.* setting up group activities (Woodall et al. 2012), reducing health inequalities (Race for Health 2010).

Summary Statement 4: Health inequalities

Much UK practice in community engagement is directly relevant to health inequalities (based on 125 studies coded as socioeconomic indicators (n=89 S; 35 D) *e.g.* deprivation (Greene 2007; Hills et al. 2013) and 123 studies coded as "other" indicators of disadvantage (n= 95 S, 28 D) – these included a range of characteristics such as:

People with disabilities (e.g. Edwards 2002, inclusion in regeneration);

People with learning difficulties (LD) (*e.g.* McCaffrey 2008, commissioning from the perspective of people with LD);

Older people (e.g. Williamson et al. 2009, Partnerships for Older People);

Offenders (e.g. Dooris et al. 2013, health trainer service);

People with long term health conditions (*e.g.* Hills et al. 2007, healthy living centres);

People with substance use disorders (*e.g.* Elliott et al. 2001, involving peer interviewers in research);

Gay Lesbian Bisexual or Transgender groups (*e.g.* Flowers et al. 2002, bar-based peer-led sexual health promotion with gay men);

Mental health service users (e.g. O'Brien et al. 2011, volunteering in nature);

Refugees and asylum seekers (*e.g.* Bhavnani and Newburn 2011, NCT peer support).

This demonstrates that community engagement initiatives in the UK go beyond the approach of targeting the most obvious indicators of inequality (*i.e.* those that are included in health equity profiles such as ethnicity, gender and occupational or socioeconomic status) and seek to engage some of the most marginalised, disadvantaged or excluded population groups.

Peer- and volunteer-based approaches to community engagement were more common in populations with "other" indicators of disadvantage than in any other group (based on 57 articles on peer approaches (45S (47%), 6D (16%)), such as peer education for preventing falls in older people (Allen 2004) and 38 articles on volunteer approaches (34S (36%), 4D (14%)), such as volunteering for mental health (Institute for Volunteering Research 2003).

Summary statement 5: Approaches to community engagement

The mapping review found a wide range of approaches to community engagement in the 316 included articles. Approaches aligned to community development and empowerment and/ or participatory principles are commonly used in the UK, with peer and volunteer involvement also being prominent approaches. Different approaches seem to be appropriate to address different health and wellbeing issues, for example peer, volunteer or lay involvement for targeting individual behaviour change; community mobilisation/ action or community partnerships/ coalitions for targeting community level outcomes, such as wellbeing, community assets or social capital.

Most of the initiatives with a high extent of community engagement took a community mobilisation/ activation approach (n=21 (64%))*, and/ or a collaboration/ partnership approach (n=27 (79%))** to community engagement. Health or wellbeing issues most frequently addressed were community wellbeing (n=15 (45%) 8D, 7S), social capital/ cohesion (n=14 (42%) 6D, 8S), general health personal (n=8 (24%) 5D, 3S), general health community (n=11 (33%) 7D, 4S). A comparatively high proportion of these initiatives were reported in the non-research literature (n=16 (20%) compared to n=17 (8%) in research literature).

* Anastacio et al. 2000; Boyle et al. 2006; Christie et al. 2012; Phillips et al. 2012; Platt et al. 2003; Quinn and Knifton 2012; Reeve and Peerbhoy 2007; Roma Support Group 2011; Spencer 2014; Webster and Johnson 2000; Coulter 2010; Coulter 2014; Fountain et al. 2007; GCPH 2007; Jones 2014; Laverack 2006; Nesta 2012; Scottish Government 2009; Stuteley 2014; Sheridan & Tobi 2010; Spencer 2014)

** Anastacio et al. 2000; Boyle et al. 2006; Christie et al. 2012; JRF 2011; Marais 2007; Murray 2010; Phillips et al. 2012; Quinn and Knifton 2012; Race for Health 2010; Reeve and Peerbhoy 2007; Roma Support Group 2011; NHS Greater Glasgow & Clyde 2010; Baines et al. 2006; Webster and Johnson 2000; Beresford 2007; Boyle et al. 2010; Brownlie et al. 2006; Coulter 2010; Coulter 2014; Fountain et al. 2007; GCPH 2007; Mahoney et al. 2007; McDaid 2009; Nesta 2012; Stutely 2014; Sheridan & Tobi 2010; Spencer 2014)

Summary statement 6: Outcomes

In the 227 research and evaluation studies, the most frequently reported outcome type was process outcomes (n=187 S (82%)) such as recruitment of lay workers (*e.g.* Chapman 2010), followed by wellbeing outcomes (n=116 S (51%)) such as confidence, self-efficacy and quality of life (*e.g.* White et al. 2010), and health outcomes (n=102 S (45%)) such as increased awareness and uptake of cancer screening (Curno 2012). Community level outcomes (n=92 S (41%) *e.g.* Barnes et al. 2004 (Health Action Zones)) were reported more frequently than outcomes at the individual level (n=83 S (37%) *e.g.* Platt et al. 2003 (smoking cessation)). Harmful or unintended effects (n=12 S (5%)) and economic outcomes (n=11 S (5%)), such as unit costs and funding, were reported less frequently.

Unintended or harmful effects: Evidence from 12 studies (Andrews et al., 2003, Ball and Nasr, 2011, Boydell and Rugkåsa, 2007, Bridge Consortium, 2002, Lawless et al., 2007, Lorenc and Wills, 2013, McLean and McNeice, 2012, Muscat, 2010, New Economics Foundation, 2002, Skidmore et al., 2006, Steven and Priya, 2000, Ward and Banks, 2009) on unintended or harmful effects suggests that these can be positive (*e.g.* improved mental health in community members delivering interventions) but may also be negative or harmful, either to community deliverers (*e.g.* volunteers feeling overburdened), to organisations or partnerships (*e.g.* tensions between lay and professional role boundaries), or to the wider community (*e.g.* community members becoming so attached to projects that there are no places left for newer members).

Summary statement 7: Structure and focus of existing evidence base

There is a substantial amount of information in the following topic areas: Urban or mixed settings (i.e. both urban and rural); socioeconomically deprived groups or areas; socially excluded or isolated groups; areas that lack social cohesion; other potentially disadvantaged groups (e.g. older people; people with disabilities; people in poor physical or mental health); black or minority ethnic groups; initiatives targeting health behaviours (physical activity, healthy eating, substance use), mental health, personal and community wellbeing, general health (personal and community), social capital or cohesion; initiatives with low or moderate extent of community engagement; process, wellbeing, health and community level outcomes.

There is very little information, either from research, or from other sources, on what is being done in terms of community engagement in rural settings (n=11 (3%) 7 S, 4 D), or in communities that may experience health inequalities due to religion/ culture (n= 12 (4%) 6 S, 6 D) or educational reasons (n= 17 (5%) 14 S, 3 D). There is little information on harmful or unintended effects of community engagement initiatives (n = 12 S (5%)), or on economic outcomes (n = 11 S (5%)).

4. Discussion

4.1 Main findings

This systematic mapping review found a substantial evidence-base on current and emerging UK policy and practice in community engagement, encompassing a diverse range of populations and approaches to community engagement.

The key role of local government in leading community engagement and supporting public participation in local decision making has been a major policy theme throughout the period covered by the review. Community engagement and empowerment have been consistently linked to strategies to address health inequalities, with emphasis given to enabling individuals to play a greater part in local decisions that affect their health and lives. Dominant concepts include asset-based approaches, co-production, volunteering and peer support.

There was a high volume of evidence from: qualitative and mixed methods studies; initiatives targeting health inequalities via socioeconomically deprived areas and groups, and via "hard to reach" groups (such as people with disabilities, substance users, homeless people). Community level outcomes (e.g. improved housing) and wellbeing outcomes (e.g. improved self-esteem) were most commonly addressed, and community mobilisation/ action and community partnerships/ coalitions were the types of community engagement most commonly employed.

4.2 Wider context

The previous NICE guidance on community engagement (NICE 2008) made 12 recommendations which covered policy development, long-term investment, organisational and cultural change, levels of engagement and power, mutual trust and respect, infrastructure, partnership working, area-based initiatives, community members as agents of change, community workshops, resident consultancy and evaluation.

A recent systematic review of community engagement to reduce inequalities in health (O'Mara-Eves et al., 2013) found solid evidence that community engagement interventions have a positive impact on health behaviours, health consequences, self-efficacy and perceived social support outcomes, across a wide range of contexts and using a variety of mechanisms.

The 2008 guidance on community engagement (NICE 2008) found that the approach used to involve the community was not usually the main focus of the evaluation. With this in mind, the other two components of Stream 2 (Primary Research Report 1: map of current practice based on a case study approach (Bagnall et al., 2015), and Review 5: Evidence review of barriers to, and facilitators of, community engagement approaches and practices in the UK ((Harden et al., 2015)) sought to evaluate the process of community engagement, rather than the delivery of the intervention or its effects.

The 2008 guidance also made detailed recommendations for further research, including methodology for future community engagement research studies, impact evaluation of area-based initiatives, research into barriers and facilitators to community engagement, and economic evaluation. Primary Research Report 1 (Bagnall et al. 2015) and Review 5 (Harden et al. 2015) also address the third of these objectives: research into barriers and facilitators.

The NICE guidance published in 2008 did not include a range of newer community engagement approaches, because they had not yet been evaluated. These included health trainers, collaborative methodology and citizens' juries and panels. Evaluations of all of these approaches are included in this systematic map.

4.3 Limitations of the review

Protocol deviations: We had stated in the protocol that we would do forwards and backwards citations of all included studies, but given the large number of included studies, we did not do this, nor did we contact authors to ask for more details of included studies. This may have led to some initiatives being missed out of the map. A delay in publication (time lag bias) may also have led to more recent and emerging practice being left out of the map, but we sought to avoid this by extensive website searches and by contacting practitioners through many different sources to obtain details of projects that had not yet (or in some cases ever would have) been published.

Theory: There was some development in conceptual thinking around community engagement terminology as part of this project, which stemmed from a lack of clarity around terms used for community engagement. A similar issue with identifying which community engagement approach was used was identified in the 2008 NICE guidance on community engagement (NICE 2008). There was also debate over whether interventions were "targeted" or "universal" with team members finding it difficult to reach agreement in some cases. The lack of a standard set of terms for community participation presents difficulties in interpretation of research and practice. Some phrases are used effectively as synonyms *e.g.* community involvement and community engagement, while other terms lack an agreed definition. Also theoretical constructs used with some precision in academic literature may be conceptualised differently in professional practice and also by the public (Yerbury, 2011). Clusters of literature can occur as a field of practice develops. This review mapped how community engagement and related concepts have been operationalised in UK policy and practice.

Due to the methodology and timescale of the systematic map, we could not extract detailed data on the theoretical underpinnings of various approaches to community engagement. However, the typology we used was based on the recent NIHR review (O'Mara-Eves et al., 2013) which described three conceptualisations of community engagement:

 Theories of change for patient/ consumer involvement: engagement with communities or members of communities in strategies for service development, in which empowering individuals enhances their engagement with service professionals to effect sustainable changes in services. It involves community members in the planning or design of an intervention.

- Theories of change for peer-/lay-delivered interventions: services engage communities or individuals within communities to deliver interventions, thereby empowering them by enhancing their skills. This approach aims to effect sustainable change amongst individuals and their peers.
- Theories of empowerment to reduce health inequalities: when people are engaged in a programme of community development, an empowered community is the outcome sought by enhancing their mutual support and their collective action to mobilise resources of their own and form elsewhere to make changes within the community. An empowered community can do much to sustain its own efforts.

Another typology was developed in parallel with the 7 types of community engagement used in Reviews 1-3 (Brunton et al., 2014). This typology was developed as part of a report for Public Health England (Public Health England and NHS England, 2015), and was also based on the 2013 NIHR review but placed different types of community interventions into a "family" with four main themes: Strengthening communities; Volunteer & peer roles; Collaborations & partnerships; Access to community resources (see Appendix H for further details). Arguably, the "family" of community based interventions (Public Health England and NHS England, 2015) may be more applicable to the UK context than the seven types of community engagement that we have used in this review. For the subsequent component 1b (case studies) we have used the South 2014 typology in our sampling frame as it was felt that this was more applicable to UK practice. Appendix I also shows the distribution of the initiatives in this UK mapping review across the four main categories in the South 2014 "family" of community based interventions.

What the review does not cover: The date cut-off of 2000 for research, evaluation and practice descriptions, and of 2006 for policy or conceptual papers may have led to some relevant studies from before these dates being missed, however as this is intended to be a map of current and emerging practice this is probably not very important.

As this was a systematic mapping review, with many included articles, we did not undertake detailed data extraction and therefore did not examine all the included articles in as much detail as for a standard systematic review. This led to difficulties in assigning coding categories to some of the articles, as alluded to above, and may mean that some of the categories assigned to some of the articles may be subject to discussion and change. The lack of time to examine all the articles in detail (many of which were large reports) means that we are unable to say with certainty that we have detected (for example) all mentions of harmful or unintended effects, and it is possible that these were included in more than 12 articles.

As is appropriate for a systematic mapping review (Gough et al., 2012), and in order to code all 316 included articles within the short time available, we did not undertake quality assessment for included research and evaluation studies. Because of this limitation, we did not routinely code for whether an initiative had positive effects, as it was felt that without the quality assessment and detailed data extraction, any such findings would be relatively meaningless and potentially misleading if taken out of context. This is something that could be addressed in future systematic reviews of this topic, which could focus on (for example) the effectiveness of one type of community engagement approach within or across certain population groups.

The lack of detailed data extraction meant that the map also lacks detailed descriptions of populations, settings, activities etc. and there is no detail of whether particular approaches were underpinned by particular theories.

4.4 Strengths of the review

This systematic map of the UK literature on community engagement policy and practice in the UK aimed to include all the community engagement initiatives that have been taking place since 2000. Previous experience in this field (O'Mara-Eves et al. 2013, South et al. 2010) suggests that there is a publication bias in that professionally-led (sometimes referred to as "top-down") initiatives are more likely to be evaluated and then published in peer reviewed journals than community-led ("bottom-up" or "Grass-roots") initiatives, such as those that result in community empowerment. We tried to overcome this publication bias by making every effort to find and include "grey" literature (reports and other documents from organisational repositories and websites) and two "calls for evidence" were made, from NICE to stakeholders, and from the review teams to networks of community organisations, public health practitioners and academics. We had 21 relevant projects contact us via our Register of Interest, and 20 via the NICE call for evidence, some of which did not have any related publications or evaluation reports, and would not have been picked up even in our website searches. While we know of other relevant projects that did not sign up to the Register, we hope that this map comes closer to presenting a realistic picture of what is happening in practice than if we had only included published journal articles.

The inclusion of a range of evidence from non-RCT study designs, which are so often excluded from systematic reviews of effectiveness, is a real strength of this map of practice. It has been argued that measuring "outcomes" alone does not measure the impact on people's lives or the context in which changes (if any) take place (Lowe 2013), and that qualitative research is better placed to explore these aspects of effectiveness. It is also often noted that "hard to reach" groups are often excluded from traditional research studies such as RCTs, whether deliberately or by default. The inclusion of other types of information has ensured that a wider range of population groups and approaches to community engagement are represented in this map and in fact "hard to reach" groups together form the largest population group.

4.5 Implications of the findings

The diversity of populations, health and wellbeing issues, approaches and activities that are involved in recent and current community engagement policy and practice in the UK suggests that the use of community engagement as an "umbrella" term, as proposed in the 2008 guidance (National Institute for Health and Care Excellence, 2008), seems to still be appropriate, as different approaches fit best with different populations and/ or health and wellbeing issues.

Use of the PROGRESS-Plus tool (Kavanagh et al., 2008) in this systematic map has highlighted differences in the populations targeted by community engagement initiatives in

the UK compared to those targeted in the international literature. For example, in the 2013 NIHR review (O'Mara-Eves et al., 2013), ethnicity was the most frequent PROGRESS-Plus characteristic across all the included studies, although for UK studies only, the most frequent characteristic was socioeconomic status. In our map, the most frequent PROGRESS-Plus characteristic was "Other" vulnerable groups, followed by socioeconomic status. Our review and the 2013 review of effectiveness (O'Mara-Eves et al., 2013) also found that populations often had more than one characteristic of PROGRESS-Plus. The high volume of initiatives taking place in these "Other" vulnerable groups in the UK deserves recognition by policy makers and decision makers, practitioners, professionals and researchers, in terms of resources, evaluation and opportunities for shared learning. It may also indicate a need for a specific community engagement add-on to the PROGRESS-Plus tool, so that future research and evaluation is more likely to capture the finer details of the communities involved.

The map has indicated that there is a high volume of evidence in the following categories: process evaluations; qualitative and mixed methods studies; population – socioeconomic indicators, other indicators of disadvantage (disability; older people; service users; substance users; homeless; etc.), BME; Issues – social capital, community wellbeing, community health (community level outcomes). Types of community engagement: community mobilisation/ action; community partnerships/ coalitions. It may be beneficial to carry out a full systematic review focused on any of these areas to examine in-depth the effectiveness of UK-based initiatives.

The map has also indicated that there are evidence gaps in the following areas: rural settings; Harmful/ unintended effects; health inequalities related to religion/ culture or educational issues. It may be beneficial to focus UK-based primary research and/ or practice in these areas.

5. Conclusion and recommendations

This mapping review found a substantial evidence-base on current and emerging UK policy and practice in community engagement, encompassing a diverse range of populations and approaches to community engagement. The use of community engagement as an "umbrella" term to encompass different approaches and activities for different population and health or wellbeing issues seems to fit well with the UK perspective.

The key role of local government in leading community engagement and supporting public participation in local decision making has been a major policy theme throughout the period covered by the review. Community engagement and empowerment have been consistently linked to strategies to address health inequalities, with emphasis given to enabling individuals to play a greater part in local decisions that affect their health and lives. Dominant concepts include asset-based approaches, co-production, volunteering and peer support.

There was a high volume of evidence from: qualitative and mixed methods studies; initiatives targeting health inequalities via socioeconomically deprived areas and groups, and via "hard to reach" groups (such as people with disabilities, substance users, homeless people). Community level outcomes (e.g. improved housing) and wellbeing outcomes (e.g. improved self-esteem) were most commonly addressed, and community mobilisation/ action and community partnerships/ coalitions were the types of community engagement most commonly employed.

<u>Recommendations for practice</u>: A varied "toolbox" of approaches to community engagement in the UK is needed in order to engage with a wide range of populations and health and wellbeing issues.

Communities targeted by community engagement initiatives in the UK include a substantial proportion who are at risk of health inequalities (such as people with mental health issues, offenders, homeless people, Gay, Lesbian, Bisexual or Transgender), but who are not routinely fully represented in health equity profiles/ audits, which tend to focus on age, gender, ethnicity and deprivation indices. Consideration should continue to be given to these "marginalised" groups, in terms of both initial engagement and measurement of impact.

<u>Recommendations for research</u>: The lack of initiatives found in rural settings, and the lack of evidence on cultural adaptation, groups at risk of health inequalities due to religion/ culture or lack of education suggests that it would be beneficial to explore community engagement in practice for these groups. Future research studies should report any harmful or unintended effects. There is scope for future systematic reviews on community engagement in the UK context to examine the effectiveness of each type of community engagement approach.

References

- ADAMS, L. & CUMMING, F. 2002. Promotion Health policies & practice Promoting social and community development in Sheffield: A reflection of ten years work. *In:* AMOS, A. M. & MUNRO, J. (eds.) *Promoting Health.*
- ALBORZ, A., WILKIN, D. & SMITH, K. 2002. Are primary care groups and trusts consulting local communities? *Health & Social Care in the Community*, 20–28.
- ALEXANDER, J., ANDERSON, T., GRANT, M., SANGHERA, J. & JACKSON, D. 2003. An evaluation of a support group for breast-feeding women in Salisbury, UK. *Midwifery*, 215–220.
- ALLEN, T. 2004. Preventing falls in older people: evaluating a peer education approach. *British Journal of Community Nursing.*, 9, 195-200.
- ALTOGETHER BETTER 2010. Altogether Better Programme: Phase 1. Leeds: Centre for Health Promotion Research, Leeds Beckett University.
- ANASTACIO, J., GIDLEY, B., HART, L., KEITH, M., MAYO, M. & KOWARZIK, U. 2000. *Reflecting realities: Participants' perspectives on integrated communities and sustainable development,* Bristol, Policy Press.
- ANDERSON, E. & SHEPHERD, M. 2005. 'Taking off the suit': engaging the community in primary health care decision-making. *Health Expectations*, 9, 70-80.
- ANDREWS, G. J., GAVIN, N., BEGLEY, S. & BRODIE, D. 2003. Assisting friendships, combating loneliness: users' views on a 'befriending' scheme. *Ageing and Society*, 23, 349-362.
- ANNING, A., STUART, J., NICHOLLS, M. & MORLEY, A. 2007. National Evaluation Report: Understanding Variations in Effectiveness amongst Sure Start Local Programmes. London: Institute for the Study of Children, Families and Social Issues, Birkbeck.
- ARORA, S., DAVIES, A. & THOMPSON, S. 2000. 'Developing health improvement programmes: challenges for a new millennium'. *Journal of Inter-professional Care*, 14, 9-18.
- ATKINSON, M. 2012. Inequalities in health outcomes and how they might be addressed. Children and Young People's Health Outcomes Forum.
- ATTREE, P. 2004. 'It was like my little acorn, and it's going to grow into a big tree': a qualitative study of a community support project. *Health Soc Care Community*, 12, 155-61.
- ATTREE, P., CLAYTON, S., KARUNANITHIM, S., NAYAK, S., PAPAY, J. & READ 2011. NHS Health Trainers: A Review of Emerging Evaluation Evidence. *Critical Public Health*, 22, 25-38.
- AUDREY, S., HOLLIDAY, J. & CAMPBELL, R. 2006a. It's good to talk: Adolescent perspectives of an informal, peer-led intervention to reduce smoking. *Social Science and Medicine*, 63, 320-334.
- AUDREY, S., HOLLIDAY, J. & CAMPBELL, R. 2008. Commitment and compatibility: Teachers' perspectives on the implementation of an effective school-based, peer-led smoking intervention. *Health Education Journal*, 67, 74-90.
- AUDREY, S., HOLLIDAY, J., PARRY-LANGDON, N. & CAMPBELL, R. 2006b. Meeting the challenges of implementing process evaluation within randomized controlled trials: the example of ASSIST (A Stop Smoking in Schools Trial). *Health Educ Res.*, 21, 366-77.
- BAGLEY, C. & ACKERLEY, C. 2006. 'I am much more than just a mum': social capital, empowerment and Sure Start. *Journal of Education Policy*, 21, 717-734.
- BAGNALL, A.M, SOUTHBY, K., MITCHELL, B., SOUTH, J. 2015. Bibliography and map of communitycentred interventions for health and wellbeing. Leeds: Leeds Beckett University <u>http://eprints.leedsbeckett.ac.uk/1782/</u>
- BAINES, S., M LIE & WHEELOCK, J. 2006. Volunteering, self-help and citizenship in later life. Newcastle: Age Concern Newcastle and University of Newcastle upon Tyne.
- BALL, L. & NASR, N. 2011. A Qualitative Exploration of a Health Trainer Programme in Two Primary Care Trusts. *Perspectives in Public Health*, 131, 24-31.

- BANDESHA, G. & LITVA, A. 2005. Perceptions of community participation and health gain in a community project for the South Asian population: a qualitative study. *Journal Of Public Health (Oxford, England),* 27, 241-245.
- BARNES, J., SENIOR, R. & MACPHERSON, K. 2009. The utility of volunteer home-visiting support to prevent maternal depression in the first year of life. *Child Care Health Dev*, 35, 807-816.
- BARNES, M., BAULD, L., BENZEVAL, M. & ET AL. 2005. *Health action zones Partnerships for health equity*.
- BARNES, M., NEWMAN, J., KNOPS, A. & SULLIVAN, H. 2003. Constituting 'the public' in public participation. *Public Administration*, 81, 379-399.
- BARNES, M., SKELCHER, C., BEIRENS, H., DALZIEL, R., JEFFARES, S. & WILSON, L. 2008a. Designing citizen-centred governance. York: Joseph Rowntree Foundation.
- BARNES, M., SKELCHER, C., BEIRENS, H., DALZIEL, R., JEFFARES, S. & WILSON, L. 2008b. Developing citizen-centred governance. York: Joseph Rowntree Foundation.
- BARNES, M., SULLIVAN, H. & MATKA, E. 2004. The development of collaborative capacity in Health Action Zones: A final report from the national evaluation. Birmingham.
- BARRETT, H. 2008. Hard to reach families: engagement in the voluntary and community sector. The Family and Parenting Institute.
- BAULD, L., JUDGE, K., BARNES, M., BENZEVAL, M., MACKENZIE, M. & SULLIVAN, H. 2005a. Promoting social change: the experience of health action zones in England. *Journal of Social Policy*, 34, 427-445.
- BAULD, L., SULLIVAN, H., JUDGE, K. & MACKINNON, J. 2005b. 'Assessing the impact of Health Action Zones', in M. Barnes, L. Bauld, M. Benzeval, K. Judge, M. Mackenzie and H. Sullivan (eds) Health Action Zones: Partnerships for health equity. 157-84.
- BAXTER, L., THORNE, L. & MITCHELL, A. 2001. Small voices, big noises. Lay involvement in health research: lessons from other fields. Exeter: Exeter: Washington Singer Press;.
- BEAVINGTON, J. 2014. *RE: Health Improvement Neighbourhood work.* Type to RESPONSE TO CALL FOR EVIDENCE FROM LEEDS BECKETT UNIVERSITY.
- BECK, A., MAJUMDAR, A., ESTCOURT, C. & PETRAK, J. 2005. "We don't really have cause to discuss these things, they don't affect us": a collaborative model for developing culturally appropriate sexual health services with the Bangladeshi community of Tower Hamlets. *Sexually Transmitted Infections*, 81, 158-162.
- BENZEVAL, M. 2003a. The final report of the tackling Inequalities in health module: the national evaluation of health action zones, A report to the Department of Health. London: Department of Geography, Queen Mary, University of London.Online.
- BENZEVAL, M. 2003b. Tackling inequalities in health: Final Report to Sheffield Health Action Zone. Department of Geography, Queen Mary, University of London.
- BERESFORD, P. 2007. User involvement, research and health inequalities: developing new directions. *Health and Social Care in the Community*, 15, 306-312.
- BERESFORD, P. & CARR, S. 2012. Social care, service users and user involvement, Jessica Kingsley Publishers Ltd.
- BERTOTTI, M., ADAMS-EATON, F., SHERIDAN, K. & RENTON, A. 2009. Key barriers to community cohesion: views from residents of 20 London deprived neighbourhoods. *GeoJournal*, 77, 223-234.
- BHAVNANI, V. & NEWBURN, M. 2013. NCT breastfeeding peer support in East Lancashire. Perspective - NCT's journal on preparing parents for birth and early parenthood, June 2013, 12-13.
- BHAVNANI, V. & NEWBURN, M. 2014. Birth and Beyond Community Supporters Programme: Final Evaluation Report of the Pilot Project. London: NCT.
- BLAMEY, A., AYANA, M., LAWSON, L., MACKINNON, J., PATERSON, I. & JUDGE, K. 2004. Final Report: The Independent Evaluation of Have a Heart Paisley. Glasgow, United Kingdom: University of Glasgow.

- BLANK, L., GRIMSLEY, M., GOYDER, E., ELLIS, E. & PETERS, J. 2007. Community-based lifestyle interventions: changing behaviour and improving health. *Journal Of Public Health (Oxford, England),* 29, 236-245.
- BOLAM, B., MCLEAN, C., PENNINGTON, A. & GILLIES, P. 2006. Using new media to build social capital for health: a qualitative process evaluation study of participation in the CityNet project. *Journal of health psychology*, **11**, 297-308.
- BOWERS, H., MACADAM, A., PATEL, M. & SMITH, C. 2006. Making a difference through volunteering: the impact of volunteers who support and care for people at home. London: CSV.
- BOYDELL, L. R. & RUGKÅSA, J. 2007. Benefits of working in partnership: A model. *Critical Public Health*, 17, 217-228.
- BOYLE, D., CLARK, S. & BURNS, S. 2006. Hidden work: Co-production by people outside paid employment. York: The new economics foundation and the Joseph Rowntree Foundation.
- BOYLE, D., COOTE, A., SHERWOOD, C. & SLAY, J. 2010. *Right here, right now. Taking co-production into the mainstream,* London, New Economics Foundation.
- BPCSSA 2010. Health Trainers DCRS: National HUB Report.
- BRIDGE CONSORTIUM 2002. The evaluation of the New Opportunities Fund Healthy Living Centres: first annual report.
- BRIDGEN, P. 2006. Social capital, community empowerment and public health: policy developments in the UK since 1997. *Policy and Politics*, 34, 27-50.
- BROMLEY, H. 2014. *RE: Stronger Communities.* Type to RESPONSE TO CALL FOR EVIDENCE FROM LEEDS BECKETT UNIVERSITY.
- BROWN, A. 2002. Findings from Working for Communities: Community Involvement. Scottish Executive Central Research Unit.
- BROWNLIE, J., ANDERSON & ORMSTON 2006. Children as researchers. University of Stirling, and Scottish Centre for Social Research.
- BRUNTON, G., CAIRD, J., STOKES, G., STANSFIELD, C., KNEALE, D., RICHARDSON, M. & THOMAS, J.
 2014. Community engagement for health via coalitions, collaborations and partnerships. A systematic review and meta-analysis. London: EPPI-Centre.
- BURGESS, G. 2014. Evaluation of the Cambridgeshire timebanks. Cambridge: Cambridge Centre for Housing & Planning Research,.
- BURTON, P., GOODLAD, R. & CROFT, J. 2006. How would we know what works? Context and complexity in the evaluation of community involvement. *Evaluation*, 12, 294-312.
- CABINET OFFICE 2010. Building a stronger civil society: A strategy for voluntary and community groups, charities and social enterprises. London: Cabinet Office.
- CABINET OFFICE 2011. Strategic National Framework on Community Resilience. London: Cabinet Office.
- CALLARD, F. & FRIEDLI, L. 2005. Imagine East Greenwich: evaluating the impact of the arts on health and well-being. *Journal of Public Mental Health*, **4**, 29-40 12p.
- CAMBRIDGE CENTRE FOR HOUSING & PLANNING RESEARCH 2013. Time banks interim evaluation. Cambridge: University of Cambridge,.
- CAMPBELL, C., CORNISH, F. & MCLEAN, C. 2004. Social Capital, Participation and the Perpetuation of Health Inequalities: Obstacles to African-Caribbean Participation in 'Partnerships' to Improve Mental Health. *Ethnicity & Health*, 9, 313-335.
- CAMPBELL, R., STARKEY, F., HOLLIDAY, J., AUDREY, S., BLOOR, M., PARRY-LANGDON, N., HUGHES, R. & MOORE, L. 2008. An informal school-based peer-led intervention for smoking prevention in adolescence (ASSIST): a cluster randomised trial. *Lancet*, 371, 1595-602.
- CARLEY, M., CHAPMAN, M., KIRK, K., HASTINGS, A. & YOUNG, R. 2000. Urban Regeneration through Partnership: A study in nine urban regions in England, Scotland and Wales. Bristol: Policy Press & Joseph Rowntree Foundation.

- CARLISLE, S. 2010. Tackling health inequalities and social exclusion through partnership and community engagement? A reality check for policy and practice aspirations from a Social Inclusion Partnership in Scotland. *Critical Public Health*, 20, 117-127.
- CARLSON, C., JERRETT, R., DUNKLEY, R. & STONE, L. 2010. East Midlands Health Trainer Service Report. Wootton-by-Woodstock, Oxfordshire: Solutions for Public Health.
- CARR, S. 2005. Peer educators contributing to child accident prevention. *Comunity practitioner*, 78, 174-177.
- CAWLEY, J. & BERZINS, K. 2011. Well London SROI Evaluation of Changing Minds. Well London/SLaM.
- CHADDERTON, C., ELLIOTT, E. & WILLIAMS, G. 2008. *Involving the public in HIA: An evaluation of current practise in Wales, working paper 116,* Cardiff, Cardiff School of Social Sciences, Cardiff University.
- CHANAN, G. 2011. Empowering Communities for Health: Business Case and Practice Framework. Exeter: Health Empowerment Leverage Project (HELP).
- CHAPMAN, J. 2010. Community Activator Programme: An Independent Evaluation. Leisure Futures Ltd.
- CHAPMAN, M., KIRK, K. & CARLEY, M. 2001. Community Participation in Social Exclusion Partnerships, Scottish Executive Development Department Research Programme Research, Findings No. 117, Edinburgh.
- CHAU, R. C. M. 2007. The Involvement of Chinese Older People in Policy and Practice: Aspirations and Expectations. York: University of Sheffield and the Joseph Rowntree Foundation, York.
- CHIREWA, B. 2012. Development of a practical toolkit using participatory action research to address health inequalities through NGOs in the UK: challenges and lessons learned. *Perspectives in Public Health*, 132, 228-234.
- CHRISTIE, N., SLENEY, J., AHMED, F. & KNIGHT, E. 2012. Engaging the Somali Community in the Road Safety Agenda: A Process Evaluation from the London Borough of Hounslow. *Journal* of Community Health, 37, 814-821.
- CINDERSBY, S. 2014. Practical action to build community resilience: the good life initiative in New Earswick .Joseph Rowntree Foundation (JRF).
- CLAY CHRISTOPHER, J., MADDEN, M. & POTTS, L. 2007. *Towards undertanding community- people* and places, Palgrave MacMillan.
- CLES CONSULTING 2011. Big Lottery Fund national well-being evaluation. Manchester: Centre for Local Economic Studies.
- COLE, M. 2003. The Health Action Zone initiative: lessons from Plymouth. *Government Studies*, 29, 99-117.
- COMMUNITIES AND LOCAL GOVERNMENT 2007. An Action Plan for Community Empowerment: Building on Success. London: Local Government Association.
- COMMUNITY HEALTH EXCHANGE 2012a. Health issues in the community: evidence of impact, Glasgow, SCDC/CHEX.
- COMMUNITY HEALTH EXCHANGE 2012b. Healthy influences: community-led health organisations' influence in health and social planning structures, Glasgow, SCDC/CHEX.
- COMMUNITY SERVICE VOLUNTEERS (CSV) 2008. Mental Health, Volunteering and Social Inclusion. London: CSV.
- COOK, T. & WILLS, J. 2012. Engaging with Marginalised Communities: The Experience of London Health Trainers. *Perspectives in Public Health*, 22, 221-227.
- COOTE, A., ALLEN, J. & WOODHEAD, D. 2004. Finding out what works: building knowledge about complex community-based initiatives. London: King's Fund.
- CORBIN, T. 2006. "Activity Friends" A senior peer mentor physical activity programme for the over 50's. Nottinghamshore.
- CORNWALL, A. 2008. Unpacking 'Participation': models, meanings and practices. *Community Development Journal.*, 43, 269-283.

- COULTER, A. 2010. Engaging communities for health improvement. A scoping review for the Health *Foundation,* London, The Health Foundation.
- COULTER, A. 2014. RE: Somerford Wellbeing Project. Response to call for evidence from Leeds Beckett University.
- CRAIG, S. 2010. Well London: Youth.comUnity and the Young Ambassadors Programme: An Independent Evaluation. Well London/CYMCA.
- CROW, I., FRANCE, A., HACKING, S. & ET AL. 2004. The Evaluation of Three 'Communities that Care' Demonstration Projects. York: Joseph Rowntree Foundation.
- CROWLEY, P., GREEN, J., FREAKE, D. & DRINKWATER, C. 2002. Primary Care Trusts involving the community: Is community development the way forward? *Journal of Management in Medicine*, 16, 311-322.
- CURNO, P. 2012. Life is Precious: Evaluation Report. Dudley: Dudley Public Health Department.
- CURTIS, P., WOODHILL, R. & STAPLETON, H. 2007. The peer-professional interface in a communitybased, breast feeding peer-support project. *Midwifery*, 23, 146–156.
- DATA COLLECTION REPORTING SYSTEM, T. 2012. DCRS National Report 2011/12 Health Trainer Service Review. Birmingham: Birmingham and Solihull.
- DAVIES, R. 2009. Community Health Champions: one of the keys to unlocking the health inequalities challenge? *Local Work.* Manchester: Centre for Local Economic Strategies & CLES Consulting.
- DAVIS, A. 2008. Joint review report: commissioning services and support for people with learning disabilities and complex needs: Dorset County Council and NHS Dorset, London, Commission for Social Care Inspection; Healthcare Commission; Mental Health Act Commission.
- DEARDEN-PHILLIPS, C. & FOUNTAIN, R. 2005. Real Power? An examination of the involvement of people with learning difficulties in strategic service development in Cambridgeshire. *British Journal of Learning Disabilities*, 33, 200-204.
- DEPARTMENT FOR COMMUNITIES & LOCAL GOVERNMENT 2006a. Neighbourhood Management: An overview of the 2003 and 2006 Round 1 Pathfinder household surveys. Norwich: HMSO.
- DEPARTMENT FOR COMMUNITIES & LOCAL GOVERNMENT 2006b. Strong and prosperous communities: The Local Government White Paper. Norwich.
- DEPARTMENT FOR COMMUNITIES & LOCAL GOVERNMENT 2007a. Local Government and Public Involvement in Health Bill: statement of intent - statutory guidance. Community empowerment. Norwich: HMSO.
- DEPARTMENT FOR COMMUNITIES & LOCAL GOVERNMENT 2007b. Neighbourhood Management and Social Capital. Wetherby.
- DEPARTMENT FOR COMMUNITIES AND LOCAL GOVERNMENT 2011. A plain English guide to the Localism Act. London: Department for Communities and Local Government,.
- DEPARTMENT OF HEALTH 2004. Choosing Health. Making Healthier Choices Easier. Norwich: HMSO.
- DEPARTMENT OF HEALTH 2006a. Our Health, our care, our say: a new direction for community services. Norwich.
- DEPARTMENT OF HEALTH 2006b. A stronger local voice: A framework for creating a stronger local voice in the development of health and social care services. London: Deprtment of Health.
- DEPARTMENT OF HEALTH 2007a. *Commissioning framework for health and well-being,* London, Great Britain: Department of Health.
- DEPARTMENT OF HEALTH 2007b. Opportunities for Volunteering Scheme 2007. Leeds: Department of Health.
- DEPARTMENT OF HEALTH 2008a. Health inequalities: Progress and next steps. London: Department of Health.

- DEPARTMENT OF HEALTH 2008b. Tackling health inequalities: 2007 status report on programme for action. London: Department of Health.
- DEPARTMENT OF HEALTH 2009a. Communities for Health: unlocking the energy within communities to improve health. London: Department of Health.
- DEPARTMENT OF HEALTH 2009b. Tackling health inequalities: 10 years on. A review of developments in tackling health inequalities in England over the last 10 years. London: Department of Health.
- DEPARTMENT OF HEALTH 2010. Equity and Excellence: Liberating the NHS. London: Department of Health.
- DEPARTMENT OF HEALTH 2011. Social action for health and well-being: building co-operative communities. Department of Health strategic vision for volunteering. . Leeds: Department of Health.
- DEPARTMENT OF HEALTH 2012a. Improving outcomes and supporting transparency. Part 1A: A public health outcomes framework for England, 2013 to 2016. London: Department of Health.
- DEPARTMENT OF HEALTH 2012b. Improving outcomes and supporting transparency. Part 2: Summary of technical specifications of public health indicators.
- . London: Department of Health.
- DERGES, J., CLOW, A., LYNCH, R., JAIN, S., PHILLIPS, G., PETTICREW, M., RENTON, A. & DRAPER, A.
 2004. 'Well London' and the benefits of participation: results of a qualitative study nested in a cluster randomised trial. *BMJ Open*, 4, e003596.
- DEWAR, B. J. 2005. Beyond tokenistic involvement of older people in research a framework for future development and understanding. *Journal Of Clinical Nursing*, 14 Suppl 1, 48-53.
- DEWS, L. 2014. RE: Community Health Champions. Response to call for evidence from Leeds Beckett University.
- DICKENS ANDY, P., RICHARDS SUZANNE, H., HAWTON, A., TAYLOR ROD, S., GREAVES COLIN, J., GREEN, C., EDWARDS, R. & CAMPBELL JOHN, L. 2011. An evaluation of the effectiveness of a community mentoring service for socially isolated older people: a controlled trial. *BMC Public Health*, 11, 218-218.
- DINHAM, A. 2007. Raising expectations or dashing hopes? Well-being and participation in disadvantaged areas. *Community Development Journal*, 42, 181-193.
- DOBBS, L. & MOORE, C. 2002. Engaging Communities in Area-based Regeneration: The role of participatory evaluation. *Policy Studies*, 23, 151-171.
- DOORIS, M., MCART, D., HURLEY, M. A. & BAYBUTT, M. 2013. Probation as a setting for building well-being through integrated service provision: evaluating an Offender Health Trainer service. *Perspectives in Public Health*, 133, 199-206.
- DRAPER, A., HEWITT, G. & RIFKIN, S. 2010. Chasing the dragon: Developing indicators for the assessment of community participation in health programmes. *Social Science & Medicine*, 71, 1102-1109.
- DUFFY, S. 2012. Peer Power: An evaluation of the personalisation forum group a user-led organisation (ULO) for people in Doncaster. Sheffield: The Centre for Welfare Reform.
- EAST MIDLANDS REGIONAL EMPOWERMENT PARTNERSHIP 2009a. Community Champions Change. Leicester.
- EAST MIDLANDS REGIONAL EMPOWERMENT PARTNERSHIP 2009b. Residents Building a Better Neighbourhood. Leicester.
- EDWARDS, C. 2002. Inclusion in regeneration: a place for disabled people? *Urban Studies,* 38, 267-286.
- ELEFTHERIADES, A. 2005. Regenerating change in Renton. New Sector, 66, 25.
- ELFORD, J., BOLDING, G. & SHERR, L. 2001. Peer education has no significant impact on HIV risk behaviours among gay men in London. *AIDS*, 15, 535-8.

- ELLIOTT, E. 2012. Connected Comunities. A review of theories, concepts and interventions relating to community-level strengths and their impact on health and well being. London: Connected Communities.
- ELLIOTT, E., WATSON, A. J. & HARRIES, U. 2001. Harnessing expertise: involving peer interviewers in qualitative research with hard-to-reach populations. *Health Expectations*, **5**, 172-178.
- ELLIOTT, E., WILLIAMS, G. & GOLBY, A. 2007. Citizen Involvement in a Local HIA: informing decisions on the future of a landfill site in Wales. *In:* WISMAR, M., BLAU, J., ERNST, K. & FIGUERAS, J. (eds.) *The Effectiveness of Health Impact Assessment: Scope and limitations of supporting decision-making in Europe.* European Observatory on Health Systems and Policies.
- EWLES, L., HARRIS, W., ROBERTS, E. & ET AL. 2001. Community health development on a Bristol housing estate: a review of a local project 10 years on. *Health Education Journal*, 60, 59-72.
- FAROOQI, A. & BHAVSAR, M. 2001. Project Dil: a co-ordinated Primary Care and Community Health Promotion Programme for reducing risk factors of coronary heart disease amongst the South Asian community of Leicester--experiences and evaluation of the project. *Ethnicity & Health*, 6, 265-270.
- FENTON, C. 2013. *An assets based approach to health promotion with young people in England.* DHRes, University of Hertfordshire.
- FLOWERS, P., HART, G. J., WILLIAMSON, L. M., FRANKIS, J. S. & DER, G. J. 2002. Does bar-based, peer-led sexual health promotion have a community-level effect amongst gay men in Scotland? *International journal of STD & AIDS*, 13, 102-8.
- FOOT, J. 2012. What makes us healthy? The asset approach in practice: evidence, action and evaluation.
- FOOT, J. & HOPKINS, T. 2010. A glass half-full: how an asset approach can improve community health and well-being, London, Improvement and Development Agency Healthy Communities Team.
- FOUNTAIN, J. & HICKS, J. 2010. *Delivering race equality in mental health care: report on the findings and outcomes of the community engagement programme 2005-2008,* Preston, International School for Communities, Rights and Inclusion, University of Central Lancashire.
- FOUNTAIN, J., PATEL, K. & BUFFIN, J. 2007. Community engagement: the Centre for Ethnicity and Health model. University of Central Lancashire.
- FRANCE, A. & CROW, I. 2001. The story so far: An interim evaluation of Communities That Care. York: Joseph Rowntree Foundation.
- GARDNER, B., CANE, J., RUMSEY, N. & MICHIE, S. 2012. Behaviour Change among Overweight and Social Disadvantaged Adults: A Longitudinal Study of the NHS Health Trainer Service. *Psychology & Health*, 27, 1178-1193.
- GAY, P. 2007. Volunteering for health promotion. London: Institute for Volunteering Research.
- GLASGOW CENTRE FOR POPULATION HEALTH 2007. Community engagement: the Centre's experiences and outcomes. *Concepts series.* Glasgow: Glasgow Centre for Population Health.
- GLASGOW CENTRE FOR POPULATION HEALTH 2011. Concepts Series 9 Briefing Paper: Asset based approaches for health improvement: redressing the balance. *Concepts series.* Glasgow: Glasgow Centre for Population Health.
- GODDARD, K. 2005. A different experience? Personal experience volunteers at a cancer charity. *Voluntary Action*, 7, 9-17.
- GOOBERMAN-HILL, R., HORWOOD, J. & CALNAN, M. 2008. Citizens' juries in planning research priorities: process, engagement and outcome. *Health Expectations*, **11**, **272**-281.
- GOUGH, D., THOMAS, J. & OLIVER, S. 2012. Clarifying differences between review designs and methods. *Systematic Reviews*, 1, 28.

GRAFFY, J., TAYLOR, J., WILLIAMS, A. & ELDRIDGE, S. 2004. Randomised controlled trial of support from volunteer counsellors for mothers considering breast feeding. *BMJ*, 328, 26.

- GREEN, S. 2012. East of England Health Trainer Service Models Evaluation Report. East of England: NHS East of England.
- GREENE, S. 2005. Including Young Mothers: Community-based participation and the continuum of active citizenship. *Community Development Journal*, 42, 167-180.
- GREGSON, R. & COURT, L. 2010. Building healthy communities: A community empowerment approach. London: Community Development Foundation.
- HALLIDAY, J. & ASTHANA, S. 2005. Policy at the margins: developing community capacity in a rural Health Action Zone. *Area*, 37, 180-188.
- HAMER, M. & BOX, V. 2000. An evaluation of the development and functioning of the Boscombe Network for Change, a health alliance or partnership for health in Dorset. *Health Education Journal*, 59, 238–52.
- HARDEN, A., SHERIDAN, K., MCKEOWN, A., DAN-OGISI, I. & BAGNALL, A. 2015. Evidence Review of Barriers to, and Facilitators of, Community Engagement Approaches and Practices in the UK. London: University of East London.
- HARDILL, I., BAINES, S. & PERRI 2007. Volunteering for all? Explaining patterns of volunteering and identifying strategies to promote it. *Policy & Politics*, 35, 395-412.
- HARKINS, C. & EGAN, J. 2012. Partnership approaches to address local health inequalities: final evaluation report from the Govanhill Equally Well test site. Glasgow: Glasgow Centre for Population Health.
- HARRIS, P. 2014. Patient Experience- Review of Local Carers Services in Torbay. Torbay: Healthwatch Torbay.
- HATAMIAN, A., PEARMAIN, D. & GOLDEN, S. 2012. Outcomes of the Active at 60 Community Agent Programme. London: Department of Work and Pensions.
- HATZIDIMITRIADOU, E., MANTOVANI, N. & KEATING, F. 2012. Evaluation of co-production processes in a community-based mental health project in Wandsworth. London: Kingston University/ St George's, University of London.
- HEALTHY COMMUNITIES 2010. Meeting the shared challenge. MAKING IT HAPPEN: Case studies of community-led health improvement in action. Healthy Communities.
- HENDERSON, J., WILKINS, K. & BARNES, J. 2002. Getting started with a local Sure Start programme evaluation. National Evaluation of Sure Start (NESS).
- HILLS, D., ELLIOT, E., KOWARZIK, U., SULLIVAN, F., STERN, E., PLATT, S., BOYDELL, L., POPAY, J. & ET AL. 2007. The Evaluation of the Big Lottery Fund Healthy Living Centres Programme. London: Tavistock Institute and Bridge Consortium.
- HILLS, R., KENDRICK, D., TOWNER, E., COUPLAND, C., HAYES, M., CHRISTIE, N., SLENEY, J., JONES, S.,
 KIMBERLEE, R., RODGERS, S., TURNER, S., BRUSSONI, M., VINOGRADOVA, Y., SARVOTHAM,
 T. & MACEY, S. 2013. The Advocacy for Pedestrian Safety Study: Cluster Randomised Trial
 Evaluating a
- Political Advocacy Approach to Reduce Pedestrian Injuries in Deprived Communities. *PLoS ONE*, 8, e60158.
- HM GOVERNMENT 2007. Local Government and Public Involvement in Health Act 2007. London: Crown Copyright.
- HM GOVERNMENT 2010a. Equality Act 2010. London: The Stationery Office Ltd.
- HM GOVERNMENT 2010b. Healthy lives, healthy people: Our strategy for public health in England. London: HMSO.
- HM GOVERNMENT 2011. Localism Act 2011. Norwich: The Stationery Office.
- HM GOVERNMENT 2012. Health and Social Care Act. Norwich: The Stationery Office.
- HODDINOTT, P., CHALMERS, M. & PILL, R. 2006a. One-to-One or Group-Based Peer Support for Breastfeeding? Women's Perceptions of a Breastfeeding Peer Coaching Intervention. *BIRTH*, 33, 139–46.

HODDINOTT, P., LEE AMANDA, J. & PILL, R. 2006b. Effectiveness of a breastfeeding peer coaching intervention in rural Scotland. *Birth* 33, 27-36.

- HOLDEN, S. & CRAIG, G. 2002. 'Engaging communities in the Hull/East Riding Health Action Zone. in L. Bauld and K. Judge (eds) Learning from Health Action Zones, Chichester.
- HOME OFFICE 2004. Building Community Cohesion into Area Based Initiatives: A Guide for Residents and Practitioners. Community Cohesion Unit, Home Office.
- HOTHI, M., BACON, N., BROPHY, M. & MULGAN, G. 2007. *Neighbourliness + empowerment = wellbeing: is there a formula for happy communities?*, London, The Young Foundation.
- HOUGH, J. & LYALL, S. 2014. Co-producing cardiovascular health in Wandsworth: an evaluation. London: New Economics Foundation.
- HOUGHTON, L. 2014. RE: The People's Family Project. Response to call for evidence from Leeds Beckett University.
- HYLAND, R. M., WOOD, C. E., ADAMSON, A. J., MATHERS, J. C., HILL, M., SEAL, C. J. & MOYNIHAN,
 P. J. 2006. Peer Educators' Perceptions of Training for and Implementing a Community Based Nutrition Intervention for Older Adults. *Journal of Nutrition For the Elderly*, 25, 147 171.
- INGRAM, J. 2013. A mixed methods evaluation of peer support in Bristol, UK: mothers', midwives' and peer supporters' views and the effects on breastfeeding. *BMC Pregnancy And Childbirth*, 13.
- INGRAM, J., ROSSER, J. & JACKSON, D. 2005. Breastfeeding peer supporters and a community support group: evaluating their effectiveness. *Maternal & Child Nutrition*, **1**, 111-118.
- INSTITUTE FOR CRIMINAL POLICY RESEARCH 2011. Evaluation of the Leicestershire and Rutland Probation Trust Health Trainer Service Final Report London. London: Institute for Criminal Policy Research.
- INSTITUTE FOR VOLUNTEERING RESEARCH 2003. Volunteering for Mental Health. London: Institute for Volunteering Research.
- INVOLVE 2004. Training for Public Involvement in Research: Seminar Report. London: Involve/NIHR.
- IRISS 2012. Using an assets approach for positive mental health and wellbeing: An IRISS and East Dumbartonshire project. Glasgow: Institute for Research and Innovation in Social Services.
- JARVIS, D., BERKELEY, N. & BROUGHTON, K. 2011. Evidencing the impact of community engagement in neighbourhood regeneration: the case of Canley, Coventry. *Community Development Journal*, 47, 232-247.
- JENNINGS, A., BARNES, S., OKEREKE, U. & WELCH, A. 2013. Successful weight management and health behaviour change using a health trainer model. *Perspectives in Public Health*, 133, 221.
- JOLLY, K., INGRAM, L., FREEMANTLE, N., KHAN, K., CHAMBERS, J., HAMBURGER, R., BROWN, J., DENNIS, C. L. & MACARTHUR, C. 2012. Effect of a peer support service on breast-feeding continuation in the UK: a randomised controlled trial. *Midwifery*, 28, 740-745.
- JONES, H. 2004. Volunteering for health: A research report produced for the Welsh Assembly Government. . Volunteering Unit, Wales Council for Voluntary Action.
- JONES, H. 2014. RE: Leeds Gypsy and Traveller Exchange. Response to call for evidence from Leeds Beckett University.
- JOSEPH ROWNTREE FOUNDATION 2011. Neighbourhood approaches to loneliness. York: Joseph Rowntree Foundation.
- KASHEFI, E. & MORT, M. 2004. Grounded citizens' juries: a tool for health activism? *Health Expectations*, **7**, 290-302.
- KAVANAGH, J., OLIVER, S. & LORENC, T. 2008. Reflections on developing and using PROGRESS-Plus. *Equity update*, 10, 1-3.
- KEARNEY, M. 2004. Walking the walk? Community participation in HIA: A qualitative interview study. *Environmental Impact Assessment Review*, 24, 217-229.

- KELLY, J. A. 2004. Popular opinion leaders and HIV prevention peer education: resolving discrepant findings, and implications for the development of effective community programmes. *AIDS Care*, 16, 139-150.
- KENNEDY, J., POLL, C. & SANDERSON, H. 2006. Making the connections: supporting people with learning difficulties to become citizens within their communities. *Journal of Community Work and Development*, 8, 45-61.
- KENNEDY, L. 2006. *Development of the Lay Food and Health Worker Role in England: Experiences from the field.* Doctor of Philosophy, University of Liverpool.
- KENNEDY, L. 2010. Benefits arising from lay involvement in community-based public health initiatives: the experience from community nutrition. *Perspectives In Public Health*, 130, 165-172.
- KENNEDY, L. A., MILTON, B. & BUNDRED, P. 2008. Lay food and health worker involvement in community nutrition and dietetics in England: roles, responsibilities and relationship with professionals. *Journal Of Human Nutrition And Dietetics: The Official Journal Of The British Dietetic Association*, 21, 210-224.
- KIMBERLEE, R. 2008. Streets ahead on safety: young people's participation in decision-making to address the European road injury 'epidemic'. *Health and Social Care in the Community*, 16, 322-328.
- KIRKHAM, M. 2000. Breastfriends Doncaster. *The Practising Midwife*, 3, 20-21.
- LAMB, S. E., BARTLETT, H. P., ASHLEY, A. & BIRD, W. 2002. Can lay-led walking programmes increase physical activity in middle aged adults? A randomised controlled trial. J Epidemiol Community Health, 56, 246-52.
- LAVERACK, G. 2006. Using a 'domains' approach to build community empowerment. *Community Development Journal*, 41, 4-12.
- LAVERACK, G. & MOHAMMADI, N. 2011. What remains for the future: strengthening community actions to become an integral part of health promotion practice. *Health Promotion International.*, 26, ii258-ii262.
- LAWLESS, P. 2004. New Deal for Communities: The national evaluation. The programme wide annual report 2003/04. Centre for Regional Economic and Social Research, Sheffield Hallam University, and the Office of the Deputy Prime Minister.
- LAWLESS, P., DICKINSON, S., FORDHAM, G., FULLER, C., MEEGAN, R. & WELLS, P. 2007. NDC National Evaluation Phase 2: The six case studies: an introduction. Centre for Regional Economic and Social Research.
- LAWSON, L. & KEARNS, A. 2009. Community engagement in regeneration: are we getting the point? *Journal of Housing and the Built Environment*, 25, 19-36.
- LEE, H. 2014. RE: Eye health community engagement projects. Response to call for evidence from Leeds Beckett University.
- LEVITAS, R., PANTAZIS, C., FAHMY, E., GORDON, D., LLOYD, E. & PATSIOS, D. 2007. The multidimensional analysis of social exclusion. Bristol: University of Bristol.
- LIVERPOOL JOHN MOORE'S UNIVERSITY 2012. Evaluation of Approaches to Health Literacy in Ashton, Leigh and Wigan. Liverpool: Liverpool JMU.
- LOCAL GOVERNMENT INFORMATION UNIT 2012. *Making Health and Social Care Personal and Local: moving from mass production to co-production*, Governance International.
- LORENC, A. & WILLS, J. 2013. Evaluation of the Health Trainer Case Stories. London. London: London South Bank University.
- LYONS, R. A., KENDRICK, D., TOWNER, E. M. L., COUPL, HAYES, M., CHRISTIE, N., SLENEY, J., JONES, S., KIMBERLEE, R., RODGERS, S. E., TURNER, S., BRUSSONI, M., VINOGRADOVA, Y., SARVOTHAM, T. & MACEY, S. 2013. The advocacy for pedestrian safety study: Cluster randomised trial evaluating a political advocacy approach to reduce pedestrian injuries in deprived communities. *PLoS ONE*, 8, e60158.

MACARTHUR, C., JOLLY, K., INGRAM, L. & ET AL. 2009. Antenatal peer support workers and initiation of breast feeding: cluster randomised controlled trial. *BMJ*, 338, b131.

MACKINNON, J., REID, M. & KEARNS, A. 2006. *Communities and health improvement: a review of evidence and approaches,* Edinburgh, NHS Health Scotland.

MACKINTOSH, K. 2012. Finding their voice. *Holyrood*, 24-27.

- MACPHERSON, K., BARNES, J., NICHOLS, M. & DIXON, S. 2010. Volunteer Support for Mothers with New Babies: Perceptions of Need and Support Received. *Children & Society*, 24, 175-187.
- MAHONEY, M. E., POTTER, J. L. & MARSH, R. S. 2007. Community participation in HIA: Discords in teleology and terminology. *Critical Public Health*, 17, 229-241.
- MARAIS, F. 2007. Toward the improvement of tuberculosis control and participatory research. Department of Primary Care and Social Medicine, Imperial College.
- MARMOT, M. 2010. *Fair society, healthy lives: The Marmot Review: executive summary,* London, Marmot Review.
- MATTHIESEN, M., FROGGATT, K., OWEN, E. & ASHTON JOHN, R. 2014. End-of-life conversations and care: an asset-based model for community engagement. *BMJ Supportive & Palliative Care*, 4, 306-312.
- MAUGER, S. & ET AL. 2010. Involving users in commissioning local services. York: Joseph Rowntree Foundation.
- MCCAFFREY, A. 2008. Joint review report: commissioning services and support for people with learning disabilities and complex needs: Lancashire County Council: North Lancashire Teaching PCT: East Lancashire Teaching PCT: Central Lancashire PCT, London, Commission for Social Care Inspection; Healthcare Commission; Mental Health Act Commission.
- MCDAID, S. 2009. An equality of condition framework for user involvement in mental health policy and planning: evidence from participatory action research. *Disability & Society*, 24, 461-474.
- MCINNES, R. J., LOVE, J. G. & STONE, D. H. 2000. Evaluation of a community-based intervention to increase breastfeeding prevalence. *J Public Health Med.*, 22, 138-45.
- MCLEAN, J. & MCNEICE, V. 2012. Assets in action: illustrating asset based approaches for health improvement, Glasgow, Glasgow Centre for Population Health.
- MELHUISH, E., BELSKY, J. & LEYLAND, A. 2005. Sure Start National Evaluation Report 14: Variations in Sure Start Local Programmes' Effectiveness Early Preliminary Findings. London: NESS.
- MELLANBY, A. R., NEWCOMBE, R. G., REES, J. & TRIPP, J. H. 2001. A comparative study of peer-led and adult-led school sex education. *Health Education Research*, 16, 481-492.
- MENTAL HEALTH FOUNDATION 2013. 'Evaluation of Music and Change: A new mental health intervention for young people involved in gangs. An evaluation by the Mental Health Foundation'. London: Mental Health Foundation.
- MORGAN, A. 2014. Revisiting the Asset Model: a clarification of ideas and terms. *Global Health Promotion*, 21, 2-6.
- MORGAN, A., HEALTH, D., AGENCY & SWANN, C. 2004. Social capital for health: issues of definition, measurement and links to health, Health Development Agency.
- MURRAY, M. 2014. RE: New Dynamics of Ageing CALL-ME Project. Response to call for evidence from Leeds Beckeet University.
- MUSCAT, R. 2010. Area based initiatives: do they deliver? *CLES Briefing*. Manchester: CLES.
- NATIONAL COLLABORATING CENTRE FOR DETERMINANTS OF HEALTH 2013. Let's talk: Universal and targeted approaches to health equity. Antigonish, NS: National Collaborating Centre for Determinants of Health, St. Francis Xavier University.
- NATIONAL INSTITUTE FOR HEALTH AND CARE EXCELLENCE 2008. Community engagement. *NICE Public Health Guidance.*
- NATIONAL INSTITUTE FOR HEALTH AND CARE EXCELLENCE 2014. Community engagement: approaches to improve health and reduce health inequalities. *Public Health Guideline Scope.*

- NAYLOR, C., MUNDLE, C., WEAKS, L. & BUCK, D. 2013. Volunteering in health and care: Securing a sustainable future, London, The King's Fund.
- NAZROO, J. & MATTHEWS, K. 2012. The impact of volunteering on well-being in later life. Cardiff: WRVS.
- NESTA 2012a. People-powered health: Co-production catalogue. London: Nesta.
- NESTA 2012b. The power of co-design and co-delivery, London, The Innovation Unit.
- NESTA 2013. People helping people: peer support that changes lives. London: Nesta.
- NEUMARK, T. 2010. *Engaging with communities lessons from the frontline,* London, Community Development Foundation.
- NEW ECONOMICS FOUNDATION 2002. Keeping the GP Away: A NEF briefing about community time banks and health. London: NEF.
- NEWBURN, M. & BHAVNANI, V. 2014. Community parent befrienders in Burnley from set-up to service. *Perspective NCT's journal on preparing parents for birth and early parenthood,* September 2014.
- NEWBURN, M., BHAVNANI, V. & ALLEZ, A. 2013. Birth and Beyond community supporters peer support for refugees and asylum seekers. *Perspective NCT's journal on preparing parents for birth and early parenthood*, 8-9.
- NHS ENGLAND 2013. Transforming Participation in health and care. Leeds: NHS England.
- NHS GREATER GLASGOW AND CLYDE 2010. MOSAICS OF MEANING: Partnerships with black and minority ethnic communities to promote mental health: a handbook. Glasgow: NHS Greater Glasgow and Clyde.
- NORTH WEST PUBLIC HEALTH OBSERVATORY 2011. Health Trainers in the North West. Liverpool: North West Public Health Observatory.
- O'BRIEN, L., BURLS, A., TOWNSEND, M. & EBDEN, M. 2011. Volunteering in nature as a way of enabling people to reintegrate into society. *Perspectives in Public Health*, 131, 71-81.
- O'MARA-EVES, A., BRUNTON, G., MCDAID, D., KAVANAGH, J., OLIVER, S. & THOMAS, J. 2014. Techniques for identifying cross-disciplinary and 'hard-to-detect' evidence for systematic review. *Research Synthesis Methods*, **5**, 50-59.
- O'MARA-EVES, A., BRUNTON, G., MCDAID, D. & AL., E. 2013. Community engagement to reduce inequalities in health: a systematic review, meta-analysis and economic analysis. *Public Health Research*, 1.
- OFFICE OF THE DEPUTY PRIME MINISTER 2002. Neighbourhood Regeneration: Lessons and evaluation evidence from 10 SRB case studies.
- OFFICE OF THE DEPUTY PRIME MINISTER 2004. Evaluation of the residents' consultancy pilots initiative. London: Office of the Deputy Prime Minister.
- OFFICE OF THE DEPUTY PRIME MINISTER 2006. Neighbourhood management: At the turning point?: Programme review 2005-2006. London: Office of the Deputy Prime Minister.
- OFFICE OF THE DEPUTY PRIME MINISTER & NEIGHBOURHOOD RENEWAL 2005. Views of New Deal for Communities focus group report. London: Office of the Deputy Prime Minister.
- OSBORNE, S., BEATTIE, R. & WILLIAMSON, A. 2002. Community involvement in rural regeneration partnerships in the UK: Evidence from England, Northern Ireland and Scotland. Bristol: The Policy Press and the Joseph Rowntree Foundation.
- OWENS, C. & SPRINGETT, J. 2006. The Roy Castle fag ends stop smoking service: a successful clientled approach to smoking cessation. J 1(1). *Smoking Cess*, 1, 13–8.
- PASSAN, J. Leeds Involving People.
- PEMBERTON, S. & MASON, J. 2008. Co-production and Sure Start Children's Centres: Reflecting upon Users' Perspectives and Implications for Service Delivery, Planning, and Evaluation. *Social Policy & Society*, 8, 13-24.
- PHILLIPS, G., BOTTOMLEY, C., SCHMIDT, E., TOBI, P., LAIS, S., YU, G., LYNCH, R., LOCK, K., DRAPER, A., MOORE, D., CLOW, A., PETTICREW, M., HAYES, R. & RENTON, A. 2014. Well London Phase-1: results among adults of a cluster-randomised trial of a community engagement

approach to improving health behaviours and mental well-being in deprived inner-city neighbourhoods. *Journal Of Epidemiology And Community Health*.

- PHILLIPS, G., RENTON, A., MOORE DEREK, G., BOTTOMLEY, C., SCHMIDT, E., LAIS, S., YU, G., WALL, M., TOBI, P., FROSTICK, C., CLOW, A., LOCK, K., PETTICREW, M. & HAYES, R. 2012. The Well London program--a cluster randomized trial of community engagement for improving health behaviors and mental wellbeing: baseline survey results. *Trials*, 13, 105-105.
- PLACE SHAPERS GROUP 2011. Localism that works: how housing associations make things happen.
- PLATT, S., BACKETT-MILBURN, K., PETTICREW, M. & ET AL. 2005. Evaluation of the Health Living Centre Programme in Scotland. Report of phase 1.
- PLATT, S., PARRY, O., RITCHIE, D. & GNICH, W. 2003. Evaluating a community-based anti-smoking programme: lessons for policy, practice and research. Edinburgh Research Unit in Health, Behaviour and Change.
- POPAY, J., ATTREE, P., HORNBY, D., MILTON, B. & AL., E. 2007. Community engagement in initiatives addressing the wider social determinants of health: A rapid review of evidence on impact, experience and process. Lancaster: National Collaborating Centre for Community Engagement.
- POWER, R. & HUNTER, G. 2001. Developing a strategy for community-based health promotion targeting homeless populations. *Health Educ Res*, 593–602.
- PRITCHARD, C., HALL, J. & CRONIN, E. 2006. Fruit, vegetables and social inclusion. *Perspectives in Public Health*, 126, 255-256.
- PUBLIC HEALTH ENGLAND 2013. Public Health England: our priorities for 2013/14
- PUBLIC HEALTH ENGLAND & NHS ENGLAND 2015. Community-centred approaches for health and wellbeing: Main report. London: Public Health England, NHS England,.
- QUINN, N. & KNIFTON, L. 2005. Promoting Recovery and Addressing Stigma: Mental Health Awareness through Community Development in a Low-Income Area.
- QUINN, N. & KNIFTON, L. 2012. Positive Mental Attitudes: how community development principles have shaped a ten-year mental health inequalities programme in Scotland, IN Community Development Journal, Vol 47 No 4 Oct 2012.
- RACE FOR HEALTH 2010. How effective community engagement is challenging health inequalities and improving the lives of people from black and minority ethnic backgrounds.
- RAINE, P. 2003. Promoting breast-feeding in a deprived area: the influence of a peer support initiative. *Health and Social Care in the Community*, 463–469.
- REECE, L. & FLINT, S. 2012. Sheffield All-Being Well Consortium Draft Report: Evaluation of the impact of community health champions on secondary beneficiaries.
- REEVE, J. & PEERBHOY, D. 2007. Evaluating the evaluation: Understanding the utility and limitations of evaluation as a tool for organisational learning. *Health Education*, 66, 120-131.
- RITCHIE, D. 2001. 'Breathing Space': Reflecting upon the realities of community partnerships and workers' beliefs about promoting health. *Health Education Journal*, 60, 73–92.
- RITCHIE, D., PARRY, O., GNICH, W. & ET AL. 2004. Issues of participation, ownership and empowerment in a community development programme: tackling smoking in a lowincome area in Scotland. *Health Promot International*, **19**, **51–**9.
- ROBINSON, M., ROBERTSON, S., MCCULLAGH, J. & HACKING, S. 2010. Working towards men's health: Findings from the Sefton men's health project.
- ROBINSON, N. & LORENC, A. 2010. Strengthening the public voice in shaping sexual and reproductive health services Changing relationships. London: Thames Valley University.
- ROCKET SCIENCE LTD, U. K. 2011. *Healthy Weight Communities programme evaluation,* Endinburgh, Scottish Government Social Research.
- ROMA SUPPORT GROUP 2009. Improving Engagement with the Roma Community. London Civic Forum.

ROMEO-VELILLA, M. My Community Matters.

- ROSENBURG, J. 2011. Social housing, community empowerment and well-being: Part one empowerment practice in social housing. *Housing, Care & Support*, 14, 113-122.
- ROYAL SOCIETY FOR PUBLIC HEALTH 2011. Briefing Report: Youth Health Champion: Bringing Health into the Lives of Children.
- SADARE, O. 2011. Evaluation of Community Engagement in the Design and Delivery of Health Promotion Interventions.
- SALISBURY, N. Bristol Crisis Service for Women.
- SCOTTISH COMMUNITY DEVELOPMENT, C. 2013. Developing a culture of thoughtfulness around assets based approaches to health improvement.
- SCOTTISH COMMUNITY DEVELOPMENT CENTRE 2011. Faithful endeavours: how public agencies and faith communities can work better together.
- SCOTTISH COMMUNITY DEVELOPMENT CENTRE 2013. Assets based approaches to health improvement - Creating a culture of thoughtfulness, briefing paper, Glasgow, SCDC.
- SCOTTISH GOVERNMENT 2009. Community: Scottish Community Empowerment Action Plan Celebrating Success: Inspiring Change. Edinburgh: Scottish Government and COSLA.
- SCOTTISH GOVERNMENT 2013. Equally well: review 2013 report of the Ministerial Task Force on Health Inequalities. Edinburgh: The Scottish Government.
- SEEBOHM, P. & GILCHRIST, A. 2008. *Connect and include: An exploratory study of community development and mental health,* London, National Social Inclusion Programme.
- SEEBOHM, P., GILCHRIST, A. & MORRIS, D. 2012. Bold but balanced: how community development contributes to mental health and inclusion. *Community Development Journal*, 47, 473-490.
- SENDER, H., KHOR, Z. & CARLISLE, B. 2011. National Empowerment Partnership (NEP) Programme. Final Evaluation Report. London: Community Development Foundation.
- SEYFANG, G. 2003. Growing cohesive communities one favour at a time: social exclusion, active citizenship and time banks. *International Journal of Urban and Regional Research*, 27, 699-706.
- SEYFANG, G. & SMITH, K. 2002. The time of our lives: Using time banking for neighbourhood renewal and community capacity building. London: New Economics Foundation.
- SEYMOUR, J. Wirral Healthy Homes.
- SHERIDAN, K., ADAMS-EATON, F., TRIMBLE, A., RENTON, A. & BERTOTTI, M. 2010. Community engagement using World Café: The Well London experience. *Groupwork*, 20, 32-50.
- SHERIDAN, K. & TOBI, P. 2010. Towards a community engagement strategy. *British Journal of Healthcare Management*, 16, 123-128.
- SHIRCORE, R. 2013. Health Trainers Half Year Review 1st April 30th September 2013. London: Royal Society for Public Health, 2013.
- SKIDMORE, P., BOUND, K. & LOWNSBROUGH, H. 2006. Community participation: who benefits? SMITH, A. Leeds HIV prevention & testing service for Black African Communities.
- SMITH, S., BELLABY, P. & LINDSAY, S. 2010. Social inclusion at different scales in the urban environment: locating the community to empower. *Urban Studies*, 47, pp1439-1457.
- SOUTH, J. 2014. The family of community-centred approaches for health and wellbeing. Public Health England annual conference September 2014, Warwick University, Coventry, UK.
- SOUTH, J., MEAH, A. & BRANNEY, P. 2011. Think differently and be prepared to demonstrate trust: findings from public hearings, England, on supporting lay people in public health roles.
- SOUTH, J. & PHILLIPS, G. 2014. Evaluating community engagement as part of the public health system. *J Epidemiol Community Health*, 68, 692-696.
- SOUTH, J., WOODWARD, J. & LOWCOCK, D. 2007. New beginnings: stakeholder perspectives on the role of health trainers.
- SPENCER, G. 2014. Young people and health: towards a new conceptual framework for understanding empowerment. *Health*, 18, 3-22.

STAFFORD, M., NAZROO, J., POPAY, J. M. & WHITEHEAD, M. 2008. Tackling inequalities in health: evaluating the New Deal for Communities initiative. *Evidence-based policy and practice*.

- STARKEY, F., AUDREY, S., HOLLIDAY, J., MOORE, L. & CAMPBELL, R. 2009. Identifying influential young people to undertake effective peer-led health promotion: the example of A Stop Smoking In Schools Trial (ASSIST). *Health Education Research*, 24, 977-988.
- STARKEY, F., MOORE, L., CAMPBELL, R., SIDAWAY, M. & BLOOR, M. 2005. Rationale, design and conduct of a comprehensive evaluation of a school-based peer-led anti-smoking intervention in the UK: The ASSIST cluster randomised trial (ISRCTN55572965). *BMC Public Health*, 5, 43.
- STEPHENSON, J., STRANGE, V., ALLEN, E., COPAS, A., JOHNSON, A., BONELL, C., BABIKER, A. & OAKLEY, A. 2008. The Long-Term Effects of a Peer-Led Sex Education Programme (RIPPLE): A Cluster Randomised Trial in Schools in England.
- STEVEN, H. & PRIYA, L. 2000. Recruiting and Retaining Volunteer Health Walk Leaders. An Evaluation of the Walking for Health Programme.
- STUTELEY, H. C2 (Connecting Communities).
- STUTELY, H. 2002. The Beacon Project a community-based health improvement project.
- SUSTAINABLE DEVELOPMENT COMMISSION 2010. The future is local: empowering communities to empower their neighbourhoods. Sustainable Development Commission.
- TAYLOR, M., WILSON, M., PURDUE, D. & WILDE, P. 2007. Changing neighbourhoods Lessons from the JRF Neighbourhood Programme.
- TAYLOR, P. 2009. CHANGING IDEAS: Case studies of strategic approaches to community-led health improvement. Prepared for the Meeting the Shared 'Healthy communities-meeting the shared challenge'.
- THE MARMOT REVIEW 2010. Fair Society, Healthy Lives. The Marmot Review. Strategic Review of Health Inequalities in England post-2010. London: The Marmot Review.
- THOMAS, J., BRUNTON, J. & GRAZIOSI, S. 2010. Eppi-Reviewer 4.0: software for research synthesis. London: Social Science Research Unit, Institute of Education, University of London.
- THRAVES, L. 2013. A dose of localism: the role of councils in public health, London, Local Government Information Unit.
- TRICKETT, E. J., BEEHLER, S., DEUTSCH, C., GREEN, L. W., HAWE, P., MCLEROY, K., LIN MILLER, R., RAPKIN, B. D., SCHENSUL, J. J., SCHULTZ, A. J. & TRIMBLE, J. E. 2011. Advancing the science of community-level interventions. *Amercian Journal of Public Health*, 101, 1410-1419.
- TRUMAN, C. & RAINE, P. 2001. Involving users in evaluation: the social relations of user participation in health research.
- TUNARIU, A., BONIWELL, I., YUSEF, D. & JONES, J. 2011. Well London DIY Happiness Project Research Evaluation report. Well London.
- U. K. COALITION AGAINST POVERTY 2007. Get Heard! People living in poverty contribute to the National Action Plan on Social Inclusion 2006-2008.
- VISRAM, S., GEDDES, L., CARR, S. M. & DRINKWATER, C. 2006. An evaluation of the Early Adopter Phase of the Health Trainers Project in the North East.
- WAIT, S. & NOLTE, E. 2006. Public involvement policies in health: exploring their conceptual basis. *Health Economics, Policy, And Law,* 1, 149-162.
- WALLACE, A. 2007. We have had nothing for so long that we don't know what to ask for': New Deal for Communities and the Regeneration of Socially Excluded Terrain.
- WARD, L. & BANKS, L. 2009. Evaluation of Health Trainers in West Sussex.
- WATSON, A., OWEN, G., CROWDER, M. & ELLIS, B. 2004. Evaluation of the community champions fund.
- WATT, R. G., TULL, K. I., HARDY, R., WIGGINS, M., KELLY, Y., MOLLOY, B., DOWLER, E., APPS, J. & MCGLONE, P. 2009. Effectiveness of a social support intervention on infant feeding practices: randomised controlled trial. *Journal Of Epidemiology And Community Health*, 63, 156-162.

WEBSTER, J. & JOHNSON, V. 2000. Reaching the parts... Community mapping: working together to tackle social exclusion and food poverty. London: Sustain.

- WELL LONDON & NHS HAMMERSMITH & FULHAM 2011. Health Champion Project : EVALUATION REPORT. Hammersmith and Fulham NHS.
- WELSH ASSEMBLY GOVERNMENT 2008. Designed to add value: a third dimension: a strategic direction for the voluntary and community sector in supporting health and social care, Cardiff, Wales: Welsh Assembly Government.
- WHITE, J., KINSELLA, K. & SOUTH, J. 2012. Kirklees Health Trainer Service.
- WHITE, J., SOUTH, J., WOODALL, J. & KINSELLA, K. 2010. Altogether Better Thematic Evaluation -Community health champions and empowerment. Leeds: Leeds Metropolitan University.
- WHITE, J. & WOODWARD, J. 2013. Community Health Champions in Lincolnshire.
- WHITEHEAD, M. & DAHLGREN, G. 2007. Levelling up (part 1): a discussion paper on concepts and principles for tackling social inequalities in health (Studies on social and economic determinants of population; health no 2).
- WILLIAMSON, T., PRASHAR, A., HULME, C. & WARNE, T. 2009. Evaluation of Rochdale Partnerships for Older People Project (POPP): Building Healthy Communities for Older People. Report: University of Salford/ University of Leeds.
- WINDLE, K., WAGLAND, R., FORDER, J., D'AMICO, F., JANSSEN, D. & WISTOW, G. 2009. National Evaluation of Partnerships for Older People Programme. Report: Personal Social services Research Unit.
- WOOD, C., BRAGG, R. & BARTON, J. 2013. Natural Choices for Health and Wellbeing: A Report for Liverpool Primary Care Trust and The Mersey Forest. Colchester: University of Essex.
- WOODALL, J., KINSELLA, K., SOUTH, J. & WHITE, J. 2012a. *Community Health Champions and older people: A review of the evidence,* Leeds, Altogether Better.
- WOODALL, J., RAINE, G., SOUTH, J. & WARWICK-BOOTH, L. 2010. Empowerment and Health & Well-being: Evidence Review. Leeds: Centre for Health Promotion Research, Leeds Metropolitan University.
- WOODALL, J., WHITE, J. & SOUTH, J. 2012b. Improving health and well-being through community health champions: a thematic evaluation of a programme in Yorkshire and Humber. *Perspectives in Public Health*.
- WORLD HEALTH ORGANISATION 2009. Milestones in health promotion: Statements from global conferences. Geneva: World Health Organisation.
- YERBURY, H. 2011. Vocabularies of community. Community Development Journal.
- YORKSHIRE & HUMBER EMPOWERMENT PROJECT 2010. *Empowering Communities to improve their health and wellbeing,* Leeds, Altogether Better.

APPENDIX A Sample search strategy from O'Mara-Eves et al. 2013

Search strategy: Database of Promoting Health Effectiveness Reviews

Keyword search: Health promotion OR inequalities AND (Aims stated AND search stated AND inclusion criteria stated)

Search strategy: Trials Register of Promoting Health Interventions

"disadvantage" OR "disparities" OR "disparity" OR "equality" OR "equity" OR "gap" OR "gaps" OR "gradient" OR "gradients" OR "health determinants" OR "health education" OR "health inequalities" OR "health promotion" OR "healthy people programs" OR "inequalities" OR "inequality" OR "inequities" OR "inequity" OR "preventive health service" OR "preventive medicine" OR "primary prevention" OR "public health" OR "social medicine" OR "unequal" OR "variation"

AND

"change agent" OR "citizen" OR "community" OR "champion" OR "collaborator" OR "disadvantaged" OR "lay community" OR "lay people" OR "lay person" OR "member" OR "minority" OR "participant" OR "patient" OR "peer" OR "public" OR "representative" OR "resident" OR "service user" OR "stakeholder" OR "user" OR "volunteer" OR "vulnerable"

AND

"capacity building" OR "coalition" OR "collaboration" OR "committee" OR "compact" OR "control" OR "co-production" OR "councils" OR "delegated power" OR "democratic renewal" OR "development" OR "empowerment" OR "engagement" OR "forum" OR "governance" OR "health promotion" OR "initiative" OR "integrated local development programme" OR "intervention guidance" OR "involvement" OR "juries" OR "local area agreement" OR "local governance" OR "local involvement networks" OR "local strategic partnership" OR "mobilisation" OR "mobilization " OR "neighbourhood committee" OR "neighbourhood managers" OR "neighbourhood renewal" OR "neighbourhood wardens" OR "networks" OR "organisation" OR "panels" OR "participation" OR "participation compact" OR "participatory action" OR "partnerships" OR "pathways " OR "priority setting" OR "public engagement" OR "public health" OR "rapid participatory assessment" OR "regeneration" OR "relations" OR "support"

Search strategy: Cochrane databases

CDSR (Cochrane reviews). DARE (other reviews). HTA database (technology assessments).

NHS EED (economic evaluations).

"disadvantage" OR "disparities" OR "disparity" OR "equality" OR "equity" OR "gap" OR "gaps" OR "gradient" OR "gradients" OR "health determinants" OR "health education" OR "health inequalities" OR "health promotion" OR "healthy people programs" OR "inequalities" OR "inequality" OR "inequities" OR

"inequity" OR "preventive health service" OR "preventive medicine" OR "primary prevention" OR "public health" OR "social medicine" OR "unequal" OR "variation"

AND

"change agent" OR "citizen" OR "community" OR "champion" OR "collaborator" OR "disadvantaged" OR "lay community" OR "lay people" OR "lay person" OR "member" OR "minority" OR "participant" OR "patient" OR "peer" OR "public" OR "representative" OR "resident" OR "service user" OR "stakeholder" OR "user" OR "volunteer" OR "vulnerable"

AND

"capacity building" OR "coalition" OR "collaboration" OR "committee" OR "compact" OR "control" OR "co-production" OR "councils" OR "delegated power" OR "democratic renewal" OR "development" OR "empowerment" OR "engagement" OR "forum" OR "governance" OR "health promotion" OR "initiative" OR "integrated local development programme" OR "intervention guidance" OR "involvement" OR "juries" OR "local area agreement" OR "local governance" OR "local involvement networks" OR "local strategic partnership" OR "mobilisation" OR "neighbourhood committee" OR "neighbourhood managers" OR "neighbourhood renewal" OR "neighbourhood wardens" OR "networks" OR "organisation" OR "panels" OR "participation" OR "participation compact" OR "participatory action" OR "partnerships" OR "pathways " OR "priority setting" OR "public engagement" OR "public health" OR "rapid participatory assessment" OR "regeneration" OR "relations" OR "support"

Search strategy: The Campbell Library

"disadvantage" OR "disparities" OR "disparity" OR "equality" OR "equity" OR "gap" OR "gaps" OR "gradient" OR "gradients" OR "health determinants" OR "health education" OR "health inequalities" OR "health promotion" OR "healthy people programs" OR "inequalities" OR "inequality" OR "inequities" OR "inequity" OR "preventive health service" OR "preventive medicine" OR "primary prevention" OR "public health" OR "social medicine" OR "unequal" OR "variation"

AND

"change agent" OR "citizen" OR "community" OR "champion" OR "collaborator" OR "disadvantaged" OR "lay community" OR "lay people" OR "lay person" OR "member" OR "minority" OR "participant" OR "patient" OR "peer" OR "public" OR "representative" OR "resident" OR "service user" OR "stakeholder" OR "user" OR "volunteer" OR "vulnerable"

AND

"capacity building" OR "coalition" OR "collaboration" OR "committee" OR "compact" OR "control" OR "co-production" OR "councils" OR "delegated power" OR "democratic renewal" OR "development" OR "empowerment" OR "engagement" OR "forum" OR "governance" OR "health promotion" OR "initiative" OR "integrated local development programme" OR "intervention guidance" OR "involvement" OR "juries" OR "local area agreement" OR "local governance" OR "local involvement networks" OR "local strategic partnership" OR "mobilisation" OR "mobilization " OR "neighbourhood committee" OR "neighbourhood managers" OR "neighbourhood renewal" OR "neighbourhood wardens" OR "networks" OR "organisation" OR "panels" OR "participation" OR "participation compact" OR "participatory action" OR "rapid participatory assessment" OR "regeneration" OR "relations" OR "support"

Appendix B Sample search strategy from Stream 1 update

Appendix 1: Sample search strategies

Search strategy: Database of Promoting Health Effectiveness Reviews Scan the title and abstracts of all items published since 2011.

Search strategy: Trials Register of Promoting Health Interventions The search is based on broad terms for Population AND Intervention Free text search of titles and abstracts, 2011 onwards: "change agent*" OR "citizen*" OR "communit*" OR "champion*" OR "collaborator*" OR "disadvantaged" OR "lay worker" or lay health" OR "lay people" OR "lay person" OR "member*" OR "minorit*" OR "participant*" OR "patient*" OR "peer*" OR "public" OR "representative*" OR "resident*" OR "stakeholder*" OR "user*" OR "volunteer*" OR "vulnerable"

"capacity building" OR "coalition*" OR "collaboration*" OR "committee*" OR "compact" OR "co-production" OR "council*" OR "delegated power*" OR "democratic renewal" OR "development" OR "empower*" OR "engag*" OR "forum*" OR "governance" OR "initiative*" OR "intervention guidance" OR "involve*" OR "juries" OR "jury" OR "local area agreement*" OR "local governance" OR "mobilisation" OR "mobilization " OR "neighbourhood committee*" OR "neighbourhood manager*" OR "neighbourhood renewal" OR "neighbourhood warden*" OR "neighborhood committee*" OR "neighborhood manager*" OR "neighborhood renewal" OR "neighborhood warden*" OR "neighborhood "area agreement" OR "neighborhood committee*" OR "neighborhood renewal" OR "neighborhood warden*" OR "neighborhood warden*" OR "neighborhood committee*" OR "neighborhood manager*" OR "neighborhood renewal" OR "neighborhood warden*" OR "network*" OR "organisation*" OR "organization*" OR "panel*" OR "participation" OR "participatory action" OR "partnership*" OR "pathway*" OR "priority setting*" OR "public engagement" OR "public health" OR "rapid participatory assessment*" OR "regeneration" OR "relations" OR "support" Search strategy: Cochrane/Centre for Reviews and Dissemination databases Cochrane Database of Systematic Reviews (Cochrane Library); DARE (CRD); HTA database (CRD); NHS EED (CRD).

The search is based on broad terms for Topic AND Population AND Intervention. Search 2011 onwards. Search all fields:

"disadvantage*" OR "disparities" OR "disparity" OR "equalit*" OR "equit*" OR "gap" OR "gaps" OR "gradient" OR "gradients" OR "health determinant" OR "health determinants" OR "health education" OR "health inequalities" OR "health promotion" OR "healthy people program*" OR "inequalities" OR "inequality" OR "inequit*" OR "preventive health service*" OR "preventive medicine" OR "primary prevention" OR "public health" OR "social medicine" OR "unequal" OR "variation*" AND

"collaborator*" OR "citizen*" OR "communit*" OR "champion*" OR "collaborator*" OR "disadvantaged" OR "lay communit*" OR "lay people" OR "lay person" OR "member*" OR "minorit*" OR "participant*" OR "patient*" OR "peer*" OR "public" OR "representative*" OR "resident*" OR "service user*" OR "stakeholder*" OR "user*" OR "volunteer*" OR "vulnerable" OR "lay worker" OR "lay health"

AND

"capacity building" OR "coalition*" OR "collaboration*" OR "committee*" OR "compact" OR "control" OR "co-production" OR "council*" OR "delegated power*" OR "democratic renewal" OR "development" OR "empoWermert" OR "engagement" OR "forum*" OR "governance" OR "health promotion" OR "initiative*" OR "intervention guidance" OR "involvement" OR "juries" OR "jury" OR "local area agreement*" OR "mobilisation" OR "mobilization" OR "neighborhood committee*" OR "neighborhood manager*" OR "neighborhood renewal" OR "neighborhood warden*" OR "neighbourhood committee*" OR

119

"neighbourhood manager*" OR "neighbourhood renewal" OR "neighbourhood warden*" OR "networks" OR "network" OR "organisation*" OR "organization*" OR "panel*" OR "participation" OR "participatory action" OR "partnership*" OR "pathway*" OR "priority setting*" OR "public engagement" OR "public health" OR "rapid participatory assessment" OR "regeneration" OR "relations" OR "support"

Search strategy: Campbell Collaboration Library

All reviews published since 2011 scanned by title, and then by title and abstract.

Search strategy: NIHR Health Technology Assessment (HTA) programme website/journals library.

All reviews published since 2011 scanned by title, and then title and abstract.

Appendix C Sample search strategy from PHE mapping review

Databases searched (from January 2004 to April 2014): MEDLINE, IDOX Information Service; CINAHL, Social Policy and Practice; Academic Search Complete. The following search strategy was used:

1. (communit* or lay or public or citizen* or people or empower* or social or emancipat* or volunt*or "asset-based" or peer)

2. (concept* or framework or definition* or theory or theories or model or typolog* or categoris* or categoriz* or dimension* or domain* or construct or review or "evidence base*" or effective* or outcome*)

3. (intervention* or prevention* or engagement or involve* or participat* or action or development or mobilisation or commissioning)

4. ("health promotion" or "health improvement" or "healthy communit*" or wellbeing or "quality of life" or "self-care" or resilience)

5. (determinant* N2 (social or health)) or (health N2 (inequality or equity or exclu*)) or (underserved or "hard to reach" or "seldom heard")

6. MeSH terms: (MH "Community Networks") OR (MH "Community-Based Participatory Research") OR (MH "Voluntary Health Agencies") OR (MH "Voluntary Programs") OR (MH "Volunteers") or (MH "community health worker") or (MH "public health practice")

Combinations

6 (MeSH) and 2 (TI)

(1 N2 3) and 2 and 4

(1 N2 3) and 2 (Title only)

(1 N2 3) and 5

1 and 2 and 5 (Title only)

An additional cross-cutting search was run in MEDLINE (January 2004 to April 2014):

((communit* or citizen* or empower* or emancipat* or "asset-based" or "co-production") n2 (intervention* or engagement)) AND (health or wellbeing or "well being")

(concept* or framework or definition* or theory or theories or theoriz* or typolog*) AND (intervention* or engagement or involve* or participat*) AND (health or wellbeing or "well being")

communit* and (empower* or engage* or involv* or participat* or emancipat*) and (health or wellbeing or "well being")

APPENDIX D Bibliography of included studies.

Adams L, Cumming F (2002) Promotion Health policies & practice - Promoting social and community development in Sheffield: A reflection of ten years work. *In*: Amos AM & Munro J (eds.) *Promoting Health.*

Alborz A, Wilkin D, Smith K (2002) Are primary care groups and trusts consulting local communities? *Health & Social Care in the Community*. (10): 20–28.

Alexander J, Anderson T, Grant M, Sanghera J, Jackson D (2003) An evaluation of a support group for breast-feeding women in Salisbury, UK. *Midwifery*. (19): 215–220.

ALLEN, T. 2004. Preventing falls in older people: evaluating a peer education approach. *British Journal of Community Nursing.*, 9, 195-200.

ALTOGETHER BETTER 2010. Altogether Better Programme: Phase 1. Leeds: Centre for Health Promotion Research, Leeds Beckett University.

Anastacio J, Gidley B, Hart L, Keith M, Mayo M, Kowarzik U (2000) *Reflecting realities: Participants' perspectives on integrated communities and sustainable development.* Bristol, Policy Press.

Anderson E, Shepherd M (2005) 'Taking off the suit': engaging the community in primary health care decision-making. *Health Expectations*, 9, 70-80.

Andrews G J; Gavin N, Begley S, Brodie D (2003) Assisting friendships, combating loneliness: users' views on a 'befriending' scheme. *Ageing and Society*, 23, 349-362.

Anning A, Stuart J, Nicholls M, Morley A (2007) *National Evaluation Report: Understanding Variations in Effectiveness amongst Sure Start Local Programmes*. London: Institute for the Study of Children, Families and Social Issues, Birkbeck.

Arora S, Davies A, Thompson S (2000) 'Developing health improvement programmes: challenges for a new millennium'. *Journal of Inter-professional Care*. 14: 9-18.

Atkinson M (2012) Inequalities in health outcomes and how they might be addressed. Children and Young People's Health Outcomes Forum. Attree P (2004) 'It was like my little acorn, and it's going to grow into a big tree': a qualitative study of a community support project. *Health Soc Care Community*. 12(2): 155-61.

Attree P, Clayton S, Karunanithim S, Nayak S, Papay J, Read , D (2011) NHS Health Trainers: A Review of Emerging Evaluation Evidence. . *Critical Public Health*, 22: 25-28

Audrey S, Holliday J, Campbell R (2006) It's good to talk: Adolescent perspectives of an informal, peer-led intervention to reduce smoking. *Social Science and Medicine*. 63(2): 320-334.

Audrey S, Holliday J, Parry-Langdon N, Campbell R (2006) Meeting the challenges of implementing process evaluation within randomized controlled trials: the example of ASSIST (A Stop Smoking in Schools Trial). *Health Educ Res.* 21(3): 366-77.

Audrey S, Holliday J, Campbell R (2008) Commitment and compatibility: Teachers' perspectives on the implementation of an effective school-based, peer-led smoking intervention. *Health Education Journal*. 67(2): 74-90.

Bagley C, Ackerley C (2006) 'I am much more than just a mum': social capital, empowerment and Sure Start. *Journal of Education Policy*. 21: 717-734.

BAINES, S., M LIE & WHEELOCK, J. 2006. Volunteering, self-help and citizenship in later life. Newcastle: Age Concern Newcastle and University of Newcastle upon Tyne.

Ball L, Nasr N (2011) A Qualitative Exploration of a Health Trainer Programme in Two Primary Care Trusts. *Perspectives in Public Health*, 131, 24-31.

Bandesha G, Litva A (2005) Perceptions of community participation and health gain in a community project for the South Asian population: a qualitative study. *Journal Of Public Health (Oxford, England)*. 27(3): 241-245.

Barnes M, Newman J, Knops A, Sullivan H (2003) Constituting 'the public' in public participation. *Public Administration*. 81: 379-399.

Barnes M, Sullivan H, Matka E (2004) *The development of collaborative capacity in Health Action Zones: A final report from the national evaluation*. Birmingham: http://www.socialresearch.bham.ac.uk/downloads/HAZ_FINAL_REPORT_JAN_2004_11.p df

Barnes J, Senior R, MacPherson K (2009) The utility of volunteer home-visiting support to prevent maternal depression in the first year of life. *Child Care Health Dev.* 35: 807-816

Barnes M, Bauld L, Benzeval M et al; (2005) *Health action zones Partnerships for health equity*. Oxfordshire: Routledge

BARNES, M., SKELCHER, C., BEIRENS, H., DALZIEL, R., JEFFARES, S. & WILSON, L. 2008b. Developing citizen-centred governance. York: Joseph Rowntree Foundation.

Barrett H (2008) Hard to reach families: engagement in the voluntary and community sector. London: Family and Parenting Institute.

Bauld L, Judge K, Barnes M, Benzeval M, Mackenzie M, Sullivan H (2005) Promoting social change: the experience of health action zones in England. *Journal of Social Policy*. 34(3): 427-445.

Bauld L, Sullivan H, Judge K, Mackinnon J (2005) 'Assessing the impact of Health Action Zones', in M. Barnes , L. Bauld, M. Benzeval, K. Judge, M. Mackenzie and H. Sullivan (eds) Health Action Zones: Partnerships for health equity: 157-84.

Baxter L, Thorne L, Mitchell A (2001) Small voices, big noises. Lay involvement in health research: lessons from other fields. Exeter: Washington Singer Press.

Beavington J (2014) Health Improvement Neighbourhood work. Response to call for evidence from Leeds Beckett University.

Beck A, Majumdar A, Estcourt C, Petrak J (2005) "We don't really have cause to discuss these things, they don't affect us": a collaborative model for developing culturally appropriate sexual health services with the Bangladeshi community of Tower Hamlets. *Sexually Transmitted Infections*. 81(2): 158-162.

Benzeval M (2003) The final report of the tackling Inequalities in health module: the national evaluation of health action zones, A report to the Department of Health. London: Department of Geography, Queen Mary, University of London. Online. Available http://www.geog.qmw.ac.uk/staff/pdf/finalreportl.pdf

Benzeval M (2003) *Tackling inequalities in health: Final Report to Sheffield Health Action Zone*. London: Department of Geography, Queen Mary, University of London.

Beresford P, Carr S (2012) *Social care, service users and user involvement*. Jessica Kingsley Publishers Ltd.

Beresford P (2007) User involvement, research and health inequalities: developing new directions. *Health and Social Care in the Community*. 15: 306-312.

Bertotti M, Adams-Eaton F, Sheridan K, Renton A (2009) Key barriers to community cohesion: views from residents of 20 London deprived neighbourhoods. *GeoJournal*, 77: 223-234.

Bhavnani V, Newburn M (2013) NCT breastfeeding peer support in East Lancashire. Perspective - NCT's journal on preparing parents for birth and early parenthood. June 2013: 12-13.

Bhavnani V, Newburn M (2014) Birth and Beyond Community Supporters Programme: Final Evaluation Report of the Pilot Project. London: NCT.

Blamey A, Ayana M, Lawson L, Mackinnon J, Paterson I, Judge K (2004) *Final Report: The Independent Evaluation of Have a Heart Paisley*. Glasgow, United Kingdom: University of Glasgow.

Blank L, Grimsley M, Goyder E, Ellis E, Peters J (2007) Community-based lifestyle interventions: changing behaviour and improving health. *Journal Of Public Health (Oxford, England)*. 29(3): 236-245.

Bolam B, McLean C, Pennington A, Gillies P (2006) Using new media to build social capital for health: a qualitative process evaluation study of participation in the CityNet project. *Journal of health psychology*. 11(2): 297-308.

Bowers H, Macadam A, Patel M, Smith C (2006) *Making a difference through volunteering: the impact of volunteers who support and care for people at home*. London: CSV.

Boydell LR, Rugkåsa J (2007) Benefits of working in partnership: A model. *Critical Public Health* 17: 217-228.

Boyle D, Clark S, Burns S (2006) *Hidden work: Co-production by people outside paid employment*. York: The new economics foundation and the Joseph Rowntree Foundation. http://www.jrf.org.uk/bookshop/eBooks/9781859354674.pdf Boyle D, Coote A, Sherwood C, Slay J (2010) *Right here, right now. Taking co-production into the mainstream.* London: New Economics Foundation.

BPCSSA (2010) Health Trainers DCRS: National HUB Report.

Bridge Consortium (2002) The evaluation of the New Opportunity Fund Healthy Living Centre Programme: first annual report.

Bridgen P (2006) Social capital, community empowerment and public health: policy developments in the UK since 1997. *Policy and Politics*. 34(1): 27-50.

Bromley H (2014) *Stronger Communities*. Response to call for evidence from Leeds Beckett University.

Brown A (2002) Findings from Working for Communities: Community Involvement. Scottish Executive Central Research Unit.

Brownlie J, Anderson, S., Ormston (2006) *Children as researchers*. University of Stirling, and Scottish Centre for Social Research.

Burgess G (2014) Evaluation of the Cambridgeshire timebanks . Cambridge: Cambridge Centre for Housing & Planning Research.

Burton P, Goodlad R, Croft J (2006) How would we know what works? Context and complexity in the evaluation of community involvement, Evaluation, 12: 294-312.

CABINET OFFICE 2010. Building a stronger civil society: A strategy for voluntary and community groups, charities and social enterprises. London: Cabinet Office.

CABINET OFFICE 2011. Strategic National Framework on Community Resilience. London: Cabinet Office.

Callard F, Friedli L (2005) Imagine East Greenwich: evaluating the impact of the arts on health and well-being. *Journal of Public Mental Health*. 4(4): 29-41.

Cambridge Centre for Housing & Planning Research. 2013. Time banks interim evaluation. Cambridge: University of Cambridge.

Campbell C, Cornish F, McLean C (2004) Social Capital, Participation and the Perpetuation of Health Inequalities: Obstacles to African-Caribbean Participation in 'Partnerships' to Improve Mental Health. *Ethnicity & Health*. 9(4): 313-335.

Campbell R, Starkey F, Holliday J, Audrey S, Bloor M, Parry-Langdon N, Hughes R, Moore L (2008) An informal school-based peer-led intervention for smoking prevention in adolescence (ASSIST): a cluster randomised trial. *Lancet*. 371(9624): 1595-602.

Carley M, Chapman M, Kirk K, Hastings A, Young R (2000) Urban Regeneration through Partnership: A study in nine urban regions in England, Scotland and Wales. Bristol: Policy Press & Joseph Rowntree Foundation.

Carlisle Sandra (2010) Tackling health inequalities and social exclusion through partnership and community engagement? A reality check for policy and practice aspirations from a Social Inclusion Partnership in Scotland. *Critical Public Health*. 20(1): 117-127.

Carlson C, Jerrett R, Dunkley R, Stone L (2010) *East Midlands Health Trainer Service Report.* Wootton-by-Woodstock, Oxfordshire: Solutions for Public Health.

Carr S (2005) Peer educators - contributing to child accident prevention. Community practitioner, 78, 174-177.

Cawley J Berzins K; (2011) *Well London SROI Evaluation of Changing Minds*. Well London/SLaM.

Chadderton C, Elliott E, Williams G (2008) *Involving the public in HIA: An evaluation of current practise in Wales, working paper 116*. Cardiff: Cardiff School of Social Sciences, Cardiff University.

Chanan G (2011) Empowering Communities for Health: Business Case and Practice Framework. Health Empowerment Leverage Project (HELP).

Chapman J (2010) *Well London - Community Activator Programme: An Independent Evaluation.* : Well London/CYMCA.

Chapman M, Kirk K, Carley M (2001) Community Participation in Social Exclusion Partnerships, Scottish Executive Development Department Research Programme Research, Findings No. 117, Edinburgh.

Chau R C.M; (2007) The Involvement of Chinese Older People in Policy and Practice: Aspirations and Expectations. York: University of Sheffield and the Joseph Rowntree Foundation, York. Chirewa B (2012) Development of a practical toolkit using participatory action research to address health inequalities through NGOs in the UK: challenges and lessons learned. *Perspectives in Public Health*. 132(5): 228-234.

Christie N, Sleney J, Ahmed F, Knight E (2012) Engaging the Somali Community in the Road Safety Agenda: A Process Evaluation from the London Borough of Hounslow. Journal of Community Health, 37, 814-821.

Cindersby S (2014) Practical action to build community resilience: the good life initiative in New Earswick. York: Joseph Rowntree Foundation (JRF).

Clay CJ; Madden M, Potts L (2007) *Towards understanding community- people and place.* Palgrave MacMillan.

CLES CONSULTING 2011. Big Lottery Fund national well-being evaluation. Manchester: Centre for Local Economic Studies.

Cole M (2003) The Health Action Zone initiative: lessons from Plymouth. *Government Studies*. 29: 99-117.

Communities and Local Government; (2007) An Action Plan for Community Empowerment: Building on Success. London: Local Government Association.

Community Health Exchange (2012a) *Health issues in the community: evidence of impact.* Glasgow: SCDC/CHEX.

Community Health Exchange (2012b) *Healthy influences: community-led health organisations' influence in health and social planning structures*. Glasgow: SCDC/CHEX.

Community Health Exchange CHEX; (2014) Communities at the centre. Evidencing Community-led health. Glasgow: SCDC/ CHEX.

COMMUNITY SERVICE VOLUNTEERS (CSV) 2008. Mental Health, Volunteering and Social Inclusion. London: CSV.

Cook T, Wills J (2012) Engaging with Marginalised Communities: The Experience of London Health Trainers. *Perspectives in Public Health*. 22: 221-227.

Coote A, Allen J, Woodhead D (2004) Finding out what works: building knowledge about complex community-based initiatives. London: King's Fund.

Corbin T (2006) "Activity Friends" A senior peer mentor physical activity programme for the over 50's. Nottinghamshire.

Coulter A (2010) Engaging communities for health improvement. A scoping review for the Health Foundation. London: The Health Foundation.

Coulter A (2014) *Somerford Wellbeing Project*. Response to call for evidence from Leeds Beckett University.

Craig S (2010) Well London: Youth.commUnity and the Young Ambassadors Programme: An Independent Evaluation. Well London/CYMCA.

CRESR Centre for Regional Economic and Social Research; (2005) New Deal for Communities 2001-2005: An interim evaluation. Wetherby: ODPM Publications.

Crow I, France A, Hacking S et al; (2004) The Evaluation of Three 'Communities that Care' Demonstration Projects. York: Joseph Rowntree Foundation.

Crowley P, Green J, Freake D, Drinkwater C (2002) Primary Care Trusts involving the community: Is community development the way forward?. *Journal of Management in Medicine*. 16(4): 311-322.

Curno P (2012) *Life is Precious*. Dudley Cancer Awareness Arts & Health project Evaluation Report. Dudley: Dudley Public Health Department.

Curtis P, Woodhill R, Stapleton H (2007) The peer-professional interface in a communitybased, breast feeding peer-support project. *Midwifery*. 23(2): 146–156.

Data Collection Reporting System (DCRS) Team; (2012) DCRS National Report 2011/12 Health Trainer Service Review. Birmingham: Birmingham and Solihull. Davies R (2009) Community Health Champions: one of the keys to unlocking the health inequalities challenge?. Local Work. Manchester: CLES Consulting.

Davis A (2008) *Joint review report: commissioning services and support for people with learning disabilities and complex needs: Dorset County Council and NHS Dorset.* London: Commission for Social Care Inspection; Healthcare Commission; Mental Health Act Commission. Dearden-Phillips C, Fountain R (2005) Real Power? An examination of the involvement of people with learning difficulties in strategic service development in Cambridgeshire. *British Journal of Learning Disabilities*. 33: 200-204.

Department for Communities and Local Government (2006) Strong and prosperous communities: The Local Government White Paper. Norwich: HMSO.

Department for Communities and Local Government (2006) *Neighbourhood Management: An overview of the 2003 and 2006 Round 1 Pathfinder household surveys*. Norwich: HMSO.

Department for Communities and Local Government (2007) Local Government and Public Involvement in Health Bill: statement of intent - statutory guidance. Community empowerment. Norwich: HMSO.

Department for Communities and Local Government (2007) *Neighbourhood Management and Social Capital*. Norwich: HMSO.

Department for Education and Skills (2005) Sure Start National Evaluation Report 14: Variation in Sure Start Local Programmes' Effectiveness - Early Preliminary Findings. Report of the NESS Programme Variability Study. UK: HMSO.

Department of Health (2004) *Choosing Health. Making Healthier Choices Easier.* UK: HMSO.

Department of Health (2006) A stronger local voice: a framework for creating a stronger local voice in the development of health and social care services. UK: HMSO.

Department of Health (2007) *Commissioning framework for health and well-being*. London: Great Britain: Department of Health.

Department of Health (2007) Opportunities for Volunteering Scheme 2007. UK: HMSO.

Department of Health (2008a) Tackling health inequalities: 2007 status report on programme for action. UK: HMSO.

Department of Health (2008b) Health inequalities: Progress and next steps. UK: HMSO.

Department of Health (2009) *Communities for Health: unlocking the energy within communities to improve health.* UK: HMSO.

Department of Health; (2009) Tackling health inequalities: 10 years on. A review of developments in tackling health inequalities in England over the last 10 years. London: Department of Health.

Derges J, Clow A, Lynch R, Jain S, Phillips G, Petticrew M, Renton A, Draper A (2004) 'Well London' and the benefits of participation: results of a qualitative study nested in a cluster randomised trial. *BMJ Open.* 4(4): 1-8.

Dewar BJ (2005) Beyond tokenistic involvement of older people in research - a framework for future development and understanding. *Journal Of Clinical Nursing*. 14 Suppl 1: 48-53.

Dews L (2014) *Community health Champions*. Response to call for evidence from Leeds Beckett University.

Dickens AP; Richards SH; Hawton A, Taylor RS; Greaves CJ; Green C, Edwards R, Campbell JL(2011) An evaluation of the effectiveness of a community mentoring service for socially isolated older people: a controlled trial. *BMC Public Health*. 11: 218-218.

Dooris M, McArt D, Hurley M A; Baybutt M (2013) Probation as a setting for building wellbeing through integrated service provision: evaluating an Offender Health Trainer service. Perspectives in Public Health 133: 199-206.

Draper AK; Hewitt G, Rifkin S (2010) Chasing the dragon: Developing indicators for the assessment of community participation in health programmes. *Social Science & Medicine (1982)*. 71(6): 1102-1109.

Duffy S (2012) *Peer Power: An evaluation of the personalisation forum group - a user-led organisation (ULO) for people in Doncaster.* Sheffield: The Centre for Welfare Reform.

East Midlands Empowerment Partnership (2009) Residents Building a Better Neighbourhood. Worksop: Manton Community Alliance

East Midlands Empowerment Partnership (2009) Community Champions Change. Worksop: Manton Community Alliance.

Edwards C (2002) Inclusion in regeneration: a place for disabled people?. *Urban Studies*. 38: 267-286.

Eleftheriades A (2005) Regenerating change in Renton. New Sector. 66, 25.

Elford J, Bolding G, Sherr L (2001) Peer education has no significant impact on HIV risk behaviours among gay men in London. *AIDS*. 15(4): 535-8.

Elliott E, Watson A J; Harries U (2001) Harnessing expertise: involving peer interviewers in qualitative research with hard-to-reach populations. Health Expectations, 5: 172-178.

Elliott E, Williams G, Golby A (2007) *Citizen Involvement in a Local HIA: informing decisions on the future of a landfill site in Wales.* In: Wismar M, Blau J, Ernst K, Figueras J (eds.) *The Effectiveness of Health Impact Assessment. Scope and Limitations of supporting decision-making in Europe.* Denmark: WHO Regional Office for Europe. p177

Ewles L, Harris W, Roberts E, et al (2001) Community health development on a Bristol housing estate: a review of a local project 10 years on. *Health Education Journal*, 60: 59-72.

Farooqi A, Bhavsar M (2001) Project Dil: a co-ordinated Primary Care and Community Health Promotion Programme for reducing risk factors of coronary heart disease amongst the South Asian community of Leicester--experiences and evaluation of the project. Ethnicity and Health, 6: 265-275.

Fenton C (2013) *An assets based approach to health promotion with young people in England*. DHRes Dissertation: University of Hertfordshire.

Flowers P, Hart GJ, Williamson LM, Frankis JS, Der GJ (2002) Does bar-based, peer-led sexual health promotion have a community-level effect amongst gay men in Scotland? *International journal of STD & AIDS.* 13(2): 102-8.

Foot J, Hopkins T (2010) A glass half-full: how an asset approach can improve community health and well-being. London: Improvement and Development Agency Healthy Communities Team.

Fountain J, Hicks J (2010) *Delivering race equality in mental health care: report on the findings and outcomes of the community engagement programme 2005-2008.* Preston: International School for Communities, Rights and Inclusion, University of Central Lancashire.

Fountain J Patel, K; Buffin J (2007) Community engagement: the Centre for Ethnicity and Health model. Amsterdam: Foundation Regenboog AMCC

France A, Crow I (2001) The story so far: An interim evaluation of Communities. York: Joseph Rowntree Foundation.

Gardner B, Cane J, Rumsey N, Michie S (2012) Behaviour Change among Overweight and Social Disadvantaged Adults: A Longitudinal Study of the NHS Health Trainer Service. Psychology & Health, 27(10):1178-1193 Gay P (2007) *Volunteering for health promotion*. London: Institute for Volunteering Research.

Glasgow Centre for Population Health (2007) Community engagement: the Centre's experiences and outcomes (Briefing paper 1: concepts series). Glasgow: GCPH.

Goddard K (2005) *A different experience? Personal experience volunteers at a cancer charity*. Voluntary Action, 7(1): 9-25.Gooberman-Hill R, Horwood J, Calnan M (2008) Citizens' juries in planning research priorities: process, engagement and outcome. *Health Expectations*. 11(3): 272-281.

Governance International and LGIU; (2012) Making Health and Social Care Personal and Local: moving from mass production to co-production. Birmingham: Governance International.

Graffy J, Taylor J, Williams A, Eldridge S (2004) Randomised controlled trial of support from volunteer counsellors for mothers considering breast feeding. *BMJ*. 328(7430): 26.

Green S (2012) East of England – Health Trainer Service Models – Evaluation Report. East of England: NHS East of England.

Greene S (2005) Including Young Mothers: Community-based participation and the continuum of active citizenship. Community Development Journal, 42(2): 167-180.

Gregson R, Court L (2010) Building healthy communities: A community empowerment approach. London: Community Development Foundation.

Halliday J, Asthana S (2005) Policy at the margins: developing community capacity in a rural Health Action Zone. *Area.* 37, 180-188.

Hamer M, Box V (2000) An evaluation of the development and functioning of the Boscombe Network for Change, a health alliance or partnership for health in Dorset. *Health Education Journal*. 59: 238–52.

Hardill Irene, Baines Sue, Perri (2007) Volunteering for all? Explaining patterns of volunteering and identifying strategies to promote it. *Policy & Politics*, 35, 395-412.

Harkins C, Egan J (2012) Partnership approaches to address local health inequalities: final evaluation report from the Govanhill Equally Well test site. Glasgow: Glasgow Centre for Population Health.

HARRIS, P. 2014. Patient Experience- Review of Local Carers Services in Torbay. Torbay: Healthwatch Torbay.

Hatamian A, Pearmain D, Golden S (2012) Outcomes of the Active at 60 Community Agent Programme. London: Department of Work and Pensions

Hatzidimitriadou E, Mantovani N, Keating F (2012) Evaluation of co-production processes in a community-based mental health project in Wandsworth. London: Kingston University/ St George's, University of London.

HEALTHY COMMUNITIES 2010. Meeting the shared challenge. MAKING IT HAPPEN: Case studies of community-led health improvement in action. Healthy Communities.

HENDERSON, J., WILKINS, K. & BARNES, J. 2002. Getting started with a local Sure Start programme evaluation. National Evaluation of Sure Start (NESS).

Hills D, Elliot E, Kowarzik U, Sullivan F, Stern E, Platt S, Boydell L, Popay J, et al (2007) *The Evaluation of the Big Lottery Fund Healthy Living Centres Programme*. London: Tavistock Institute and Bridge Consortium.

Hills R K; Lyons R A; Kendrick D, Towner E M. L; Coupl , C , Hayes M, Christie N, Sleney J, Jones S, Kimberlee R, Rodgers S E; Turner S, Brussoni M, Vinogradova Y, Sarvotham T, Macey S (2013) The advocacy for pedestrian safety study: Cluster randomised trial evaluating a political advocacy approach to reduce pedestrian injuries in deprived communities. *PLoS ONE*, 8, e60158.

Hoddinott P, Chalmers M, Pill R (2006) One-to-One or Group-Based Peer Support for Breastfeeding? Women's Perceptions of a Breastfeeding Peer Coaching Intervention. *BIRTH.* (33): 139–46.

Hoddinott Pat, Lee Amanda J; Pill Roisin (2006) Effectiveness of a breastfeeding peer coaching intervention in rural Scotland. *Birth*. 33(1): 27-36.

Holden S, Craig G (2002) 'Engaging communities in the Hull/East Riding Health Action Zone'. in L. Bauld and K. Judge (eds) Learning from Health Action Zones, Chichester.

Home Office (2004) Building Community Cohesion into Area Based Initiatives: A Guide for Residents and Practitioners.

Hothi M, Bacon N, Brophy M, Mulgan G (2007) *Neighbourliness* + *empowerment* = *wellbeing: is there a formula for happy communities?*. London: The Young Foundation.

J Hough, S Lyall (2014) Co-producing cardiovascular health in Wandsworth: an evaluation. London: New Economics Foundation.

HOUGHTON, L. 2014. *RE: The People's Family Project. Response to call for evidence from Leeds Beckett University.*

HOWLETT, S. & LUKKA, P. 2000. Recruiting and Retaining Volunteer Health Walk Leaders. An Evaluation of the Walking for Health Programme. London: Institute for Volunteering Research.

Hyland R M; Wood C E; Adamson A J; Mathers J C; Hill M, Seal C J; Moynihan P J; (2006) Peer Educators' Perceptions of Training for and Implementing a Community-Based Nutrition Intervention for Older Adults. *Journal of Nutrition For the Elderly*. 25(3/4): 147-171.

Ingram Jenny, Rosser Jilly, Jackson Dawn (2005) Breastfeeding peer supporters and a community support group: evaluating their effectiveness. *Maternal & Child Nutrition*. 1(2): 111-118.

Ingram Jenny (2013) A mixed methods evaluation of peer support in Bristol, UK: mothers', midwives' and peer supporters' views and the effects on breastfeeding. *BMC Pregnancy And Childbirth*. 13: 192-192.

INSTITUTE FOR CRIMINAL POLICY RESEARCH 2011. Evaluation of the Leicestershire and Rutland Probation Trust Health Trainer Service Final Report London. London: Institute for Criminal Policy Research.

INSTITUTE FOR VOLUNTEERING RESEARCH 2003. Volunteering for Mental Health. London: Institute for Volunteering Research.

Involve (2004) *Training for Public Involvement in Research: Seminar Report*. London: Involve/NIHR.

IRISS (2012) Using an assets approach for positive mental health and wellbeing: An IRISS and East Dumbartonshire project. Glasgow: Institute for Research and Innovation in Social Services.

Jarvis D Berkeley, N; Broughton K (2011) Evidencing the impact of community engagement in neighbourhood regeneration: the case of Canley, Coventry.. *Community Development Journal*, 47, 232-247.

Jennings A, Barnes S, Okereke U, Welch A (2013) Successful weight management and health behaviour change using a health trainer model. *Perspectives in Public Health*, 133, 221.

Jolly K, Ingram L, Freemantle N, Khan K, Chambers J, Hamburger R, Brown J, Dennis CL, Macarthur C (2012) Effect of a peer support service on breast-feeding continuation in the UK: a randomised controlled trial. *Midwifery*, 28, 740-745.

JONES, H. 2004. Volunteering for health: A research report produced for the Welsh Assembly Government. . Volunteering Unit, Wales Council for Voluntary Action.

JONES, H. 2014. *RE: Leeds Gypsy and Traveller Exchange. Response to call for evidence from Leeds Beckett University.*

JOSEPH ROWNTREE FOUNDATION 2011. Neighbourhood approaches to loneliness. York: Joseph Rowntree Foundation.

Kashefi E, Mort M (2004) Grounded citizens' juries: a tool for health activism?. *Health Expect.* (7(4)): 290-302.

Kearney M (2004) Walking the walk? Community participation in HIA: A qualitative interview study. *Environmental Impact Assessment Review*, 24, 217-229.

Kelly J A; (2004) Popular opinion leaders and HIV prevention peer education: resolving discrepant findings, and implications for the development of effective community programmes. *AIDS Care*. 16(2): 139-150.

Kennedy L A; Milton B, Bundred P (2008) Lay food and health worker involvement in community nutrition and dietetics in England: roles, responsibilities and relationship with professionals. *Journal Of Human Nutrition And Dietetics: The Official Journal Of The British Dietetic Association*. 21(3): 210-224.

Kennedy L (2010) Benefits arising from lay involvement in community-based public health initiatives: the experience from community nutrition. *Perspectives In Public Health*. 130(4): 165-172.

Kennedy J, Poll C, Sanderson H (2006) Making the connections: supporting people with learning difficulties to become citizens within their communities. *Journal of Community Work and Development*. 8: 45-61.

Kennedy L (2006) *Development of the Lay Food and Health Worker Role in England: Experiences from the field.* Doctor of Philosophy, University of Liverpool.

Kimberlee R (2008) Streets ahead on safety: young people's participation in decisionmaking to address the European road injury 'epidemic'. *Health and Social Care in the Community*, 16, 322-328.

Kirkham M (2000) Breastfriends Doncaster. The Practising Midwife, 3, 20-21.

Lamb S E; Bartlett H P; Ashley A, Bird W (2002) Can lay-led walking programmes increase physical activity in middle aged adults? A randomised controlled trial. *J Epidemiol Community Health.* 56(4): 246-52.

Laverack G (2006) Using a 'domains' approach to build community empowerment. *Community Development Journal*. 41(1): 4-12.

Lawless P. (2004) New Deal for Communities: The national evaluation. The programme wide annual report 2003/04: Centre for Regional Economic and Social Research, Sheffield Hallam University, and the Office of the Deputy Prime Minister.

Lawless P, Dickinson S, Fordham G, Fuller C, Meegan R, Wells P. (2007) NDC National Evaluation Phase 2: The six case studies: an introduction: Centre for Regional Economic and Social Research.

Lawson L, Kearns A (2009) Community engagement in regeneration: are we getting the point?. *Journal of Housing and the Built Environment*. 25: 19-36.

Lee H (2014) Eye health community engagement projects. Response to call for evidence from Leeds Beckett University.

LIVERPOOL JOHN MOORE'S UNIVERSITY 2012. Evaluation of Approaches to Health Literacy in Ashton, Leigh and Wigan. Liverpool: Liverpool JMU.

Lorenc A, Wills J (2013) Evaluation of the Health Trainer Case Stories. London: LondonSouth Bank University.

MacArthur C, Jolly K, Ingram L, et al (2009) Antenatal peer support workers and initiation of breast feeding: cluster randomised controlled trial. *BMJ*, 338, b131.

Mackinnon J, Reid M, Kearns A (2006) *Communities and health improvement: a review of evidence and approaches.* Edinburgh: NHS Health Scotland.

Mackintosh K (2012) Finding their voice. Holyrood: 24-27.

MacPherson K, Barnes J, Nichols M, Dixon S (2010) Volunteer Support for Mothers with New Babies: Perceptions of Need and Support Received. *Children & Society*, 24, 175-187.

Mahoney ME, Potter JL, Marsh RS (2007) Community participation in HIA: Discords in teleology and terminology. *Critical Public Health*, 17, 229-241.

Marais F (2007) *Toward the improvement of tuberculosis control and participatory research*. : Department of Primary Care and Social Medicine, Imperial College.

Marmot M (2010) *Fair society, healthy lives: The Marmot Review: executive summary*. London: Marmot Review.

Matthiesen M, Froggatt K, Owen E, Ashton JR; (2014) End-of-life conversations and care: an asset-based model for community engagement. *BMJ Supportive & Palliative Care*, 4, 306-312.

Mauger S et al; (2010) Involving users in commissioning local services. York: JRF.

Mccaffrey A (2008) Joint review report: commissioning services and support for people with learning disabilities and complex needs: Lancashire County Council: North Lancashire Teaching PCT: East Lancashire Teaching PCT: Central Lancashire PCT. London: Commission for Social Care Inspection; Healthcare Commission; Mental Health Act Commission.

McDaid S (2009) An equality of condition framework for user involvement in mental health policy and planning: evidence from participatory action research. *Disability & Society*, 24, 461-474.

McInnes RJ, Love JG, Stone DH (2000) Evaluation of a community-based intervention to increase breastfeeding prevalence. *J Public Health Med.* (22(2)): 138-45.

McLean J, McNeice V (2012) Assets in action: illustrating asset based approaches for health improvement. Glasgow: Glasgow Centre for Population Health.

Mellanby A R; Newcombe R G; Rees J, Tripp J H; (2001) A comparative 481-492.

Mental Health Foundation (2013) 'Evaluation of Music and Change: A new mental health intervention for young people involved in gangs. An evaluation by the Mental Health Foundation'. London: Mental Health Foundation.

Morgan A, Health Development Agency, Swann C (2004) Social capital for health: issues of definition, measurement and links to health. Health Development Agency.

MURRAY, M. 2014. *RE: New Dynamics of Ageing CALL-ME Project. Response to call for evidence from Leeds Beckeet University.*

MUSCAT, R. 2010. Area based initiatives: do they deliver? *CLES Briefing.* Manchester: CLES.

Naylor C, Mundle C, Weaks L, Buck D (2013) *Volunteering in health and care: Securing a sustainable future*. London: The King's Fund.

Nazroo J, Matthews K (2012) The impact of volunteering on well-being in later life. Cardiff: WRVS.

Nesta (2012) The power of co-design and co-delivery. London: The Innovation Unit.

NESTA (2012) People-powered health: Co-production catalogue. London: Nesta.

NESTA (2013) People helping people: peer support that changes lives. London: NESTA.

Neumark T (2010) *Engaging with communities - lessons from the frontline*. London: Community Development Foundation.

New Economics Foundation (2002) Keeping the GP Away: A NEF briefing about community time banks and health. London: NEF.

Newburn M, Bhavnani V, Allez A (2013) Birth and Beyond community supporters - peer support for refugees and asylum seekers. Perspective - NCT's journal on preparing parents for birth and early parenthood: 8-9.

NewburnM, Bhavnani V (2014) Community parent befrienders in Burnley - from set-up to service. Perspective - NCT's journal on preparing parents for birth and early parenthood. (24)

Newman J, Barnes M, Knops A, Sullivan H (2004) Public participation and collaborative governance. *Journal of Social Policy* 33 (2): 203-223

NHS Confederation (2012) Community Health Champions: Creating New Relations with Patients and Communities.

NHS Greater Glasgow and Clyde (2010) MOSAICS OF MEANING: Partnerships with black and minority ethnic communities to promote mental health: a handbook . Glasgow: NHS Greater Glasgow and Clyde.

North West Public Health Observatory (2011) Health Trainers in the North West. Liverpool: North West Public Health Observatory.

O'BRIEN, L., BURLS, A., TOWNSEND, M. & EBDEN, M. 2011. Volunteering in nature as a way of enabling people to reintegrate into society. *Perspectives in Public Health*, 131, 71-81.

OFFICE OF THE DEPUTY PRIME MINISTER 2002. Neighbourhood Regeneration: Lessons and evaluation evidence from 10 SRB case studies. Urban Research Summary Number 1. London: Department of the Environment, Transport and the Regions.

Office of the Deputy Prime Minister (2004) *Evaluation of the residents' consultancy pilots initiative*. London: Office of the Deputy Prime Minister. http://www.eukn.org/binaries/united-kingdom/bulk/practice/2006/5/evaluationresidentsconsultancy.pdf

Office of the Deputy Prime Minister & Neighbourhood Renewal (2005) *Views of New Deal for Communities – focus group report*. London: Office of the Deputy Prime Minister. http://extra.shu.ac.uk/ndc/ndc_reports_01.htm

Office of the Deputy Prime Minister (2006) *Neighbourhood management: At the turning point?: Programme review 2005-2006.* London: Office of the Deputy Prime Minister. http://www.sqwgroup.com/nme/downloads/NM%2005-06%20Annual%20Review%20-%20Key%20Findings%20(Published).pdf

Osborne S, Beattie R, Williamson A (2002) *Community involvement in rural regeneration partnerships in the UK: Evidence from England, Northern Ireland and Scotland.* Bristol: The Policy Press and the Joseph Rowntree Foundation. http://www.jrf.org.uk/sites/files/jrf/jr128-community-regeneration-partnerships.pdf

Owens C, Springett J (2006) The Roy Castle fag ends stop smoking service: a successful client-led approach to smoking cessation. *Smoking Cess.* 1(1): 13–8.

Passan, J. 2014 Leeds Involving People. Response to call for evidence from Leeds Beckett University.

Pemberton S, Mason J (2008) Co-production and Sure Start Children's Centres: Reflecting upon Users' Perspectives and Implications for Service Delivery, Planning, and Evaluation. *Social Policy & Society*. 8(1): 13-24.

Phillips G, Renton A, Moore DG; Bottomley C, Schmidt E, Lais S, Yu G, Wall M, Tobi P, Frostick C, Clow A, Lock K, Petticrew M, Hayes R (2012) The Well London program--a cluster randomized trial of community engagement for improving health behaviors and mental wellbeing: baseline survey results. *Trials*. 13: 105-105.

Phillips G, Bottomley C, Schmidt E, Tobi P, Lais S, Yu G, Lynch R, Lock K, Draper A, Moore D, Clow A, Petticrew M, Hayes R, Renton A (2014) Well London Phase-1: results among adults of a cluster-randomised trial of a community engagement approach to improving health behaviours and mental well-being in deprived inner-city neighbourhoods. *Journal of Epidemiology And Community Health*. Published Online First. doi:10.1136/jech-2013-202505

Place Shapers Group; (2011) Localism that works: how housing associations make things happen. South Yorkshire: PlaceShapers.

Platt S, Backett-Milburn K, Petticrew M et al; (2005) Evaluation of the Healthy Living Centre Programme in Scotland. Report of phase 1. Edinburgh: Research Unit in Health, Behaviour and Change.

Platt S, Parry O, Ritchie D, Gnich W (2003) *Evaluating a community-based anti-smoking programme: lessons for policy, practice and research*. Edinburgh: Research Unit in Health, Behaviour and Change.

Power R, Hunter G (2001) Developing a strategy for community-based health promotion targeting homeless populations. *Health Educ Res.* (16): 593–602.

Pritchard C, Hall J, Cronin E (2006) Fruit, vegetables and social inclusion. *Perspectives in Public Health*. 126: 255-256.

Quinn N, Knifton L (2012) Positive Mental Attitudes: how community development principles have shaped a ten-year mental health inequalities programme in Scotland, IN Community Development Journal, 47, 588-603

Quinn N, Knifton L (2005) Promoting Recovery and Addressing Stigma: Mental Health Awareness through Community Development in a Low-Income Area. Int J Mental Health Promotion, 7, 37-44.

Race for Health; (2010) How effective community engagement is challenging health inequalities and improving the lives of people from black and minority ethnic backgrounds. Liverpool: Race for Health.

Raine P (2003) Promoting breast-feeding in a deprived area: the influence of a peer support initiative. *Health and Social Care in the Community*. (11): 463–469.

Reece L, Flint S (2012) Sheffield All-Being Well Consortium Draft Report: Evaluation of the impact of community health champions on secondary beneficiaries. Sheffield: Sheffield All-Being Well Consortium.

Reeve J, Peerbhoy D (2007) Evaluating the evaluation: Understanding the utility and limitations of evaluation as a tool for organisational learning. *Health Education*. 66(2): 120-131.

Ritchie D (2001) 'Breathing Space': Reflecting upon the realities of community partnerships and workers' beliefs about promoting health. *Health Education Journal*. 60(1): 73–92.

Ritchie D, Parry O, Gnich W, et al (2004) Issues of participation, ownership and empowerment in a community development programme: tackling smoking in a low-income area in Scotland. *Health Promot International*. 19(1): 51–9.

Robinson M, Robertson S, McCullagh J, Hacking S (2010) Working towards men's health: Findings from the Sefton men's health project. Health Educ Journal, 69, 139-149.

Rocket Science Ltd UK. (2011) Healthy Weight Communities programme evaluation. Edinburgh: Scottish Government Social Research.

Roma Support Group (2009) *Improving Engagement with the Roma Community*. London: London Civic Forum.

Romeo-Velilla Maria 2014. My Community Matters. Response to call for evidence from Leeds Beckett University.

Rosenburg J (2011) Social housing, community empowerment and well-being: Part one - empowerment practice in social housing. *Housing, Care & Support.* 14(4): 113-122.

Royal Society for Public Health (2011) Briefing Report: Youth Health Champion: Bringing Health into the Lives of Children. London: Royal Society for Public Health.

Sadare O (2011) Evaluation of Community Engagement in the Design and Delivery of Health Promotion Interventions. PhD thesis, School of Health and Biosciences, University of East London.

SALISBURY, N. 2014. Bristol Crisis Service for Women. Response to call for evidence from Leeds Beckett University.

Scottish Government (2009) Community: Scottish Community Empowerment Action Plan – Celebrating Success: Inspiring Change. Edinburgh: Scottish Government and COSLA.

Scottish Community Development Centre (2011) Faithful endeavours: how public agencies and faith communities can work better together. Glasgow: ScotPHN.

Scottish Community Development Centre (2013) Developing a culture of thoughtfulness around assets based approaches to health improvement. Glasgow: ScotPHN.

Scottish Community Development Centre (2013) Assets based approaches to health improvement - Creating a culture of thoughtfulness, briefing paper. Glasgow: SCDC.

Scottish Government (2013) Equally well: review 2013 - report of the Ministerial Task Force on Health Inequalities. Edinburgh: The Scottish Government.

Seebohm P, Gilchrist A (2008) *Connect and include: An exploratory study of community development and mental health*. London: National Social Inclusion Programme.

Seebohm P, Gilchrist A, Morris D (2012) Bold but balanced: how community development contributes to mental health and inclusion. *Community Development Journal*. 47(4): 473-490.

Sender H, Khor Z, Carlisle B (2011) National Empowerment Partnership (NEP) Programme. Final Evaluation Report. London: Community Development Foundation.

Seyfang G, Smith K (2002) *The time of our lives: Using time banking for neighbourhood renewal and community capacity building*. London: New Economics Foundation. http://www.i-r-e.org/bdf/docs/a002_time-banking-for-community-capacity-building.pdf

Seyfang Gill (2003) Growing cohesive communities one favour at a time: social exclusion, active citizenship and time banks. *International Journal of Urban and Regional Research*. 27(3): 699-706.

Seymour J (2014) *Wirral Healthy Homes*. Response to call for evidence from Leeds Beckett University.

Sheridan K, Adams-Eaton F, Trimble A, Renton A, Bertotti M (2010) Community engagement using World Café: The Well London experience. *Groupwork*. 20(3): 32-50.

Sheridan K, Tobi P (2010) Towards a community engagement strategy. *British Journal of Healthcare Management*. 16(3): 123-128.

Shircore R (2013) Health Trainers Half Year Review 1st April – 30th September 2013. London: Royal Society for Public Health, London: Royal Society for Public Health.

Skidmore P, Bound K, Lownsbrough H (2006) Community participation: who benefits? York: Joseph Rowntree Foundation.

SMITH, A. 2014. Leeds HIV prevention & testing service for Black African Communities. Response to call for evidence from Leeds Beckett University.

Smith S, Bellaby P, Lindsay S (2010) Social inclusion at different scales in the urban environment: locating the community to empower. *Urban Studies*, 47, 1439-1457.

South J, Phillips G (2014) Evaluating community engagement as part of the public health system. Journal Of Epidemiology And Community Health, 68, 692-696.

SOUTH, J., WOODWARD, J. & LOWCOCK, D. 2007. New beginnings: stakeholder perspectives on the role of health trainers. J Royal Soc Promot Health, 127, 224-230.

South J, Meah A, Branney P (2011) Think differently and be prepared to demonstrate trust: findings from public hearings, England, on supporting lay people in public health roles. Health Promot Int, 27, 284-294.

Spencer G (2014) Young people and health: towards a new conceptual framework for understanding empowerment. *Health*. 18(1): 3-22.

Stafford M, Nazroo J, Popay J M; Whitehead M (2008) Tackling inequalities in health: evaluating the New Deal for Communities initiative. JECH, 62, 298-304.

Starkey F, Moore L, Campbell R, Sidaway M, Bloor M (2005) Rationale, design and conduct of a comprehensive evaluation of a school-based peer-led anti-smoking intervention in the UK: The ASSIST cluster randomised trial (ISRCTN55572965). *BMC Public Health*. 5(1): 43.

Starkey F, Audrey S, Holliday J, Moore L, Campbell R (2009) Identifying influential young people to undertake effective peer-led health promotion: the example of A Stop Smoking In Schools Trial (ASSIST). *Health Education Research*. 24(6): 977-988.

Stephenson JM, Strange V, Forrest S, Oakley A, Copas A, Allen E, Babiker A, Black S, Ali M, Monteiro H, Johnson AM (2004) Pupil-led sex education in England (RIPPLE study): cluster-randomised intervention trial. *Lancet.* 364(9431): 338-46.

Stephenson J, Strange V, Allen E, Copas A, Johnson A, Bonell Chris, Babiker A, Oakley A (2008) The Long-Term Effects of a Peer-Led Sex Education Programme (RIPPLE): A Cluster Randomised Trial in Schools in England. PLoS Medicine 5 (11), e224.

STUTELEY, H. 2014. C2 (Connecting Communities). Response to call for evidence from Leeds Beckett University.

STUTELY, H. 2002. The Beacon Project - a community-based health improvement project. Br J Gen Pract, 52 (Suppl), S44-S46.

Stutely H, Cohen C (2004) Community partnership for health and well-being: the Falmouth Beacon project. *Journal of Integrated Care*. 4: 19-27.

Summerfield K, Wright T (2014) *Safer Places Scheme*. Response to call for evidence from Leeds Beckett University.

Sustainable Development Commission; (2010) The future is local: empowering communities to empower their neighbourhoods. Sustainable Development Commission.

Taylor M, Ardon R, Carlton N, Meegan R, Purdue D, Russell H, Syed A, Wilson M (2005) *Making Connections: An Evaluation of the Community Participation Programmes*. London: Office of the Deputy Prime Minister.

http://www.neighbourhood.gov.uk/publications.asp?did=1418

Taylor M, Wilson M, Purdue D, Wilde P (2007) Changing neighbourhoods Lessons from the JRF Neighbourhood Programme. York: Joseph Rowntree Foundation.

Taylor P (2009) CHANGING IDEAS: Case studies of strategic approaches to communityled health improvement. Prepared for the Meeting the Shared 'Healthy communitiesmeeting the shared challenge'.

Thraves L (2013) *A dose of localism: the role of councils in public health*. London: Local Government Information Unit.

Truman C, Raine P (2001) Involving users in evaluation: the social relations of user participation in health research. Critical Public Health, 11, 215-219.

Tunariu A, Boniwell I, Yusef D, Jones J (2011) *Well London DIY Happiness Project Research Evaluation report.* London: Well London.

Tunstill J, Meadows P, Allnock D, Akhurst S, Chrysanthou J, Garbers C, Morley A, van de Velde, T (2005) *Implementing Sure Start local programmes: An in-depth study*. London: The National Evaluation of Sure Start. http://www.ness.bbk.ac.uk/documents/activities/implementation/861.pdf

UK Coalition Against Poverty; (2007) Get Heard! People living in poverty contribute to the National Action Plan on Social Inclusion 2006-2008.

Visram S, Geddes L, Carr SM, Drinkwater C (2006) An evaluation of the Early Adopter Phase of the Health Trainers Project in the North East. Northumbria University.

Wait S, Nolte E (2006) Public involvement policies in health: exploring their conceptual basis. *Health Economics, Policy, And Law.* 1(Pt 2): 149-162.

Wallace A (2007) We have had nothing for so long that we don't know what to ask for': New Deal for Communities and the Regeneration of Socially Excluded Terrain. Social Policy and Society, 6, 1-12.

Wanless D (2002) Securing our Future Health: Taking a Long-Term View. London: HM Treasury.

Wanless D (2004) Securing good health for the whole population. Final report. London: HM Treasury.

Ward L, Banks L (2009) *Evaluation of Health Trainers in West Sussex*. Brighton: University of Brighton.

Watson A, Owen G, Crowder M, Ellis B (2004) Evaluation of the community champions fund. London: Department for Education and Skills.

Watt R G; Tull K I; Hardy R, Wiggins M, Kelly Y, Molloy B, Dowler E, Apps J, McGlone P (2009) Effectiveness of a social support intervention on infant feeding practices: randomised controlled trial. *Journal Of Epidemiology And Community Health*. 63(2): 156-162.

Webster J, Johnson V (2000) *Reaching the parts... Community mapping: working together to tackle social exclusion and food poverty*. London: Sustain. http://www.sustainweb.org/pdf/pov_reach.pdf Well London Hammersmith and Fulham NHS; (2011) Health Champion Project: EVALUATION REPORT. London: Hammersmith and Fulham NHS.

Welsh Assembly Government (2008) *Designed to add value: a third dimension: a strategic direction for the voluntary and community sector in supporting health and social care.* Cardiff: Wales: Welsh Assembly Government.

WHITE, J., KINSELLA, K. & SOUTH, J. 2012. Kirklees Health Trainer Service. Leeds: Leeds Metropolitan University.

WHITE, J. & WOODWARD, J. 2013. Community Health Champions in Lincolnshire. Leeds: Leeds Metropolitan University.

Whitehead M, Dahlgren G (2007) Levelling up (part 1): a discussion paper on concepts and principles for tackling social inequalities in health (Studies on social and economic determinants of population; health no 2). Copenhagen: WHO Regional Office for Europe.

Wood C, Bragg R, Barton J (2013) Natural Choices for Health and Wellbeing: A Report for Liverpool Primary Care Trust and The Mersey Forest. Colchester: University of Essex

Woodall J, Kinsella K, South J, White J (2012) *Community Health Champions and older people: A review of the evidence*. Leeds: Altogether Better.

Woodall J, White J, South J (2012) Improving health and well-being through community health champions: a thematic evaluation of a programme in Yorkshire and Humber. *Perspectives in Public Health*. DOI: 10.1177/1757913912453669

YHEP (2010) *Empowering Communities to improve their health and wellbeing*. Leeds: Altogether Better.

Ziersch A, Gaffney J, Tomlinson DR (2000) STI prevention and the male sex industry in London: evaluating a pilot peer education programme. *Sexually Transmitted Infections*. 76(6): 447-453.

APPENDIX E Bibliography of excluded studies

Reason for exclusion: DATE (published before 2000, or 2006 for policy or concept papers)

Bauld L, Mackinnon J, Judge K (2001) *Community Health Initiatives: Recent Policy Developments and the Emerging Evidence-Base*. Glasgow: Health Promotion Policy Unit.

Burton P (2003) Community Involvement in Neighbourhood Regeneration: Stairway to heaven or road to nowhere?. Bristol: ESRC Centre for Neighbourhood Research.

Carlisle S (2000) Health promotion, advocacy and health inequalities: a conceptual framework. *Health Promotion International*. 15(4): 369-376.

Department for Health; (2003) *Tackling Health Inequalities: a programme for action*. London: Department of Health.

Dobbs L, Moore C (2002) Engaging Communities in Area-based Regeneration: The role of participatory evaluation. *Policy Studies*. 23(3): 157-171.

Foley P, Martin S (2000) A New Deal for the Community? Public participation in regeneration and local service delivery. *Policy and Politics*. 28(4): 479-491.

Jacobs B, Mulroy S, Sime C (2002) Theories of chance and community involvement in North Staffordshire Health Action Zone' in Bauld L & Judge K (eds.) *Learning from Health Action Zones*, Chichester. Aeneas: 139-148.

Jones K, Mohan J, Health Development, Agency, Barnard S, Twigg L (2004) Social capital, place and health: creating, validating and applying small-area indicators in the modelling of health outcomes. London: Health Development Agency.

Kellett M (2005) *Children as active researchers: a new research paradigm for the 21st century?*. (NCRM Methods Review paper). Southampton: ESRC National Centre for Research Methods.

Kuruvilla S (2005) *Civil Society Participation in Health Research and Policy: A Review of Models, Mechanisms and Measures.* Working Paper 251. London: Overseas Development Institute.

Parry J, Judge K (2005) Tackling the wider determinants of health disparities in England: a model for evaluating the New Deal for Communities regeneration initiative. *American Journal of Public Health.* 95(4): 626-628.

Popay J et al. (2005) Taking Strategic Action for Engaging Communities (SAFEC). Lancaster: University of Lancaster.

Seyfang G (2002) Tackling Social Exclusions with Community Currencies: Learning from LETS to Time Banks. International Journal of Community Currency Research. 6(3): 1-11. https://ijccr.files.wordpress.com/2012/04/ijccr-2011-molnar.pdf

Reason for exclusion: COUNTRY (not UK)

Andersen MR, Hagher M, Meischke H, Shaw C, Yasui Y, Urban N (2000) Recruitment, Retention, and Activity of Volunteers Promoting Mammography Use in Rural Communitites. *Health Promotion Practice*. 1(4): 341-350.

Aoun SM, Shahid S, Le L, Packer TL (2012) The Role and Influence of 'Champions' in a Community-Based Lifestyle Risk Modification Programme. *Journal of Health Psychology*. 18(4): 528-541.

Ballinger ML, Talbot LA, Verrinder GK (2009) More than a place to do woodwork: a case study of a community-based Men's Shed. *Journal of Men's Health*. 6(1): 20-27.

Basu A, DJ (2008) The relationship between health information seeking and community participation: the roles of health information orientation and efficacy. *Health Communication*. 23(1): 70-79.

Batten L, Holdaway M (2011) The contradictory effects of timelines on community participation in a health promotion programme. *Health Promotion International*. 26(3): 330-337.

Berge J M, Mendenhall T J, Doherty W J (2009) Using Community-based Participatory Research (CBPR) To Target Health Disparities in Families. *Family Relations*. 58(4): 475-488.

Bishop C, Earp JA, Eng E, Lynch KS (2002) Implementing a natural helper lay health advisor program: lessons learnt from unplanned events. *Health Promotion Practice* 3(2): 233-244.

Braunack-Mayer A, Louise J (2008) The ethics of Community Empowerment: tensions in health promotion theory and practice. *Promotion & Education*. 15(3): 5-8.

Burdine JN; McLeroy K, Blakely C, Wendel ML; Felix MR. (2010) Community-based participatory research and community health development. *The Journal of Primary Prevention*. 31(1-2): 1-7.

Campbell C, Cornish F (2010) Towards a "fourth generation" of approaches to HIV/AIDS management: creating contexts for effective community mobilisation. *AIDS Care*. 22(Suppl 2): 1569-1579.

Cargo M, Mercer SL (2008) The value and challenges of participatory research: strengthening its practice. *Annual Review of Public Health*. 29: 325-50.

Chinman M, Early D, Ebener P, Hunter S, Imm P, Jenkins P, Sheldon J, Wandersman A (2004) Getting To Outcomes: a community-based participatory approach to preventive interventions. *Journal of Interprofessional Care*. 18(4): 441-443.

Dennis CL (2002) Breastfeeding peer support: maternal and volunteer perceptions from a randomized controlled trial. *Birth.* 29(3): 169-176.

Dickson-Gomez J, Weeks M, Martinez M, et al (2006) Times and places: process evaluation of a peer led HIV prevention intervention. *Substance Use and Misuse*. 41(5): 669-690.

Shaya FT, Gu A, Saunders E (2006) Addressing cardiovascular health disparities through community interventions. *Ethnicity and Disease*. 16(1): 322-323.

Grassley J Escheti V, (2007) Two Generations Learning Together: Facilitating Grandmothers' Support of Breastfeeding. *International Journal of Childbirth Education*. 22(3): 23–26.

Graves K (2001) *Shedding the light on men in sheds: Final Report*. Bendigo, Victoria, Australia: Community Health Bendigo.

Johnson Z, B Molloy et al, (2000) Community mothers programme - Seven year follow-up of a randomized controlled trial of non-professional intervention in parenting. *Journal of Public Health Medicine*. 22(3): 337-342.

Juzang I, Fortune T, Black S, Wright E, Bull S (2011) A pilot programme using mobile phones for HIV prevention . *Journal of Telemedicine and Telecare*. 17: 150-153.

Khodyakov D, Stockdale S, Jones F, Ohito E, Jones A, Lizaola E, Mango J (2011) An Exploration of the Effect of Community Engagement in Research on Perceived Outcomes of Partnered Mental Health Services Projects. *Society and Mental Health.* 1(3): 185-199.

Kilpatrick Sue (2009) Multi-level rural community engagement in health. *The Australian Journal of Rural Health*. 17(1): 39-44.

Labonte R Laverack G (2001) Capacity building in health promotion, Part 1: For whom? And for what purpose?. *Critical Public Health*. 11(2): 111-127.

Lasker J et al (2011) Time Banking and Health: The Role of a Community Currency Organization in Enhancing Well-Being. *Health Promotion Practice*. 12: 102-115.

Latkin CA, Sherman S, Knowlton A (2003) HIV prevention among drug users: outcome of a network-oriented peer outreach intervention. *Health Psychology*. 22(4): 332-339.

Laverack G (2001) An identification and interpretation of the organizational aspects of community empowerment. *Community Development Journal*. 36(2): 134-145.

Law AV, Shapiro K (2005) Impact of a community pharmacist-directed clinic in improving screening and awareness of osteoporosis. *Journal of Evaluation in Clinical Practice*. 11(3): 247-255.

DeBar LL, Schneider M, Drews KL, Ford EJ, Stadler DD, Moe EL, White M, Hern AE, Solomon S, Jessup A, Venditti EM (2011) Student public commitment in a school-based diabetes prevention project: impact on physical health and health behavior. *BMC Public Health*. 11: 711. DOI:10.1186/1471-2458-11-711

Meurer LN, Diehr S (2012) Community-engaged scholarship: meeting scholarly project requirements while advancing community health. *Journal of Graduate Medical Education*. 4(3): 385-386.

Narushima M (2005) "Payback time": community volunteering among older adults as a transformative mechanism. *Ageing and Society*. 25(4): 567-584.

O'Fallon LR, Dearry A (2002) Community-based participatory research as a tool to advance environmental health sciences. *Environmental Health Perspectives*.110 (Supplement 2): 155-159.

Ormsby J, Stanley M, Jaworski K (2010) Older men's participation in community-based men's sheds programmes. *Health and Social Care in the Community*. 18(6): 607-613.

(2006) Revised evidence-based program list will support community-level practice. *Mental Health Weekly*. 16(15): 1-3.

Robinson-Whelen S, Hughes R B, Taylor H B, Colvard M, Mastel-Smith B, Nosek MA (2006) Improving the health and health behaviors of women aging with physical disabilities: A peer-led health promotion program. *Women's Health Issues*. 16(6): 334-345.

DeForge R, Regan B, Gutmanis I (2008) Lean On Me: Building Volunteer Capacity to Support Frail Seniors Participation in Community Seniors Centre Programs: A Pilot Project Evaluation Report. *Therapeutic Recreation Journal*. 42(3): 172-179.

Thomas GN, Macfarlane DJ, Guo B, Cheung BM, McGhee SM, Chou KL, Deeks JJ, Lam TH, Tomlinson B (2012) Health promotion in older Chinese: a 12-month cluster randomized controlled trial of pedometry and "peer support". *Medicine and Science in Sports and Exercise*. 44(8): 1157-1166.

Valente T W; Chou C P; Pentz M A; (2007) Community Coalition Networks as Systems: Effects of Network Change on Adoption of Evidence-Based Prevention. *American Journal of Public Health*. 97(5): 880-886.

Van der Plaat , M , Barrett G (2006) Building community capacity in governance and decision making. *Community Development Journal*. 41(1): 25-36.

Wagemakers A, Vaandrager L, Koelen M, Saan H, Leeuwis C (2010) Community health promotion: a framework to facilitate and evaluate supportive social environments for health. *Evaluation and Program Planning*. 33(4): 428-435.

Wallerstein N (2006) What is the evidence on effectiveness of empowerment to improve *health?*. Copenhagen: WHO Regional Office for Europe.

WHO (2008) Community Involvement in Tuberculosis Care and Prevention: Towards Partnerships for Health: Guiding Principles and Recommendations Based on a WHO Review. Geneva: WHO Press.

Wong Naima T; Zimmerman Marc A; Parker Edith A; (2010) A typology of youth participation and empowerment for child and adolescent health promotion. *American Journal of Community Psychology*. 46(1-2): 100-114.

World Health Organisation (2002) *Community Participation in Local Health and Sustainable Development: Approaches and Techniques, in European Sustainable Development and Health Series No. 4.* Copenhagen: Centre for Urban Health, WHO Regional Office for Europe.

Lee Y, Brudney JL (2008) The impact of volunteering on successful ageing: a review with implications for programme design. *Voluntary Action*. 9(1): 21-35.

Reason for exclusion: TOPIC (not community engagement or not public health)

Eden A, Lowndes J (2013) Improving well-being through community health improvement: a service evaluation. *Perspectives in Public Health*. 133(5): 272-279.

CHEX (Community Health Exchange) (2011) Money Well Spent: Economic evidence in Community-led health. Glasgow: CHEX.

Swan P (2013) Promoting social inclusion through community arts. *Mental Health and Social Inclusion*. 17(1): 19-26.

Andrews K (2004) Developing a learning network to support engagement with health communities. *Health Expectations: An International Journal of Public Participation In Health Care And Health Policy*. 7(4): 349-351.

Baker C (2013) Moral Freighting and Civic Engagement: A UK Perspective on Putnam and Campbell's Theory of Religious-Based Social Action. *Sociology of Religion*. 74(3): 343-369.

Bambra C, Smith KE, Garthwaite K, Joyce KE, Hunter DJ (2011) A labour of Sisyphus? Public policy and health inequalities research from the Black and Acheson Reports to the Marmot Review. *Journal of Epidemiology & Community Health.* 65(5): 399-406.

Caie J (2012) Climbing the walls: prison mental health and community engagement. *British Journal of Nursing*. 21(11): 658.

Cameron A, Lloyd L, Turner W et al (2009) Working across boundaries to improve health outcomes: a case study of a housing support and outreach service for homeless people living with HIV. *Health and Social Care in the Community*. 17(4): 388–95.

Centre Women's Resource (2011) *Hidden value: demonstrating the extraordinary impact of women's voluntary and community organisations*. London: Women's Resource Centre.

Christine M, Anthony G, Amanda B (2004) Cultivating Health: therapeutic landscapes in northern England. *Social Science and Medicine*. 58(9): 1781–1793.

Collins C (2009) Resilience in community organisation and its implications for community development in the current economic crisis: the case of the Clydebank Independent Resource Centre. *Concept.* 19(2): 8-11.

Craig G (2014) The key to unlock better outcomes (outcomes based commissioning). *Health Service Journal*. 124(6382): 20-21.

Creativity works (2013) Creativity works: final evaluation report on the NETWORKS project. Bristol: Community Learning Innovation Fund. McCabe A, Davis A (2012) Community development as mental health promotion: principles, practice and outcomes. *Community Development Journal*. 47(4): 506-521.

Department for Children; Schools, Families DCSF (2008) The children's plan: one year on: a progress report. London: DCSF.

Department of Health; (2008) Real involvement: working with people to improve health services. London: Department of Health.

Department of Health (2011) No health without mental health: a cross-government mental health outcomes strategy for people of all ages: supporting document: the economic case for improving efficiency and quality in mental health. London: Department of Health.

DETR Department of the Environment, Transport; the Regions (2000) National strategy for neighbourhood renewal: Report of Policy Action Team 18: Better information. London: DETR.

DfES (2005) Sure Start National Evaluation Report 13: Early impacts of Sure Start Local programmes on children and families. London: DfES.

Docherty I, Goodlad R, Paddison R (2001) Civic culture, community and citizen participation in contrasting neighbourhoods. *Urban Studies*. 38(12): 2225-2250.

Dowling B, Powell M, Glendinning C (2004) Conceptualising successful partnerships. *Health and Social Care in the Community*. 12(4): 309-317.

East L (2002) Regenerating health in communities: voices from the inner city. *Critical Social Policy*. 22(2): 147-172.

Miller, E (2008) Outcomes important to people with intellectual disabilities. *Journal of Policy* and *Practice in Intellectual Disabilities*. 5(3): 150-158.

Evans D, Killoran A (2000) Tackling health inequalities through partnership working: learning from a realistic evaluation'. *Critical Public Health*. 10(2): 125-140.

Evans N (2001) Tackling smoking through partnerships: lessons learned from the national alliance schemes. London: Health Development Agency.

Fazil Q, et al (2004) Empowerment and advocacy: reflections on action research with Bangladeshi and Pakistani families who have children with severe disabilities, . *Health and Social Care in the Community*. 12: 389-397.

Fieldhouse J (2012) Mental health, social inclusion, and community development: lessons from Bristol. *Community Development Journal*. 47(4): 1-17.

Fieldhouse J, Donskoy A (2013) Community participation and social inclusion in Bristol. *Mental Health and Social Inclusion*. 17: 156-164.

Fisher P, Owen J (2008) Empowering interventions in health and social care: recognition through 'ecologies of practice'. *Social Science & Medicine (1982)*. 67(12): 2063-2071.

Force Social Exclusion Task; (2010) *Inclusion Health: Evidence Pack, March 2010*. London: Social Exclusion Task Force. Force Social Exclusion Task; (2010) *Inclusion health: improving the way we meet the primary health care needs of the socially excluded.* London: Social Exclusion Task Force.

Gaster L, Crossley R (2000) *Community development: Making a difference in social housing.* York: Joseph Rowntree Foundation and YPS. http://www.jrf.org.uk/bookshop/eBooks/1859353169.pdf

Gaventa J, Barrett G (2010) So What Difference Does it Make? Mapping the Outcomes of Citizen Engagement. *IDS Research Summary of IDS Working Paper 347*. Brighton: Institute of Development Studies, University of Sussex.

Geller R (2001) The first year of Health Improvement Programmes; views from directors of public health. *Journal of Public Health Medicine*. 23(1): 57-64.

Gleibs I et al; (2011) No country for old men? The role of a 'Gentlemen's Club' in promoting social engagement & psychological well-being in residential care. *Aging and Mental Health*. 15(4): 456-66.

Gunn R (2008) The power to shape decisions? An exploration of young people's power in participation. *Health and Social Care in the Community*. 16(3): 253-261.

Henderson B (2006) *Research into the sustainability issues facing organisations involved in community activity and health improvement.* Edinburgh: NHS Scotland.

Hoddinott P, Britten J, Prescott G J; Tappin D, Ludbrook A, Godden D J; (2009) Effectiveness of policy to provide breastfeeding groups (BIG) for pregnant and breastfeeding mothers in primary care: cluster randomised controlled trial. British Medical Journal. 338: a3206.

Horne M, Costello J (2003) Health needs assessment: Involving older people in health research. *Quality in Ageing* and Older Adults. 4(3): 14-22.

Houston S (2010) Building resilience in a children's home: results from an action research project. *Child and Family Social Work*. 15(3): 357-368.

Howe A, MacDonald H, Barrett B, Little B (2006) Ensuring public and patient participation in research: a case study in infrastructure development in one UK Research and Development consortium. *Primary Health Care Research and Development*. 7(1): 60-67.

Ingram J, Cann K, Peacock J, Potter B (2008) Exploring the barriers to exclusive breastfeeding in black and minority ethnic groups and young mothers in the UK. *Maternal and Child Nutrition*. (4(3)): 171-80.

Ings R, Crane N, Cameron M (2011) Be Creative Be Well: Arts, wellbeing and local communities: An evaluation. London: Arts Council England.

Involve (2009) Senior Investigators and Public Involvement. Eastleigh: Involve/NIHR.

Involve (2010) *Examples of training and support for public involvement in research: sharing innovative practice workshop.* Eastleigh: Involve/NIHR.

IRISS Institute for Research and Innovation in Social Services (2013) Social assets in action evaluation report. Glasgow: IRISS.

McLean J, Biggs H, Whitehead I, Pratt R, Maxwell M (2009) Evaluation of the Delivering for Mental Health Peer Support Worker Pilot Scheme. Edinburgh: Scottish Government Social Research.

Johnstone D, Campbell-Jones C (2003) *Skills for regeneration: Learning by community champions*. London: Educe and the Department for Education and Skills. http://www.renewal.net/Documents/RNET/Research/Skillsregenerationlearning.pdf

Johnstone D, Johnstone S, Garrad S, Campbell-Jones C, Fordham G (2005) Neighbourhood Renewal Advisers - Skills and Knowledge Programme Evaluation -Background Report 3. London: EDuce and the Office of the Deputy Prime Minister.

Caie J (2011) Social inclusion and the prison population. *Mental Health Practice*. 14(6): 24-27.

Davis Smith J, Gay P (2005) Active ageing in active communities: Volunteering and the transition to retirement. Bristol: The Policy Press/ Joseph Rowntree Foundation.

Kennedy LA, Milton B, Bundred P (2008) Lay food and health worker involvement in community nutrition and dietetics in England: definitions from the field. *Journal of Human Nutrition And Dietetics: The Official Journal Of The British Dietetic Association*. 21(3): 196-209.

King's Fund (2000) Strategic action programme for healthy communities: draft report on the expert hearing. London: The King's Fund.

Leamy N, Clough R (2006) *How older people became researchers: training guidance and practice in action.* York: Joseph Rowntree Foundation.

Lemos G (2006) Steadying the ladder: social and emotional aspirations of homeless and vulnerable people. London: Lemos and Crane.

Lhussier M et al; (2008) The potential contribution of realistic evaluation to small-scale community interventions. *Community Practitioner*. 81(9): 25-28.

Lister G (2010) Assessing the Value for Money of Health Trainer Services. London: The Department of Health.

Lloyd N, O'Brien M, Lewis C (2005) *Fathers in Sure Start.* London: National Evaluation of Sure Start and Institute for the Study of Children, Families, and Social Issues, University of London. http://www.psych.lancs.ac.uk/people/uploads/CharlieLewis20030929T175009.pdf

London Health Observatory (2012) A review of local actions in the former London Spearhead boroughs to reduce health inequalities through key social determinants: employment, housing and income - executive summary. London: London Health Observatory.

Mackenzie M, Turner F, Platt S, Reid M, Wang Y, Clark J, Sridharan S, O'Donnell C (2011) What is the 'problem' that outreach work seeks to address and how might it be tackled?

Seeking theory in a primary health prevention programme. *BMC Health Services Research.* 11: 350-350.

Mackenzie M, Reid M, Turner F, Wang Y, Clark J, Sridharan S, Platt S, O'Donnell C (2012) Reaching the hard-to-reach: conceptual puzzles and challenges for policy and practice, *Journal of Social Policy*. 41(3): 11-532.

Manthorpe J, Rews J, Agelink M, Zegers S, Cornes M, Smith M, Watson R (2003) Volunteers in Intermediate Care: Flexible Friends?. *Journal of Integrated Care*. 11(6): 31-39.

Manthorpe J, Cornes M (2004) Intermediate Care: Older People's Involvement and Experiences. *Journal of Integrated Care*. 12(6): 43-48.

Matthews M (2013) Leading the way (helping homeless people with mental health issues). *Mental Health Today*. : 28-29.

McInroy N, MacDonald S (2005) *From community garden to Westminster: Active citizenship and the role of public space.* Manchester: Centre for Local Economic Strategies. http://www.togetherwecan.info/files/downloads/Reports/Public%20Spaces%20Ac%20repor t%20final%20pdf.pdf

Melhuish E, Belsky J, Leyl , A (2005) *The National Evaluation of Sure Start: Early impacts of Sure Start Local Programmes on children and families; report of the cross-sectional study of 9-and 36-month old children and their families.* London: DFES.

Melton J, Clee S (2009) Mechanisms to engage communities in fostering social inclusion: a provider perspective. *Public Services*. 5: 29-37.

Milewa T, Harrison S, Ahmad W, Tovey P (2002) Citizens' participation in primary healthcare planning: Innovative citizenship practice in empirical perspective. *Critical Public Health*. 12(1): 39-53.

Monaghan L (2013) The 8 pillar model of community support: A report in association with Alzheimer Scotland. Sheffield: Centre for Welfare Reform. http://www.centreforwelfarereform.org/uploads/attachment/382/delivering-integrated-dementia-care-the-8-pillars-model-of-community-support.pdf

National Pharmacy Association (2012) Healthy Living Pharmacy Overview. St Albans: National Pharmacy Association.

Oliver S, Clarke-Jones L, Rees R, Milne R, Buchanan P, Gabbay J, et al (2004) Involving consumers in research and development agenda setting for the NHS: developing an evidence-based approach. *Health Technol Assess. [Review]*. 8(15): 1-148.

Baraitser P, Pearce V, Holmes J, Horne N, Boynton PM (2007) Chlamydia testing in community pharmacies: evaluation of a feasibility pilot in south east London. *Quality and Safety in Health Care*. 1(4): 303-307.

Penn L, Ryan V, White M (2013) Feasibility, acceptability and outcomes at a 12-month follow-up of a novel community-based intervention to prevent type 2 diabetes in adults at high risk: mixed methods pilot study. *BMJ Open.* 3(11): e003585-e003585.

Windle K, Wagland R, Forder J, D'Amico F, Janssen D, Wistow G (2009) *National Evaluation of Partnerships for Older People Projects: Final Report*. Canterbury: Personal Social Services Research Unit, University of Kent.

Peter Fletcher Associates Ltd (2011) *Evaluation of Local Area Co-ordination in Middlesbrough*. Hexham: Peter Fletcher Associates.

Pillai R, Rankin J, Stanley K, Bennett J, Hetherington D, Stone L, Withers K (2007) Disability 2020: opportunities for the full and equal citizenship of disabled people in Britain in 2020. London: Institute for Public Policy Research.

Robinson N, Lorenc AR (2010) *Strengthening the public voice in shaping sexual and reproductive health services - Changing relationships*. London: London Sexual Health Programme.

http://www.londonsexualhealth.org/uploads/Strengthening%20Partnerships%20FULL%20R EPORT.pdf

Scottish Executive Central Research Unit; (2001) National evaluation of the former regeneration programmes. London: Cambridge Economic Associates. http://www.gov.scot/Resource/Doc/156554/0042044.pdf

Iliffe S, Kharicha K, Kharicha D, Swift C, Goodman C, Manthorpe J; (2010) User involvement in the development of a health promotion technology for older people: findings from the SWISH project. *Health and Social Care in the Community*. 18(2): 147-159.

Ryan L, Kofman E, Aaron P (2010) Insiders and outsiders: working with peer researchers in researching Muslim communities. *International Journal of Social Research Methodology*. 14(1): 49-60.

Social Development Direct (2004) *Neighbourhood Wardens Scheme Evaluation: final report.* London: SD Direct.

Spandler H, McKeown M, Roy A (2012) *Evaluation of 'It's a Goal!' Final Report*. Preston: University of Central Lancashire.

Sridharan S, Gnich W, Moffat V, Bolton J, Harkins C, Hume M, Nakaima A, MacDougall I, Docherty P (2008) *Independent Evaluation of Have a Heart Paisley Phase* 2. Edinburgh: University of Edinburgh.

Staley K (2009) *Exploring Impact: Public involvement in NHS, public health and social care research.* Eastleigh: INVOLVE.

Stevinson C, Hickson M (2013) Exploring the public health potential of a mass community participation event. *Journal of Public Health*. 36(2): 268-274.

Stredder K, Sumnall H, Lyons M (2009) Behaviour change training delivered across Cheshire and Merseyside: A report mapping programmes and exploring processes. Bromborough: Champs Public Health Collaborative.

Taylor S (2006) A new approach to empowering older people's forums: identifying barriers to encourage participation. *Practice*. 18(2): 117-128.

The Mentoring and Befriending Foundation (2010) *Befriending works: Building resilience in local communities.* Manchester: Mentoring and Befriending Foundation.

Themessl-Huber M, Lazenbatt A, Taylor J (2008) Overcoming health inequalities: a participative evaluation framework fit for the task. *The Journal of The Royal Society For The Promotion Of Health.* 128(3): 117-122.

Tunstill J, Allnock D, Akhurst S, Garbers C (2005) Sure Start local programmes: Implications of case study data from the national evaluation of Sure Start. *Children & society*. 19(2): 158-171.

Walker P, Lewis J, Lingayah S, Sommer F (2000) Prove it! Measuring the effect of neighbourhood renewal on local people. London: Groundwork, The New Economics Foundation and Barclays PLC.

White A, Zwolinsky S, Pringle A, McKenna J, Daly-Smith A, Robertson S, Berry R (2012) *Premier League Health: A National Programme of Men's Health Promotion Delivered in/by Professional Football Clubs, Final Report.* Leeds: The Centre for Men's Health, Institute for Health and Wellbeing, Leeds Metropolitan University.

Whittemore R, Rankin S, Callahan CD, Leder MC, Carroll DL (2000) The Peer Advisor Experience Providing Social Support. *Qualitative Health Research*. 10(2): 260-276.

Anderson W, Florin D, Gillam S, Mountford S (2002) Every Voice: Involving patients and the public in Primary care. London: King's Fund.

Williamson AP, Beattie RS, Osborne SP (2004) Addressing fragmentation and social exclusion through community involvement in rural regeneration partnerships: evidence from the Northern Ireland experience. *Policy and politics*. 32(3): 351-369.

Williamson T, Prashar A, Hulme C, Warne A (2009) Evaluation of Rochdale Partnerships for Older People Project (POPP): Building Healthy Communities for Older People. Salford/ Leeds: University of Salford/ University of Leeds.

Witty K, White A (2011) Tackling men's health: implementation of a male health service in a rugby stadium setting. *Community Practitioner*. 84(4): 29-32

Reason for exclusion: STUDY TYPE (Discussion only, or secondary research)

Alakeson V, Bunnin A, Miller C (2013) Coproduction of health and wellbeing outcomes: the new paradigm for effective health and social care. London: OPM.

Anon (2010) Popular ideas (community involvement). *Health Service Journal Supplement*. 24 June: 10-11.

Atherton G, Hashagan S, Chanan G et al; (2002) Involving Local People in Community Planning in Scotland. London: Community Development Foundation.

Baisch M (2009) Community health: an evolutionary concept analysis. *Journal of Advanced Nursing*. 65(11): 2464-2476.

Blomfield M, Clayton H (2010) *Community engagement report for the Health Foundation*. London: Health Foundation.

Bovaird T, Loeffler E (2012) From Engagement to Co-production: The Contribution of Users and Communities to Outcomes and Public Value. *Voluntas: International Journal of Voluntary & Nonprofit Organizations*. 23(4): 1119-1138.

Boyle D, Harris M (2009) The Challenge of Co-production: How equal partnerships between professionals and the public are crucial to improving public services. London: National Endowment for Science, Technology and the Arts.

Bridgen P (2004) Evaluating the empowering potential of community-based health schemes: the case of community health policies in the UK since 1997. *Community Development Journal*. 39(3): 289-302.

Buck D, Gregory S (2014) *Improving the public's health – resource for local authorities*. London: The King's Fund.

Burnell J (2013) Small Change: understanding cultural action as a resource for unlocking assets and building resilience in communities. *Community Development Journal*. 48(1): 134-150.

Campbell F (2008) Reaching out community engagement and health. London: Improvement and Development Agency (IDeA).

Chiu LF (2008) Engaging communities in health intervention research/practice. *Critical Public Health*. 18(2): 151-159.

Communities and Local Government (2006) The Community Development Challenge. Wetherby: Communities and Local Government.

Community Health Exchange; (2004) Putting the 'Community' into Community Health Partnerships (A Briefing on Community Health Initiatives Potential role in CHPs). Briefing Sheet for the Community Health Exchange. Glasgow: Community Health Exchange.

Conklin A, Slote Morris Z; Nolte E (2010) Involving the public in healthcare policy: An update of the research evidence and proposed evaluation framework. Cambridge: RAND Europe.

Cook D (2002) Consultation, for a Change? Engaging Users and Communities in the Policy Process. *Social Policy and Administration*. 36(5): 516-531.

Dailly J, Barr A (2008) *Meeting the shared challenge: Understanding a Community-led Approach to Health Improvement.* : Healthy Communities.

Department of Health (2002) *Health and neighbourhood renewal: Guidance*. London: Neighbourhood Renewal Unit, Department of Health.

Department of Health (2006) *Our health, our care, our say: a new direction for community services.* London: Department of Health.

Department of Communities and Local Government (2008) *Communities in control: Real people, real power*. London: Department of Communities and Local Government.

Department of Health; (2008) *Stronger voice, better care: Local Involvement Networks* (*LINks*) *explained*. London: Department of Health.

Department of Health, Third Sector Partnership Team (2010) *Volunteering: involving people and communities in delivering and developing health and social care services.* London: Department of Health.

Department of Health; (2011) Social action for health and well-being: building co-operative communities: Department of Health strategic vision for volunteering. London: Department of Health.

Dibben P, Bartlett D (2001) Local Government and Service Users: Empowerment through user-led innovation?. *Local Government Studies*. 27(3): 43-58.

Dinham A (2007) Raising expectations or dashing hopes? Well-being and participation in disadvantaged areas, *Community Development Journal*. 42(2): 181-193.

Duncan P, Thomas S (2000) *Neighbourhood Regeneration: Resourcing community involvement*. Bristol: The Policy Press for the Joseph Rowntree Foundation.

Durose C, Richardson L, Dickinson H, Williams I (2013) Dos and don'ts for involving citizens in the design and delivery of health and social care. *Journal of Integrated Care*. 21(6): 26-335.

Durose C, Mangan, C. Needham, C; Rees J (2013) *Transforming local public services through coproduction*. Birmingham: AHRC Connected Communities/ Department for Communities and Local Government/University of Birmingham.

Fisher B (2011) *Community development in health: a literature review*. London: Health Empowerment Group.

Foley P, Martin S (2000) Perceptions of Community Led Regeneration: Community and central government viewpoints. *Regional Studies*. 34(8): 783-787.

Foot J (2012) What makes us healthy? The asset approach in practice: evidence, action, evaluation. http://www.janefoot.co.uk/downloads/files/healthy%20FINAL%20FINAL.pdf

Gaventa J, A Cornwall (2006) Challenging the Boundaries of the Possible: Participation, Knowledge and Power. *IDS Bulletin*. (37(6)): 122–28.

Gay P (2005) Volunteering for participation in health. : .

Goodlad R, Burton P, Croft J (2005) Effectiveness at what? The processes and impact of community involvement in area-based initiatives. *Environment and Planning C-Government and Policy*. 23: 923-938.

Government Welsh (2011) '*Travelling to a better future*': a Gypsy and Traveller framework for action and delivery. Cardiff: Welsh Government.

Gustafsson U, Driver S (2005) Parents, Power and Public Participation: Sure Start, an Experiment in New Labour Governance. *Social Policy and Administration*. 39(5): 528-543.

Hanley B (2005) *Research as empowerment?: Report of a series of seminars organised by the Toronto Group.* York: Joseph Rowntree Foundation.

Hashagen S (2002) *Model of Community Engagement*. Glasgow: Scottish Community Development Centre.

Hunter D J; (2007) Learning from Healthy Living Centres: The changing policy context. *Big Lottery Fund Policy Commentary*. 1.

Ismail S (2009) Participatory Health Research. International Observatory on Health Research Systems. Cambridge: RAND Europe.

Kirby P (2004) A Guide to Actively Involving Young People in Research: for researchers, research commissioners, and managers. Eastleigh: Involve.

Lawless P (2004) Locating and explaining area-based urban initiatives: New deal for communities in England. *Environment and Planning C: Government and Policy*. 22(3): 383-399.

Learning Disabilities Research Team (2006) *Let me in I'm a researcher! Getting involved in research.* London: Department of Health.

Ledwith M (2011) Community Development: A critical approach. Bristol: Policy Press.

Mackintosh K (2009) Breaking ground (health inequalities). Holyrood. 211: 39-41.

Maginn B (2010) *Total neighbourhood: Placing power back into the community*. London: Localis.

Majeed A, Banarsee R, Molokhia M (2009) Health disparities and community participation in England. *The Journal of Ambulatory Care Management*. 32(4): 280-284.

Marent B, Forster R, Nowak P (2012) Theorizing participation in health promotion: A literature review. *Social Theory & Health*. 10(2): 188-207.

Martindale AM (2013) The UK Health Trainer Initiative: Critical Contexts. In Petrie S, editor. *Controversies in Policy Research: Critical Analysis for a New Era of Austerity and Privatisation*. London: Palgrave, 159-178.

Matka E, Barnes M, Sullivan H (2002) Health Action Zones: creating alliances to achieve change. *Policy Studies Journal*. 23(2): 92-106.

Morris D, Gilchrist A (2011) Communities Connected: Inclusion, Participation and Common Purpose. London: RSA.

Mundle C, Naylor C, Buck D (2012) Volunteering in health and care in England. A summary of key literature. London: The King's Fund.

National Endowment for Science Technology and the Arts (NESTA) (2013) *The Business Case for People Powered Health*. London: NESTA.

Nilsen P (2006) The theory of community based health and safety programs: a critical examination. *Injury Prevention*. 12: 140-145.

Oliver Sandy R; Rees Rebecca W; Clarke-Jones Lorna, Milne Ruairidh, Oakley Ann R; Gabbay John, Stein Ken, Buchanan Phyll, Gyte Gill (2008) A multidimensional conceptual framework for analysing public involvement in health services research. *Health Expectations: An International Journal of Public Participation in Health Care and Health Policy.* 11(1): 72-84.

Peckham S, Hunter D, Hann A (2008) The delivery and organization of public health in England: setting the research agenda. *Public Health.* 122(1): 99-104.

Pharmaceutical Services Negotiating Committee (2010) *Community Pharmacy: at the heart of public health*. Aylesbury: Pharmaceutical Services Negotiating Committee.

Pickin C, Popay J, Staley K, Bruce N, Jones C, Gowman N (2002) Developing a model to enhance the capacity of statutory organisations to engage with lay communities. *Journal of Health Services Research and Policy*. 7(1): 34-42.

Popay J, Attree P, Hornby D et al; (2007) Community Engagement in Initiatives Addressing the Wider Social Determinants of Health: A Rapid Review of Evidence on Impact, Experience and Process. Lancaster: University of Lancaster.

Price S, Lester C (2012) *Health Trainers: A Rapid Review of the Evidence. Cardiff: Health Trainers: A Rapid Review of the Evidence.* Cardiff: Public Health Wales.

Raymond E, Servigny A, Tourigny A, Vezina A, Verreault R, Guilbert A (2013) On the track of evaluated programmes targeting the social participation of seniors: a typology proposal. *Ageing and Society*. 33: 267-296 2013.

Repper J, Aldridge B, Gilfoyle S, Gillard S, Perkins R, Rennison J (2013) *Peer support workers: theory and practice. Implementing Recovery through Organisational Change briefing.* London: Centre for Mental Health and Mental Health Network.

Rifkin S B; Lew , o-Hundt G, Draper A K; (2000) *Participatory approaches in health promotion and health planning, a literature review.* London: Health Development Agency.

Rogers B, Robinson E (2004) *The benefits of community engagement: a review of the evidence.* London: Home Office Active Citizenship Centre.

Rogers B (2010) *The Woolwich model: can citizens tackle anti-social behaviour*? London: RSA.

Rogers B, Robinson E (2004) *The benefits of community engagement: A review of the evidence*. London: IPPR.

Royal Society for Public Health RSPH (2012) Position Statement: Tackling Health Inequalities through an Assets-Based Approach to Community Development. Scottish Executive (2005) National Standard for Community Engagement. Edinburgh: Communities Scotland and Scottish Executive.

Scottish Consumer Council (2007) *Stakeholder perspectives on the Scottish Diet Action Plan Review*. Glasgow: Scottish Consumer Council.

Slater B, Knowles J, Lyon D (2008) Improvement science meets community development: approaching health inequalities through community engagement. *Journal of Integrated Care*. 16: 26-36.

Social Exclusion Unit; (2005) *Improving services, improving lives: evidence and key themes: a Social Exclusion Unit interim report.* London: Office of the Deputy Prime Minister, Social Exclusion Unit.

South J, Raine G, White J (2010) *Community Health Champions: Evidence Review*. Leeds: Centre for Health Promotion Research, Leeds Metropolitan University.

South Jane, Phillips Gemma (2014) Evaluating community engagement as part of the public health system. *Journal of Epidemiology and Community Health*. 68: 692-696.

Sullivan H, Judge K, Sewel K (2004) 'In the eye of the beholder': perceptions of local impact in English Health Action Zones. *Social Science & Medicine*. 59(8): 1603-1612.

Taylor M (2006) Communities in Partnership: Developing a Strategic Voice. *Social Policy and Society*. 5(02): 269-279.

The Commission for the Compact (2005) *Volunteering. Compact code of good practice.* Birmingham: The Commission for the Compact.

TSRC (2013) Supporting community action - Lessons from Australia and the UK. Workshop Report, September 2013. Birmingham: Third Sector Research Centre, University of Birmingham.

Glasgow Centre for Population Health (2012) *Putting asset-based approaches in practice: identification, mobilisation and measurement of assets* (Briefing Paper 10, Concept Series). Glasgow: Glasgow Centre for Population Health.

Visram S, Drinkwater C (2005) Health Trainers. A Review of the Evidence. Newcastleupon-Tyne: Primary Care Development Centre, Northumbria University.

Volunteer Development Agency (2009) *Northern Ireland Public Policy for Older People Volunteering*. Belfast: Volunteer Development Agency (Northern Ireland).

Watts G, Hurley N, Lambert J (2007) *Improving health and wellbeing: developing an integrated approach through community planning*. Edinburgh: Blake Stevenson Ltd.

Windle K, Francis J, Coomber C (2011) *Preventing loneliness and social isolation: interventions and outcomes (Research briefing 39)*. London: Social care institute for excellence.

Woodall J, Raine G, South J, Warick-Booth L (2010) *Empowerment and Health & Wellbeing - Evidence Review*. Leeds: Centre for Health Promotion Research, Leeds Metropolitan University.

Reason for exclusion: UNABLE TO OBTAIN

De Metz A (2008) *Joint review report: commissioning services and support for people with learning disabilities and complex needs: Redbridge Council and PCT*. London: Commission for Social Care Inspection, Healthcare Commission, and Mental Health Act Commission.

Bauld L, Judge K, Lawson L, Mackenzie M, Mackinnon J, Truman J (2000) *Health Action Zones in transition: Progress in 2000, Glasgow: Health Promotion Policy Unity*, University of Glasgow.

Carr-Hill R (2003) Neighbourhood warden surveys, early 2002 and mid-2003: secondary analysis of cohort members only. London: ODPM.

Coleman R, Campbell J (2009) *Roads to recovery peer development project: the first year. Ongoing evaluation of the developmental process.* Nottingham: Working to Recovery Publications.

Community Development Xchange; (2005) Improving the health of communities: the role of community development in tackling health inequalities (Conference report)

Countryside Agency (2004) Rural community development work: South West

Denness H, Keeton R, Fearn T (2011) *Evaluation of the Derbyshire Health Trainer Programme.*

Department of Health (2011) *Opportunities for Volunteering - Legacy report: 30 years of funding volunteering in health and social care.* London: Department of Health.

Department for Education; Skills (2004) Change for Children Programme: Comprehensive Set of Different Approaches for Greater Engagement of Children in Education, Health and Social Care.

Elden S () North Tees Primary Care Trust: Champions for Community Health.

Evans D (2013) Community Pharmacy's Role in Health and Wellbeing – Healthy Living Pharmacies.

Gleibs IH, Sonnenberg S, Haslam C (2014) "We get to decide": The role of collective engagement in counteracting feelings of confinement and lack of autonomy in residential care. *Activities, Adaptation and Aging.* 38(4):29-280.

Groundwork UK (2005) *Play, participation and potential: putting young people at the heart of communities.* Birmingham: Groundwork.

Lawson L, MacKinnon J, Truman J (2002) *National Evaluation of Health Action Zones: Integrated case studies-preliminary findings from fieldwork in Spring 2001.* Glasgow: Health Promotion Policy Unit, Department of Public Health, University of Glasgow.

Miller C (2010) The Impact of Health Related Community Development and Engagement Projects, Health Empowerment Leverage Project.

Milligan C, Payne S, Bingley A, Cockshott Z (2012) Evaluation of the Men in Sheds Pilot Programme Final Report (Commissioned by Age UK). Lancaster: Centre for Ageing Research, Lancaster University.

Network of Empowering Authorities; (2010) *A Mixed Approach to Neighbourhood Working in Newcastle*.

Network of Empowering Authorities; (2010) Members' Role in Community Empowerment.

Network of Empowering Authorities; (2008) *Stoke-on-Trent: Engaging BAME Communities in the LAA Process.*

Neuberger J (2008) Volunteering in the public services: Health and social care. Baroness Neuberger's review of the Government Volunteering Champion. London: Cabinet Office/ Office of the Third Sector.

Scally G (2006) Getting in shape (local action on public health). New Start. 8(354): 14-14.

Dalley G (2004) *Retire into action: a study of the benefits of volunteering to older people.* : RSVP Scotland and CVS.

Social Exclusion Unit Policy Action Team (2000) *Community self-help: a report of Policy Action Team 9.* London: Home Office.

Steel R (2004) *Full Consultation Document for Involving Marginalised and Vulnerable Groups in Research (2nd revision)*. London: Involve/NIHR.

The Scottish Government (2012) *A consultation on the proposed Community Empowerment and Renewal Bill*. Edinburgh: Community Empowerment Unit, Scottish Government.

Wood N, James D (2010) Young people's views about chlamydia testing in community pharmacy. *International Journal of Pharmacy Practice*. S2: 49.

You Can Kingston (2009) *Summary of community engagement activities - You Can Kingston*. Kingston: The Young Foundation and Think Public. http://www.kingstonpct.nhs.uk/Downloads/Publications%20folder/Reports/Healthy%20Livin g%20Centre%20Summary%20of%20Community%20Engagement%20-%20Final%20Report%20Aug%2009b.pdf

APPENDIX F List of Systematic Reviews mined for relevant studies

Attree P, French B, Milton B, Povall S, Whitehead M, Popay J (2011) The experience of community engagement for individuals: a rapid review of evidence. *Health & Social Care in the Community*. 19(3): 250-260.

Milton B (2012) The impact of community engagement on health and social outcomes: a systematic review. *Community Development Journal*. 47(3): 316-334 2012.

Bevan G, Brown M (2014) Interventions in exclusive breastfeeding: a systematic review. *British Journal of Nursing*. 23(2): 86-89.

Black ME, Yamada J, Mann V (2002) A systematic literature review of the effectiveness of community-based strategies to increase cervical cancer screening. *Canadian Journal of Public Health*. 93(5):386–393.

Blank L, Baxter SK, Payne N, Guillaume LR, Pilgrim H (2010) Systematic review and narrative synthesis of the effectiveness of contraceptive service interventions for young people, delivered in educational settings. *Journal of Pediatric and Adolescent Gynecology*. 23(6): 341-351.

Blank L, Baxter SK, Payne N, Guillaume LR, Squires H (2012) Systematic review and narrative synthesis of the effectiveness of contraceptive service interventions for young people, delivered in health care settings. *Health Education Research*. 27(6): 1102-1119.

Boote J, Baird W, Beecroft C (2010) Public involvement at the design stage of primary health research: a narrative review of case examples. *Health Policy (Amsterdam, Netherlands)*. 95(1): 10-23.

Boote J, Wong R, Booth A (2012) 'Talking the talk or walking the walk?' A bibliometric review of the literature on public involvement in health research published between 1995 and 2009. *Health Expectations: An International Journal of Public Participation in Health Care and Health Policy.* 18(8): 44-57.

Boote J (2012) *Patient and Public Involvement in Health and Social Care Research: A Bibliography*. London: National Institute for Health Research.

Bouzid M, Hooper L, Hunter PR (2013) The effectiveness of public health interventions to reduce the health impact of climate change: a systematic review of systematic reviews. *Plos One.* 8(4): e62041-e62041.

B Candy (2007) The health impact of policy interventions tackling the social determinants of common mental disorder: a systematic review. *Journal of Public Mental Health*. 6(2): 28-39 2007.

Burton P, Croft J, Hastings A, Slater T, Goodlad R, Abbortt J, Macdonald D (2004) *What works in community involvement in area-based initiatives?: a systematic review of the literature*. London: Great Britain: Home Office.

Busch V, de Leeuw JR, de Harder A, Schrijvers AJ (2013) Changing multiple adolescent health behaviors through school-based interventions: a review of the literature. *The Journal of School Health.* 83(7): 514-523.

Carr S, Lhussier M, Forster N, Geddes L, Deane K, Pennington M, Visram S, White M, Michie S, Donaldson C, Hildreth A (2011) An evidence synthesis of qualitative and quantitative research on component intervention techniques, effectiveness, costeffectiveness, equity and acceptability of different versions of health-related lifestyle advisor role in improving health. *Health Technology Assessment (Winchester, England)*. 15(9): iii.

Casiday R, Kinsman E, Fisher C, Bambra C (2008) *Volunteering and health; what impact does it really have?*. London: Volunteering England.

Coles E, Themessl-Huber M, Freeman R (2012) Investigating community-based health and health promotion for homeless people: a mixed methods review. *Health Education Research*. 27(4): 624-644.

Conklin A, Morris Z, Nolte E (2012) What is the evidence base for public involvement in health-care policy?: Results of a systematic scoping review. *Health Expectations: An International Journal of Public Participation in Health Care and Health Policy*. 18(2): 153-165.

Connell P, Wolfe C, McKevitt C (2008) Preventing stroke: a narrative review of community interventions for improving hypertension control in black adults. *Health & Social Care in the Community*. 16(2): 165-187.

Dickens AP, Richards SH, Greaves CJ, Campbell JL (2011) Interventions targeting social isolation in older people: a systematic review. *BMC Public Health*. 11: 647-647.

Van Sluijs MF, McMinn AM; Griffin SJ (2007) Effectiveness of interventions to promote physical activity in children and adolescents: systematic review of controlled trials. *British Medical Journal*. 335(7622): 703-707.

Elliott E (2012) Connected Comunities. A review of theories, concepts and interventions relating to community-level strengths and their impact on health and well being. London: Connected Communities.

Ford P, Clifford A, Gussy K, Gartner C (2013) A systematic review of peer-support programs for smoking cessation in disadvantaged groups. *International Journal of Environmental Research and Public Health.* 10(11): 5507-5522.

Fudge N, Wolfe CDA, McKevitt C (2007) Involving older people in health research. *Age and Ageing*. (36(5)): 492-500.

Ganann R, Fitzpatrick-Lewis D, Ciliska D, Peirson L (2012) Community-based interventions for enhancing access to or consumption of fruit and vegetables among five to 18-year olds: a scoping review. *BMC Public Health.* 12: 711-711.

Garrett S, Elley CR; Rose SB, O'Dea D, Lawton BA, Dowell AC (2011) Are physical activity interventions in primary care and the community cost-effective? A systematic review of the

evidence. The British Journal of General Practice: The Journal of the Royal College of General Practitioners. 61(584): e125-e133.

Gnich W (2004) *Community-based interventions to promote non-smoking: a systematic review.* Edinburgh: Research Unit in Health, Behaviour and Change, University of Edinburgh.

Gonzalez-Suarez C, Worley A, Grimmer-Somers K, Dones V (2009) School-based interventions on childhood obesity: a meta-analysis. *American Journal of Preventive Medicine*. 37(5): 418-27.

Gradinger F, Britten N, Wyatt K, Froggatt K, Gibson A, Jacoby A, Lobban F, Mayes D, Snape D, Rawcliffe T, Popay J (2013) Values associated with public involvement in health and social care research: a narrative review. *Health Expectations: An International Journal of Public Participation in Health Care and Health Policy*. 18(5): 661-667.

Gustafsson S, Edberg A, Johansson B, Dahlin-Ivanoff S (2009) Multi-component health promotion and disease prevention for community-dwelling frail elderly persons: a systematic review. *European Journal of Ageing*. 6(4): 315-329.

Hartman MA; Hosper K, Stronks K (2011) Targeting physical activity and nutrition interventions towards mothers with young children: a review on components that contribute to attendance and effectiveness. *Public Health Nutrition*. 14(8): 1364-1381.

Heaven B, Brown L, White M, Errington L, Mathers J, Moffatt S (2013) Supporting wellbeing through meaningful social roles: Systematic review of intervention studies. *The Milbank Quarterly*. 9(2): 222-287.

Hills D (2004) Evaluation of community-level interventions for health improvement: a review of experience in the UK. London: Health Development Agency.

Ingram Lucy, MacArthur Christine, Khan Khalid, Deeks Jonathan J; Jolly Kate (2010) Effect of antenatal peer support on breastfeeding initiation: a systematic review. *CMAJ: Canadian Medical Association Journal = Journal De L'association Medicale Canadienne*. 182(16): 1739-1746.

Jagosh J, Macaulay AC, Pluye P, Salsberg J, Bush PL, Henderson J, Sirett E, Wong G, Cargo M, Herbert CP, Seifer SD, Green LW; Greenhalgh T (2012) Uncovering the Benefits of Participatory Research: Implications of a Realist Review for Health Research and Practice. *Milbank Quarterly*. 90(2): 311-346.

Manthorpe J, Moriarty J (2012) *Diversity in older people and access to services: an evidence review.* London: Age UK.

Brett J, Staniszewska S, Mockford C, Seers K, Herron-Marx S, Bayliss H (2010) *The PIRICOM Study: A systematic review of the conceptualisation, measurement, impact and outcomes of patients and public involvement in health and social care research.* Warwick: UK Clinical Research Collaboration, University of Warwick.

Statham J (2010) *Strengthening family wellbeing and community cohesion through the role of schools and extended services: research review 3.* London: Centre for Excellence and Outcomes in Children and Young Peoples Services.

Kaunonen M, Hannula L, Tarkka M (2012) A systematic review of peer support interventions for breastfeeding. *Journal of Clinical Nursing*. 21(13-14): 1943-1954.

Kenny A, Hyett N, Sawtell J, Dickson-Swift V, Farmer J, O'Meara P (2013) Community participation in rural health: a scoping review. *BMC Health Services Research*. 13: 64-64.

Kesterton AJ, Cabral de Mello M (2010) Generating demand and community support for sexual and reproductive health services for young people: A review of the Literature and Programs. *Reproductive Health*. 7: 25-25.

Kidney E, Winter HR, Khan KS, Gülmezoglu AM, Meads CA, Deeks JJ, Macarthur C (2009) Systematic review of effect of community-level interventions to reduce maternal mortality. *BMC Pregnancy and Childbirth*. 9(1): 2.

King JL, Pomeranz JL, Merten JW (2014) Nutrition interventions for people with disabilities: A scoping review. *Disability and Health Journal*. 7(2): 157-163.

Lapierre S, Erlangsen A, Waern M, De Leo D, Oyama H, Scocco P, Gallo J, Szanto K, Conwell Y, Draper B, Quinnett P (2011) A systematic review of elderly suicide prevention programs. *Crisis*. 32(2): 88-98.

Lassi ZS, Haider BA, Bhutta ZA (2010) Community-based intervention packages for reducing maternal and neonatal morbidity and mortality and improving neonatal outcomes. *The Cochrane Database of Systematic Reviews*. (11): CD007754.

Laverack G (2006) Improving health outcomes through community empowerment: a review of the literature. *Journal of Health, Population, and Nutrition.* 24(1): 113-120.

Leroux JS, Moore S, Dubé L (2013) Beyond the "I" in the obesity epidemic: a review of social relational and network interventions on obesity. *Journal of Obesity*. 2013: 348249-348249.

Liberato S, Brimblecombe J, Ritchie J, Ferguson M, Coveney J (2011) Measuring capacity building in communities: a review of the literature. *BMC Public Health*. 11: 850-850.

Lovarini M, Clemson L, Dean C (2013) Sustainability of community-based fall prevention programs: a systematic review. *Journal of Safety Research*. 47: 9-17.

Marston C, Renedo A, McGowan CR, Portela A (2013) Effects of community participation on improving uptake of skilled care for maternal and newborn health: a systematic review. *Plos One*. 8(2): e55012-e55012.

Maticka-Tyndale E, Barnett JP, (2010) Peer-led interventions to reduce HIV risk of youth: a review. *Evaluation and Program Planning*. 33(2): 98-112.

McMahon S, Fleury J (2012) External validity of physical activity interventions for community-dwelling older adults with fall risk: a quantitative systematic literature review. *Journal of Advanced Nursing*. 68(10): 2140-2154.

Milligan C, Dowrick C, Payne S, Hanratty B, Irwin P, Neary D, Richardson D (2013) *Men's Sheds and other gendered interventions for older men: improving health and wellbeing through social activity - a systematic review and scoping of the evidence base.* Lancaster: Lancaster University Centre for Ageing Research.

Mockford C, Staniszewska S, Griffiths F, Herron-Marx S (2012) The impact of patient and public involvement on UK NHS health care: a systematic review. *International Journal for Quality in Health Care: Journal of the International Society for Quality in Health Care / Isqua.* 24(1): 28-38.

Murray NG, Low BJ, Hollis C, Cross AW, Davis SM (2007) Coordinated school health programs and academic achievement: a systematic review of the literature. *The Journal of School Health*. 77(9): 589-600.

Nilsen ES, Myrhaug HT, Johansen M, Oliver S, Oxman AD (2006) *Methods of consumer involvement in developing healthcare policy and research, clinical practice guidelines and patient information materia.* The Cochrane Database of Systematic Reviews (3).

Nilsen P, Yorkston E (2007) Uncovering evidence on community-based injury prevention: A review of programme effectiveness and factors influencing effectiveness. *International Journal of Injury Control and Safety Promotion*. 14(4): 241-250.

Nitsch M, Waldherr K, Denk E, Griebler U, Marent B, Forster R (2013) Participation by different stakeholders in participatory evaluation of health promotion: a literature review. *Evaluation and Program Planning*. 40: 42-54.

Daykin N (2007) Evaluating the impact of patient and public involvement initiatives on UK health services: a systematic review. *Evidence and Policy*. 3(1): 47-65 2007.

O'Mara-Eves A, Brunton G, McDaid D, Oliver S, Kavanagh J, Jamal F, Matosevic T, Harden A, Thomas J (2013) Community engagement to reduce inequalities in health: a systematic review, meta-analysis and economic analysis. *NIHR Public Health Research Programme Journal.* 1(4).

Peel N, Warburton J (2009) Using senior volunteers as peer educators: What is the evidence of effectiveness in falls prevention?. *Australasian Journal on Ageing*. 28(1): 7-11.

Pennington M, Visram S, Donaldson C, White M, Lhussier M, Deane K, Forster N, Carr S (2013) Cost-effectiveness of health-related lifestyle advice delivered by peer or lay advisors: synthesis of evidence from a systematic review. *Cost Effectiveness and Resource Allocation: C/E.* 11(1): 30-30.

Perkins N, Smith K, Hunter D, Bambra C, Joyce K (2010) 'What counts is what works'? New Labour and partnerships in public health. *Policy and Politics*. 38(1): 101-117.

Rabin BA, Glasgow RE, Kerner JF, Klump MP, Brownson RC (2010) Dissemination and implementation research on community-based cancer prevention: a systematic review. *American Journal of Preventive Medicine*. 38(4): 443-456.

Rees R, Kavanagh J, Harden A, Shepherd J, Brunton G, Oliver S, Oakley A (2006) Young people and physical activity: a systematic review matching their views to effective interventions.. *Health Education Research.* 21(6): 806-25.

Salimi Y, Shahandeh K, Malekafzali H, Loori N, Kheiltash A, Jamshidi E, Frouzan AS, Majdzadeh R (2012) Is Community-based Participatory Research (CBPR) Useful? A Systematic Review on Papers in a Decade. *International Journal of Preventive Medicine*. 3(6): 386-393.

Shepherd J, Kavanagh J, Picot J, Cooper K, Harden A, Barnett-Page E, Jones J, Clegg A, Hartwell D, Frampton G K; Price A (2010) The effectiveness and cost-effectiveness of behavioural interventions for the prevention of sexually transmitted infections in young people aged 13-19: a systematic review and economic evaluation. *Health Technology Assessment*. 14(7): 1.

Simoni JM, Nelson KM, Franks JC, Yard SS, Lehavot K (2011) Are peer interventions for HIV efficacious? A systematic review. *AIDS and Behavior*. 15(8): 1589-1595.

South J, Meah A, Bagnall A, Jones R (2013) Dimensions of lay health worker programmes: results of a scoping study and production of a descriptive framework. *Global Health Promotion*. 20(1): 5-15.

Stacciarini JM, Shattell MM, Coady M, Wiens B (2011) Review: Community-based participatory research approach to address mental health in minority populations. *Community Mental Health Journal*. 47(5): 489-497.

Tett L (2006) *Literature review of the outcomes of community learning and development and annotated bibliography* (Report no 68). Edinburgh: Communities Scotland.

Thompson H, Atkinson R, Petticrew M, Kearns A (2006) Do urban regeneration programmes improve public health and reduce inequalities: a synthesis of evidence from UK policy and practice. *Journal of Epidemiology and Community Health*. 60(2): 108-115.

Thorogood M, Simera I, Dowler E, Summerbell C, Brunner E (2007) A systematic review of population and community dietary interventions to prevent cancer. *Nutrition Research Reviews*. 20(1): 74-88.

Tolli M (2012) Effectiveness of peer education interventions for HIV prevention, adolescent pregnancy prevention and sexual health promotion for young people: a systematic review of European studies. *Health Education Research*. 27(5): 904-913.

Tyrer RA; Fazel M (2014) School and community-based interventions for refugee and asylum seeking children: a systematic review. *PLoS One*. 9(2): e89359-e89359.

Van Sluijs EMF, Kriemler S, McMinn AM (2011) The effect of community and family interventions on young people's physical activity levels: a review of reviews and updated systematic review. *British Journal of Sports Medicine*. 45(11): 914-922.

Vaughn LM; Wagner E, Jacquez F (2013) A review of community-based participatory research in child health. *MCN. The American Journal of Maternal Child Nursing*. 38(1): 48-53.

Viswanathan M, Kraschnewski JL, Nishikawa B, Morgan LC, Honeycutt AA; Thieda P, Lohr KN; Jonas DE (2009) Outcomes of community health worker interventions. *Evidence Report/Technology Assessment*. (181): 1.

Viswanathan M, Kraschnewski JL, Nishikawa B, Morgan LC, Honeycutt AA; Thieda P, Lohr KN; Jonas DE (2010) Outcomes and costs of community health worker interventions: a systematic review. *Medical Care*. 48(9): 792-808.

Wang K, Brown K, Shen S, Tucker J (2011) Social network-based interventions to promote condom use: a systematic review. *AIDS and Behavior*. 15(7): 1298-1308.

Webel AR, Okonsky J, Trompeta J, Holzemer WL (2010) A systematic review of the effectiveness of peer-based interventions on health-related behaviors in adults. *American Journal of Public Health*. 100(2): 247-253.

Wiggins N (2012) Popular education for health promotion and community empowerment: a review of the literature. *Health Promotion International*. 27(3): 356-371.

Williams G, Hamm MP, Shulhan J, Vandermeer B, Hartling L (2014) Social media interventions for diet and exercise behaviours: a systematic review and meta-analysis of randomised controlled trials. *BMJ Open.* 4(2): e003926-e003926.

Wilson NJ; Cordier R (2013) A narrative review of Men's Sheds literature: reducing social isolation and promoting men's health and well-being. *Health and Social Care in the Community*. 21(5): 451-463.

Wolfenden L, Wyse R, Nichols M, Allender S, Millar L, McElduff P (2014) A systematic review and meta-analysis of whole of community interventions to prevent excessive population weight gain. *Preventive Medicine*. 62: 193-200.

Yancey AK, Kumanyika SK, Ponce NA, McCarthy WJ, Fielding JE, Leslie JP, Akbar J (2004) Population-based interventions engaging communities of color in healthy eating and active living: a review. *Preventing Chronic Disease*. 1(1): A09-A09.

APPENDIX G Table of included studies/ projects

KEY: *Extent of CE*: + Low; ++ Moderate; +++ High.

Type of CE: 1 Community mobilisation/action; 2 Community partnerships/coalition; 3 Peer involvement; 4 Community organisations; 5 Non-peer health advocacy; 6 Social networks; 7 Volunteers; 8 Cultural adaption. *Outcomes reported*: H – Health; WB – Wellbeing; SDH – Social Determinants of Health; I – Individual level; C – Community level; P – Progress; E – Economic; U – Uptake.

Short Title	Туре	Name of initiative	Type of activity	HWB issues	Target group	Extent of CE	Type of CE	Outcomes reported
Adams and Cumming, 2002)	Practice description Discussion		Health promotion using a social model of health. Essentially there were 3 strands to the model: 5 levels of work including working with communities and taking a community development approach, principles and domains	Community wellbeing Community assets General health (community)	Place/ Location Socioeconomic indicators [Info] health inequalities; deprived areas		•1 •2	
Alborz et al., 2002)	Research Mixed methods evaluation		PCG/Trusts are dominated by health professionals, but are responsible for representing the interests of the local community. This paper assesses how they have informed and consulted local communities and the perceived impact of this consultation on decision-making.	Other [Info] Consultation through involvement with primary care groups and trusts	Place/ Location	+	•2	P
Alexander et al., 2003)	Research Questionna ire/ survey	Bosom Buddies	A support group run by lay 'Bosom Buddies', a midwife and a breast-feeding counsellor	Healthy eating [Info] breast feeding Personal assets [Info] women trained Children and Young People/ Parenting		+	• 3	H, P, U
Allen, 2004)	Research	Positive Action on Falls	Peer education approach to preventing falls in older people. Peer education programme in Bradford gave one-off sessions to groups of older people providing information about falls	Physical activity Other [Info] <i>falls prevention</i>	Socioeconomic indicators Other indicators of disadvantage	+	•3	H, WB, I, P

		Programme	prevention and demonstrating simple balance and strength building exercises.	General health (personal)	[Info] older people			
Altogether Better, 2010)	Research • Qualitative study	Altogether Better Health Champions: Community- based projects	Community health champions - aims to empower people across the Yorkshire and Humber region to improve their own health and that of their families and their communities.	 Physical activity Healthy eating Mental health Substance use Personal wellbeing Community wellbeing Social capital/ cohesion Personal assets [Info] <i>TRAINING OF HEALTH CHAMPIONS</i> Other [Info] <i>6, employment; weight, organising events</i> General health (personal) General health (community) 	• Other indicators of disadvantage [Info] communities and target groups are generally those with the poorest health and who make the least use of preventive services, for example residents of mobile homes and elders; disability.	+	• 1 • 3 • 6 • 7	H, WB, SDH, I, C, P
Anastacio et al., 2000)	Research •Qualitative study [Info] case studies		community participation	Community wellbeing Other [Info] area-based regeneration; community partnerships	Occupation [Info] areas of +++ unemployment Socioeconomic indicators [Info] areas of deprivation	+++	•1 •2	WB, P
Anderson and Shepherd, 2005)	Research •Qualitative study		public involvement in planning primary health care	public involvement in planning health services • General health (community)	Socioeconomic indicators [Info] deprived areas	++	• 2	P
Andrews et al., 2003)	Research •Qualitative study] befriending service provided by Age Concern Buckinghamshi re	voluntary sector local home-visiting befriending service	 Mental health Personal wellbeing Social capital/ cohesion 	 Occupation [Info] <i>clients aged 80+ (retired)</i> Gender [Info] <i>Most volunteers reported to be female</i> Social capital [Info] <i>frail and isolated older people</i> 	•+	• 7	WB, I, H, P

Anning et al., 2007)	Research • Mixed methods evaluation	Sure Start Local Programmes	program variability study	Children and Young People/ Parenting	Place/ Loca Socioecono	tion mic indicators	• +	•2	H, WB, I, P
Anon	• Other [Info] case studies] The Black and Minority Ethnic (BME) Health Forum	Forum and community participatory research; health promotion pilot which engaged BME women from a local GP practice to ascertain and improve historically + levels of uptake in breast screening appointments	Disease prevention Prevention violence/ abuse/ cri Social capital/ cohesion Personal assets Other [Info] The BME Health Forum is of a well established model of cri engagement which informs the commissioning process by repre- commissioning research, and lo behalf of the needs of BME com- public health campaigns, obesity General health (community)	an example ommunity esenting, ibbying on imunities,	 Place/ Location [Info] London, Bristol Race/ ethnicity [Info] BME Gender [Info] WOMEN 	• +++	•2 •3 •8	H, SDH, I, C, P
Arora et al., 2000)	•Qualitative study	Health Improvement Programmes	Three-year action plans, developed in each health authority district, aimed at improving the health of the local population.	General health (personal) General health (community)			• ++	•1 •2	H, I, C, P
Assembly Goverment Wales Council for Voluntary Action (2004)	•Questionn aire/ survey• Concept/ theory •Evaluation / research • Discussion	Volunteering for Health/ Building Strong Bridges	volunteering for health in health and social care services in partnerships between the voluntary and health sectors	Personal wellbeing General health (personal)			• +	• 2 • 7	H, WB, P, U
Atkinson, 2012)	Research Policy Discussion			Children & Young People/ Parenting		ors of disadvantage & young people			

Attree et al., 2011	Concept/ theory Discussion	Health Trainers	health inequalities	General health (personal)	Place/ Location Other indicators of disadvantage [Info] <i>deprived areas</i>	•+	• 3	
Attree, 2004	• Qualitative study	Sure Start	Based on a local evaluation of a Sure Start programme, the present paper describes the development of a community support project aimed at engaging local people in supporting the parents and carers of young children.	 Personal wellbeing Community wellbeing Social capital/ cohesion Community assets Children and Young People/ Parenting General health (personal) General health (community) 	 Place/ Location deprived area in the North West - Barrow Other indicators of disadvantage disadvantaged communities; suffers many of the problems associated with economic and social disadvantage, such as an above-average percentage of families receiving welfare benefits and +++ rates of teenage pregnancy 	• +	• 3 • 7	WB, SDH, P
Audrey et al., 2006a	• Mixed methods evaluation	ASSIST (A Stop Smoking in Schools Trial)		Substance use Children and Young People/ Parenting	 Place/ Location [Info] schools in south-east Wales and the west of England Other indicators of disadvantage [Info] 12-13 year olds 	• +	• 3	P
Audrey et al., 2006b	• Mixed methods evaluation	A Stop Smoking in Schools Trial (ASSIST)	Peer supporters in secondary schools encourage stopping smoking	Substance use [Info] <i>smoking</i>	Education [Info] In secondary school	• +	• 3	H, C, P
Audrey et al., 2008)	Mixed methods evaluation	Teachers' perspectives on (ASSIST) A Stop Smoking In Schools Trial	Stop smoking in schools peer advice	Substance use	Place/ Location Education [Info] Year 8 secondary students	• +	• 3	Н, С, Р
Bagley and Ackerley, 2006)	•Qualitative study	Third way initiative Sure Start study on one programme given the pseudonym	multi-agency/ multi-disciplinary parenting and early years support; health, play and learning	Community wellbeing Social capital/ cohesion Community assets Other [Info] social exclusion; empowerment	Socioeconomic indicators [Info] states that the area is classified as a deprived community, according to Government socioeconomic indicators	• ++	•2 •3 •4 •6	WB, SDH, I, C, P, E

		Mazebrook		Children and Young People/ Parenting	Social capital [Info] the area had a tradition of community activity and a pre- existing range of active groups and organisations Other indicators of disadvantage [Info] described as a disadvantaged community		• 8	
Ball and Nasr, 2011)	•Qualitative study [Info] <i>intervi</i> <i>ews and</i> <i>focus</i> <i>groups</i>	health trainer service	health trainer service	 Physical activity Healthy eating Mental health Substance use Personal wellbeing Community wellbeing Social capital/ cohesion Other General health (personal) [Info] weight General health (community) 	"hard to reach", substance abuse, homeless, deprived communities	•+	• 3	H, WB, SDH, I, H, P
Bandesha and Litva, 2005)	•Qualitative study	The Asian Health Development Project		 Physical activity Healthy eating Social capital/ cohesion Personal assets General health (personal) General health (community) 	Race/ ethnicity [Info] local South Asian community	•+	• 1 • 2	WB, SDH, I, C, P
Barnes et al., 2003)	• Mixed methods evaluation	ESRC democracy and participation programme. 4 case studies: The Ward Advisory Board; The Single Regeneration Budget Group (SRB Group); The older people's group;	Looks at forums within which dialogue takes place. 2 case studies defined as locality based initiatives and 2 formed around presumed communities of interest or identity	 Social capital/ cohesion [Info] <i>citizen empowerment</i> Community assets [Info] <i>Advice and information source for women in the city</i> Other [Info] <i>neighbourhood renewal</i> Children and Young People/ Parenting 	 Race/ ethnicity [Info] minority ethnic groups; White European predominantly Pakistani Muslim population; Black and white volunteers Occupation [Info] Volunteers; Working class Gender [Info] women's group Other indicators of disadvantage [Info] older people; Older than the city average; Youth; older and 	• ++	• 1 • 2 • 4 • 7	C, P

		the women's group;			younger volu	nteers			
Barnes et al., 2004)	•Qualitative study	Power, Participation and Political Renewal	The project ran from 2000–2002 and explored the development of 'deliberative forums' through which the state attempts to engage citizens in dialogue about policies and services: for example area-based forums within local government, user forums in health, senior citizens or youth forums, and a range of community or identity-based organisations that the local state draws in to consultation exercises.	Social capital/ cohesion Community assets	Race/ ethnic [Info] <i>include</i> group forum	city d minority ethnic	• +	•2	P
Barnes et al., 2005)	Mixed methods evaluation	national evaluation of Health Action Zones	health action zones; area based initiatives	Other [Info] social determinants General health (personal) General health (community)	Socioecono	mic indicators	• ++	• 1 • 2	H, I
Barnes et al., 2005, Barnes et al., 2004)	• Mixed methods evaluation	Health Action Zones	area- based initiatives to reduce the effects of persistent disadvantage	 Community wellbeing Social capital/ cohesion Community assets General health (personal) General health (community) 	Socioeconomic indicators [Info] areas of persistent disadvantage		• ++	•1 •2	H, WB, SDH, C, P
Barnes et al., 2008b)	Policy Practice description Discussion	citizen-centred governance	Reflects on how to create flexible and effective organisations for delivering public services that also reflect the values of local democracy.	Community wellbeing Social capital/ cohesion Community asset	1	Place/ Location Socioeconomic indicators [Info] areas of disadvantage	• ++	•2	
Barnes et al., 2009)	• RCT	Home-start	volunteer unstructured home visiting support post-natally	Mental health Personal wellbeing Children and Young People/ Parenting	home start su • Occupation	others accepting upport were white others accepting upport were	• +	•7	H, I

					• Education [Info] mothers accepting home start support had on average more qualifications			
Barrett, 2008)	•Qualitative study		Working with hard to reach families	Children and Young People/ Parenting	Socioeconomic indicators [Info] 'Hard to reach', parents		• 1	
Bauld et al., 2005a)	• Mixed methods evaluation Policy	Health Action Zones	area- based initiatives to reduce the effects of persistent disadvantage	 Community wellbeing Community assets General health (personal) General health (community) 	Socioeconomic indicators [Info] areas of persistent disadvantage	• ++	• 1 • 2	H, SDH, C, P
Bauld et al., 2005b)	• Mixed methods evaluation	Health Action Zones	to identify and address the public health needs of the local area; - to increase the effectiveness, efficiency and responsiveness of services; - to develop partnerships for improving people's health and relevant services, adding value through creating synergy between the work of different agencies	 Community wellbeing Community assets General health (personal) General health (community) 	• Socioeconomic indicators [Info] areas of persistent disadvantage	• ++	• 1 • 2	H, SDH, C, P
Baxter et al., 2001)	•Qualitative study	Small voices, big noises	The case studies: 1. Barrow Community Gym – evaluation of gym for mental health service users. 2. Finding Out – people with learning difficulties found out about the experiences of other self-advocacy groups. 3. Briardale Community Centre – local people were recruited to carry out a door-to- door survey of people's wishes for facilities in the new community centre. 4. Preston Road Estate – local people used participatory appraisal to find out what needed to be done to improve quality of life on the estate. 5. Holderness Youth Initiatives – young people used participatory appraisal to investigate a number of issues relevant to them and their community. 6. Totnes Traffic Appraisal – local people formed a group to try to find solutions to the local traffic problems. 7. Barriers to Independence – older people are currently investigating the barriers					

Beavington	Practice description	Health Improvement neighbourhood work	to independence for people of their age. 8. Alternative Choices – an investigation into alternative strategies of coping with mental health problems. Three health improvement teams work in the depi Bristol. They take a community development appr work on issues that are important to the local com will improve health. This includes work at the indix community level. Community is engaged by comm outreach, being based in the community, having a reputation and known commitment in the areas. Ir structured approach of communication centres in provide a two way dialogue between voluntary an sector organisations in the Inner City. This model replicated in other areas of the city.	roach and munity that vidual and nunity a good n addition, a the Inner City d community	 Personal wellbeing Community wellbeing General health (personal) General health (community) 	Place/ Location Socioeconomic indicators [Info] deprived areas	• ++	•1 • 2	
Beck et al., 2005)	•Qualitative study		Sexual health	• STIs [Info] <i>Sexual health</i>		• Race/ ethnicity [Info] <i>Bangladeshi</i>	• ++	• 2	С, Р
Benzeval, 2003a)	Mixed methods evaluation	Health Action Zones (HAZs)	Generally to improve health outcomes and reduce inequalities. 26 HAZ with different strategies to address health inequalities	General health (community)		• Other indicators of disadvantage [Info] HAZ were universally deprived, with +++ levels of average ill health and + levels of internal inequalities.	• +	• 1 • 2 • 4	P
Benzeval, 2003b)	• Mixed methods evaluation	health action zones	area based initiative	 Disease prevention [Info] reducing health inequalities - assume this refers to the main indicators such as mortality, cancer etc. Other [Info] tackling health inequalities; raising the profile of marginalised groups General health (personal) General health (community) 		Socioeconomic indicators [Info] socio-economic and health inequalities between different parts of Sheffield	• ++	• 1 • 2	C, P

Beresford and Carr, 2012)	Practice description Discussion		user involvement/ service user participation in social care	 Substance use Personal wellbeing Social capital/ cohesion Other [Info] older people Children & Young People/ Parenting 	 Place/ Location Race/ ethnicity Other indicators of disadvantage [Info] <i>drug addiction; mental</i> <i>health; older people; life limiting</i> <i>illness; LGBT people</i> 	•+	• 2 • 4	
Beresford, 2007)	• Concept/ theory		user involvement research		Place/ Location Other indicators of disadvantage [Info] particularly those with learning difficulties, disabilities, mental health service users and elderly people	• +++	• 2	
Bertotti et al., 2009)	•Qualitative study	Well London participation in World Cafes	community cohesion- To capture the views of residents	Community wellbeing Community assets	• Socioeconomic indicators [Info] The target areas were identified on the basis of their ranking within the 2004 Index of Multiple Deprivation and position within the top 13% most deprived LSOAs in London	• ++	• 2	WB, C, P
Bhavnani and Newburn, 2013)	Practice description	NCT breastfeeding peer support	Breastfeeding peer support	 Children and Young People/ Parenting Healthy eating 	Women (mothers) in East Lancashire	+	3,7	n/a
Bhavnani and Newburn, 2014)	Mixed methods evaluation	Birth and Beyond Community Supporters Programme	recruit and train community volunteers to work as peer supporters, provide a strengths-based, empowering volunteer peer support service for parents with the aim of reducing isolation, stress and low mood during pregnancy and the first two years after birth		Race/ ethnicity: 59% identified themselves as from a Black and Minority Ethnic (BME) group; 48% asylum seekers or refugees; Women (mothers); Social exclusion	*	3,7	WB, SDH, I, P, E

Blamey et al., 2004)	• Mixed methods evaluation	Have a Heart Paisley	The combined interventions were to be delivered in partnership and in a manner that engaged the community at all levels of the programme. It was hoped that this integrated approach would be capable of saturating the town of Paisley with improved and new services, projects and opportunities that would, over the long term, reduce and prevent CHD amongst the Paisley population. The long-term aim of HaHP was to reduce the total burden and levels of inequality of Coronary Heart Disease (CHD) in the town of Paisley through an integrated programme of secondary and primary prevention.	 Physical activity Healthy eating Disease prevention STIs Substance use Social capital/ cohesion Personal assets Community assets Children and Young People/ Parenting 	• Other indicators of disadvantage [Info] <i>suffered from</i> +++ <i>unemployment and socio-</i> <i>economic deprivation.</i>	• ++	• 2	H, WB, SDH, I, P
Blank et al., 2007)	•Questionn aire/ survey Policy	New Deal for Communities	New Deal for Communities: a major UK government funded initiative	 Physical activity Healthy eating Mental health General health (personal) 	Socioeconomic indicators [Info] deprived English communities	•++	• 1 • 2	H, WB, I
Bolam et al., 2006)	•Qualitative study	Nottingham City Net project	The present article presents an exploratory qualitative process evaluation study of 'Ambassador' participation in City Net, an innovative information communication technology-based (ICT) project that aims to build aspects of social capital and improve access to information and services among disadvantaged groups in Nottingham, UK.	Community wellbeing Social capital/ cohesion General health (community)	 Race/ ethnicity [Info] young African-Caribbean men with mental health difficulties Occupation [Info] long-term unemployed men Gender Other indicators of disadvantage [Info] socially isolated carers and older people; those living in deprived wards. 	• ++	• 2 • 4 • 5	WB, SDH, I, P
Bowers et al., 2006)	Mixed methods evaluation		objective of identifying and +++lighting the distinctive contribution of volunteers involved in providing support to people also receiving different health and social care support from statutory services <i>D</i> mainly within or connected to home and intermediate care services.	 Personal wellbeing Social capital/ cohesion General health (personal) 	Social capital Other indicators of disadvantage [Info] older people	•+	• 7	WB, I

Boydell and Rugkåsa, 2007)	 Mixed methods evaluation Qualitative study Policy Concept/ theory Practice description 	2 health action zones in Northern Ireland	Health action zones; partnerships. One partnership involved over 30 partners from statutory agencies, voluntary and community organizations and local councillors, and met on a six-monthly basis. In addition, most partners met more frequently in project subgroups. The other partnership involved a smaller group of partners from statutory and voluntary agencies and other local area-based partnerships, and met monthly. Both partnerships were supported by senior representation from member organizations	General health (community)	Socioeconomic indicators [Info] deprived areas	• ++	• 1 • 2	H, P
Boyle et al., 2006)	• Mixed methods evaluation [Info] 3 case studies	Rushey Green Time Bank, Cares of Life project, Rhymney Time Bank, Blaengarw Time Centre, Dinas Time Bank, Gorbals Time Bank, Peer tutoring project, Patch, Seal, Peer advocacy project, Roots	Co-Production	 Physical activity Healthy eating Mental health Substance use Prevention violence/ abuse/ crime Social capital/ cohesion [Info] <i>Peer advocacy project</i> (<i>helping to welcome and settle</i> <i>refugees and asylum seekers</i> <i>in Glasgow</i>) Personal assets Other [Info] <i>Roots (refugee</i> <i>community organisation</i> <i>involved in a range of local</i> <i>activities, including social</i> <i>enterprise</i>). Children and Young People/ Parenting General health (personal) 	 Race/ ethnicity [Info] South-East London is densely populated, multicultural: almost a third of the population is Black African and Black Caribbean; Welsh Valleys - As much as 99 per cent of the population is white Occupation [Info] Scotland: There is a substantial group of young people who are not in education, employment or training on leaving school, and a +++ proportion of residents on long-term healthor sickness-related benefits Education [Info] Welsh Valleys - As many as 40 per cent of the working population of Caerphilly have no qualifications ; Scotland: There is a substantial group of young people who are not in education, employment or training on leaving school, and a +++ proportion of residents on long-term healthor sickness-related benefits 	• +++	• 1 • 2 • 3 • 4 • 6 • 7	H, WB, SDH, I, C, P

						[Info] The three study sites were similarly excluded socially and economically, but their social mix was extremely diverse, though with particular common issues related to public health; Southwark, Lambeth and Lewisham – the boroughs involved – are among the poorest in the UK; Welsh Valleys: Merthyr Tydfil and Neath have 30 per cent of the population with chronic health problems.Nearly half of all households have one or more people living with a limiting lifelong illness; Scotland - lone parents; Unemployment rates have fallen significantly in recent years (including a 50 per cent cut in long-term unemployment since 1999) but rates of economic inactivity or 'worklessness' remain a problem; There is a substantial group of young people who are not in education, employment or training on leaving school, and a ++++ proportion of residents on long-term health or sickness- related benefits; refugees			
Boyle et al., 2010)	Concept/ theory Policy Discussion		co-production		Personal wellbeing [Info] <i>service</i> <i>users</i>		• +++	• 2 • 3	
BPCSSA (2010)	Practice description	health trainers	health trainers: lay workers supporting individual b change	ehaviour	 Physical activity Healthy eating Mental health 	 Place/ Location Race/ ethnicity Socioeconomic indicators 	•+	• 3 • 5	

					Substance use General health (personal)				
Bridge Consortium , 2002)	• Mixed methods evaluation	New Opportunities Fund Healthy Living Centres	Addressing health inequalities and social exclusion targeting people in deprived areas, via a number of different methods including various health based activities.	crime • Community of • Social capita • Community a • Other [Info] Increasing for employment directly or indited education and • Children and Parenting	n vention se iolence/ abuse/ wellbeing l/ cohesion assets ng opportunities nt – either rectly through	 Race/ ethnicity [Info] Cultural and multi-ethnic character is described Occupation [Info] +++ unemployment was reported in 147of the 200 HLCs; + income in 156 or the 200 HLCs Socioeconomic indicators [Info] 142 out of 200 HLCs currently entered into the database are targeting 'deprived' people in urban areas and 51 out of 200 are targeting 'deprived' people in rural areas. Other indicators of disadvantage [Info] Repeated themes concerned the prevalence of poor mental health (three HLCs), poor housing (three HLCs), and young single parent families (two HLCs). 	• +	•1 •2 •3 •6 •7	H, WB, C, H, P
Bridgen, 2006)	Policy	UK health policy - developments relating to social capital since 1997	critique of the influence of social capital on policy in the UK	development	• Social capital/ cohesion	 Population: PROGRESS-Plus Place/ Location Social capital 		• 1 • 2 • 4 • 6	
Bromley, 2014	Practice description	Stronger Communities	Providing support around all aspects, especially i and wellbeing and social isolation	mental health	Mental health Personal wellbeing Social capital/	Population: PROGRESS-Plus • Place/ Location • Other indicators of disadvantage [Info] Many, but not all, of the initiatives focus on older people	•+	•2 •4	1

				cohesion				
Brown, (2002)	Other [Info] case studies - methods not reported	Working for Communities pathfinders	community involvement/ engagement in innovative ways of delivering diverse projects/ services	f • Community wellbeing • Social capital/ cohesion • Community assets • Other [Info] <i>regenera</i> <i>tion</i>	Other indicators of disadvantage [Info] young people	• +	• 1 • 2 • 4 • 5 • 6 • 7	SDH, C, P
Brownlie et al., 2006)	Concept/ theory Evaluation / research Practice description Discussion Qualitative study •Questionn aire/ survey		The principal aim of this project was, therefore, to explore to problems and possibilities of incorporating a 'children as researchers' perspective into the agenda of government so research in Scotland.	Children &	Other indicators of disadvantage [Info] children and young people	• +++	•2	
Burgess, 2014)	Mixed methods evaluation	4 timebanks - Cambridgeshire project, Somersham,Ca mbourne, Littleport and March.		lunity wellbeing capital/ cohesion	Social capital	• ++	•2 •6	WB, SDH, C, P, E
Burton et al., 2006)	Concept/ theory		community involvement in area based initiatives	Community wellbeing Other [Info] Local economy and labour market	Place/ Location Socioeconomic indicators [Info] areas of economic disadvantage		• 2	

					Local housing market Education, including pre- school provision Public health Crime and community safety Physical environment Delivery of local public services				
Cabinet Office, 2011)	Concept/ theory Policy	Strategic National Framework on community resilience	This framework explores the role and resilience o and communities before, during and after an eme		Community wellbeing Safety/ accident prevention Community assets		•+	•2	
Callard and Friedli, 2005)	•Qualitative study	Imagine East Greenwich	a series of arts/health projects developed as part of a regeneration programme on two housing estates in a London borough	Mental health STIs Substance us Personal well Community w Social capital Personal ass Children and Parenting General healt	se being vellbeing / cohesion ets Young People/ th (personal)	 Race/ ethnicity [Info] racially very diverse, with 23% of the population defining themselves as non-white at the last census Socioeconomic indicators [Info] significant social and economic inequalities (some of the +++est deprivation levels are found in the two estates that were the focus for IEG) 	•+	• 1 • 4	H, WB, SDH, P
Cambridge Centre for Housing & Planning	Mixed methods evaluation [Info] case	Time banks	Time banking is an exchange system in which time is the principal currency. For every hour participants 'deposit' in a time bank, perhaps by giving practical help and support to others,	 Personal well Community w Social capital 	vellbeing	 Race/ ethnicity [Info] majority are white Occupation [Info] 23% retired; 22% 	• ++	•2 •6	H, WB, I, P

Research, 2013)	studies of 4 projects		they are able to 'withdraw' an hour of support when they are in need	General health (personal)	unemployed • Education [Info] 42% have +++er level qualification beyond A levels • Socioeconomic indicators [Info] 58% of members have an income of less than £300 per week			
Campbell et al., 2004)	Research •Qualitative study		participation, barriers/ attitudes to	Mental health Social capital/ cohesion	Race/ ethnicity [Info] <i>African Caribbean</i> Socioeconomic indicators [Info] <i>deprived community</i> Social capital [Info] <i>social capital</i>	• ++	• 2	WB, C, P
Campbell et al., 2008)	• RCT	ASSIST (A Stop Smoking In Schools Trial)	school based peer-led intervention for smoking cessation in adolescence	Substance use Children and Young People/ Parenting		•+	• 3	H, I, E, U
Carley et al., 2000)	• Other [Info] case studies			Social capital/ cohesion Other [Info] urban regeneration; community safety; commissioning	 Race/ ethnicity [Info] ethnically diverse Socioeconomic indicators [Info] Birmingham is the fifth most deprived out of 366 districts on the English deprivation index, with 25 of its 39 wards ranked in the most disadvantaged 10% in the country Other indicators of disadvantage [Info] deprived borough 	• +	•2	P
Carlisle, 2010)	•Qualitative study	East Kirkland Social Inclusion Partnership (SIP)	Scottish Social Inclusion Partnerships (SIPs) funded to tackle local health inequalities and social exclusion using a health promotion, partnership and community-led approach.	 Mental health Substance use Community wellbeing Social capital/ cohesion General health (community) 	Occupation [Info] +++ unemployment Religion/ culture [Info] sectarian divisions between Catholic and Protestant Socioeconomic indicators [Info] health inequalities Social capital [Info] social exclusion	• +	• 2	P

Carlson et al., 2010)	Mixed methods evaluation	health trainers	health trainers: lay workers supporting individual behaviour change	 Physical acti Healthy eatir Substance us General heal 	ng se	 Socioeconomic indicators [Info] 61% of clients reached by the Health Trainer Services come from the 40% most deprived social quintiles Social capital [Info] In some parts of the service, such as those targeting rural areas, socially isolated individuals are also being reached. 	•+	•3	H, I, C, P, E
Carr, 2005)	•Qualitative study	Family Safety Scheme	childhood accident prevention in the home. Peer educators called 'safety advisers'. three local mothers were recruited through local advertising and trained to take on the role of peer educators	Parenting	ne. Structured ge specific es; choking,	 Race/ ethnicity [Info] multi-ethnic community Socioeconomic indicators [Info] "deprived" Other indicators of disadvantage [Info] parents Multiple languages, a non-English speaking proportion of the population, an asylum seeker population mobile population 	•+	• 3	I, P
Cawley and Berzins, 2011)	•Qualitative study	The Changing Minds Programme	mental health awareness training	 Mental health Substance us Prevention victime Personal web 	se iolence/ abuse/	Race/ ethnicity [Info] Black and Minority Ethnic communities were prioritised	• +++ [Info] Graduate s were offered opportunities to co-facilitate the next course	• 5 • 7	H, WB, I, P, E, U
Centre (2013)	Policy		asset based approaches to health improvement	1	Community wellbeing Community assets General health (community)	Place/ Location Other indicators of disadvantage [Info] <i>health inequalities</i>	• ++	•1 •2	1
Chadderto n et al., 2008)	 Concept/ theory Evaluation / research 	health impact assessment	community engagement in health impact assessn planning system	nent in the UK	Community wellbeing Safety/ accident	Place/ Location		• 1	

	Practice description Qualitative study				prevention [Info] waste incineration						
Chanan, 2011)		Health Empowerment Leverage Project.	To promote better collaboration between health agencies and local communities, with a particular interest in the potential for community development to play a wider role in relation to innovation, prevention and participation. For its field projects HELP decided to concentrate on a particular form of community development, the creation of a neighbourhood partnership.								
Chapman et al., 2001)	Mixed methods evaluation		community participation in multi-agency partnerships to improve social inclusion	Social capita	I/ cohesion	Social capit	al	•+	•2	C, P	
Chapman, 2010)	•Qualitative study	Community Activator Programme	The Programme comprised four elements – 1. Recruitment of Community Activators: Recruiting individuals from the 20 Well London communities 2. Training in Community activation: Delivery of an intensive four-day training course. 3. Mentor support: Each Activator who completed the training course was assigned a personal mentor. 4. A budget: While the Activators gave their time to the programme voluntarily (i.e. un-paid) a budget was made available to each Activator who successfully completed the training.	Physical acti Personal we Social capita	Ibeing	from BME gra • Occupation [Info] The may are not in wo education or have further of qualifications • Gender [Info] nearly 3 were female	ds of participants are pups jority of participants rk or full time training and do not pr +++er educational	• ++	•1 •3 •5	H, WB, I, P	
Chau, 2007)	•Qualitative study	Shared expectations, shared commitment	an action-oriented and older-people-led study which took place from 2003 to 2005	Community v Social capita General hea			<i>older people</i> ators of disadvantage	•+	•2 •8	P	

Chirewa, 2012)	Concept/ theory		Participatory action research. Development of a t support NGOs in tackling health inequalities.	oolkit to	• Other [Info] <i>"health inequalities"</i>	Socioeconomic indicators Other indicators of disadvantage [Info] marginalised groups	• ++	• 2 • 4	
Christie et al., 2012)	Qualitative study		social marketing intervention to improve road safety awareness in the Somali community	• Safety/ accid	l lent prevention	Race/ ethnicity [Info] 35% BME Socioeconomic indicators [Info] has slightly above average levels of deprivation compared with other London boroughs and four of its 20 electoral wards have been identified as being in the 10% most deprived wards in the UK.	• +++	•1 •2 •3	P
Cindersby, 2014)	 before and after study Qualitative study Questionn aire/ survey Other [Info] action research 	Good Life' initiative	The SEI approach was to develop the 'Good Life' initiative, which aimed to stimulate community building in relation to sustainability issues, considering improved use of resources, increased knowledge leading to +er carbon emissions and greater community connections encouraging shared action	Community wellbeing Social capital/ cohesion Community assets [Info] to enhance local skills for self-sufficiency and build local resilience Other [Info] sustainability issues, considering improved use of		Other indicators of disadvantage [Info] New Earswick is a +-income community that comprises predominantly social housing owned by the Joseph Rowntree Housing Trust; There have been changes in its demographics (including an increase in older people) over recent years resulting in some tensions between groups.	• ++	•1 •2	WB, SDH, I, P, U
Clay et al., 2007)	•Qualitative study	Health issues in the community (HIIC)	Health Issues in the Community is a training course informed by a community development approach to health promotion	crime • Community v • Social capita	iolence/ abuse/ wellbeing	• Socioeconomic indicators [Info] The course can work with groups who are marginalised and who suffer the negative consequences of equality and discrimination	• +	• 5	WB

CLES Consulting (2011) Consulting, 2011)	• Mixed methods evaluation	projects from the Well-being programme and two Changing Spaces award partner programmes		Physical active Healthy eatine Mental healthy Personal well Social capita Children and Parenting	g i being			• 7	H, WB, I, C
Cole, 2003)	•Qualitative study	Health Action Zone (Plymouth)	HAZs were one of several area-based initiatives (ABIs) introduced into localities with +++ levels of social and economic deprivation. HAZs had two strategic objectives: Identifying and addressing the public health needs of the local area, in particular trailblazing new ways of tackling health inequalities; and Modernising services by increasing their effectiveness, efficiency and responsiveness. The HAZ approach was underpinned by seven principles (achieving equity; engaging communities; working in partnership; engaging frontline staff; adopting an evidence-based approach; developing a person-centred approach to service delivery; and taking a whole systems approach), which ministers asked all HAZs to reflect in their activities and plans.	 Children and Parenting General heal 	se / cohesion <i>to primary care</i> Young People/ th (personal) th (community)	Socioeconomic indicators [Info] most deprived ward in England and Wales. Index of conditions. Social capital [Info] socially excluded Other indicators of disadvantage [Info] deprived	• ++	• 1 • 2 • 4	H, WB, C, P, U
Communiti es and Local Governme nt, 2007	Policy Concept/ theory Practice description		empowerment		Community wellbeing		• ++	•1 •2	
Community ()	• Other [Info] 5 case studies	Burnfoot Community Hub; North Coast Connection; Health All Round;	community-led health	 Disease prev Community v Social capita Community a Children and Parenting General heal 	vellbeing / cohesion ssets Young People/	Socioeconomic indicators Social capital	•+	•1 •2 •3 •4	SDH, C, P

		PAGES; Stepping Stones		General health (community)					
Community Health Exchange, 2012a)	• Mixed methods evaluation	Health Issues In the Community (HIIC)	Delivery of a course 'Health Issues In the Community' (HIIC)	 Physical activity Healthy eating Prevention violence/ abuse/ crime Community wellbeing Social capital/ cohesion General health (community) 	 Place/ Location [Info] Scotland Socioeconomic indicators [Info] disadvantaged communities and groups traditionally seen as being difficult to reach. Examples include • In areas of multiple deprivation • Ex-Offenders • People with addictions issues • More Choices, More Chances school pupils • Older people • Young Homeless people • Ethnic minority women's groups • Parent's Groups • Young people • Tenant and Resident Groups • Women's groups	• ++	• 5	WB, C, P, U	
Community Health Exchange, 2012b)	•Qualitative study		community led health organisations working to tackle health inequalities at a local level	 Personal wellbeing Community wellbeing General health (personal) General health (community) 	Place/ Location Socioeconomic indicators [Info] <i>health inequalities</i>	• ++	• 1 • 2 • 4	P	
Community Service Volunteers (CSV), 2008)	Mixed methods evaluation	Capital Volunteering	Capital Volunteering is a pan-London programme which aims to tackle issues of mental health and social inclusion, through volunteering.	 Mental health Personal wellbeing Social capital/ cohesion 	 Place/ Location Social capital [Info] social inclusion Other indicators of disadvantage [Info] mental health service users 	•+			•7
Cook and Wills, 2012)	•Qualitative study	health trainers	trainers are 'lay' people recruited to engage 'harder-to-reach' people from their communities, offering one-to-one support to enable them to make the healthy lifestyle changes of their choice	General health (personal) [Info] individual behaviour change	Other indicators of disadvantage [Info] marginalised communities	• +	•3 •5 •6	WB, C, P	

Coote et al., 2004)	Practice description	The Healthy Communities Collaborative; The Social Action Research Project	Healthy Communities Collaborative: This is a model for introducing structured, evidence-based practice at local level, under the control of local people. The HCC engages communities to improve health and reduce inequalities, and aims to strengthen their capacity to address health risks.131 So far the collaboratives have focused on preventing falls among older people in disadvantaged neighbourhoods; The Social Action Research Project (SARP), Salford, was one of two action research projects in Salford and Nottingham that aimed to deepen understanding of how strengthening community capacity and community involvement in local policy and practice could help to improve health and reduce health inequalities• Safety/ accident preventionActivity Friends is a volunteer programme for• Physical activity		prevention [Info] <i>fall</i> <i>prevention</i> • Social capital/ cohesion • Community	• Other indicators of disadvantage [Info] <i>disadvantaged</i> <i>neighbourhoods; older people;</i>			
Corbin, 2006)	• Mixed methods evaluation	Activity Friends	Activity Friends is a volunteer programme for the over 50Õs designed to help people achieve a healthier lifestyle through increasing physical activity and befriending to alleviate social isolation.	 Physical activity Mental health Personal wellbeing Social capital/ cohesion 		Occupation [Info] retired Social capital [Info] social isolation Other indicators of disadvantage [Info] older people	•+	• 3 •7	WB, I, P
Coulter, (2014)	• Practice description	Somerford Wellbeing Project	The main activity is in two phases: the first is a cre consultation with young people leading the activity by a community development worker. An artist ex film, animation and audio (digital media) will work young people, developing their skills in interviewir documentation. Out of the information gathered th people will help to devise a phase 2 which will be focussed interventions using the arts for health an outcomes and to meet CCG needs. An artist expec creative consultations will be involved along with t working specifically with digital media. The young from the community and will lead the project. The development worker has many years of working in community and will provide the leads into the your and extended family networks.	r, supported perienced in with the og and we young more d wellbeing rienced in he artist people are community n this	Healthy eating Mental health Disease prevention [Info] managin g long term conditions Substance use Personal wellbeing Community wellbeing Children & Young People/ Parenting General health (personal)	Place/ Location Socioeconomic indicators [Info] area of social deprivation and health inequalities	• +++		

				• General health (community)			
Coulter, 2010)	• Practice description	Liverpool's Big Health Debate; Connected Care in Hartlepool; Apnee Sehat; Health Action Zones;	Liverpool PCT organised a three stage community consultation for health strategy; audit of health needs; Apnee Sehat (our health) is a social enterprise pathfinder project that is tailoring lifestyle programmes to meet the needs of Britain's South Asian community; Health Action Zones; Healthy communities collaborative; NHS Tower Hamlets - lay diabetes educators; Oxfordshire PCT Priorities Forum	 Disease prevention Community wellbeing Social capital/ cohesion Personal assets [Info] training of auditors Other [Info] health strategy development; community audit of health needs; reduce health inequalities General health (personal) General health (community) 	 Place/ Location [Info] Liverpool; Owton Ward in Hartlepool; South Warwickshire; Tower Hamlets; Across the country; Oxford Race/ ethnicity [Info] The views of people from specific priority groups were sought by means of 13 specially organised discussion groups. These included people from the Chinese, Sikh, Somali and Yemeni communities, homeless men, Irish travellers, people with sensory disabilities and mental health service users. Other indicators of disadvantage [Info] The views of people from specific priority groups were sought by means of 13 specially organised discussion groups. These included people from specific priority groups were sought by means of 13 specially organised discussion groups. These included people from the Chinese, Sikh, Somali and Yemeni communities, homeless men, Irish travellers, people with sensory disabilities and mental health service users; Owton: The ward is ranked as one of the most deprived nationally, with most residents living in social housing 		
Craig (2010)	•Qualitative study	Youth.comUnity Young Ambassadors	Ambassador from each of the 20 communities. • General h	y wellbeing ealth (personal) ealth (community)	Other indicators of disadvantage [Info] <i>young people</i>	• ++	• 1 • 2 • 3

		programme	people into Well London programmes generally and by developing projects in partnership with Well London Partners. Uniquely the Young Ambassadors plan and deliver their own projects in their own communities and, as a team, are planning the Wellnet Conference at City Hall in February 2010. (Wellnet is a learning network connecting all those working in health and well-being promotion across London and sharing fresh ideas for boosting well-being through community-led activities.) Youth Participation Seminars and Conferences D Part of the Wellnet project, these are designed to change attitudes and identify organisational challenges Youth Update Briefings D Policy briefings aimed at partners, including local partners, and informing them of youth related issues The Young Ambassadors Programme is managed by two Youth.com Workers, each worker recruiting, supporting and managing 10 Young Ambassadors.				• 5
CRESR ()	Mixed methods evaluation	New Deal for Communities (NDC)	Neighbourhood Renewal- Each NDC is working with partner agencies and the local community to implement 10 year programmes to transform these neighbourhoods.	Prevention violence/ abuse/ crime Community wellbeing Social capital/ cohesion Other [Info] <i>Neighbourhood renewal</i> General health (community)	 Place/ Location Race/ ethnicity [Info] the proportion of the non- white population across the Programme is about 26 per cent: for Birmingham Aston the equivalent figure is over 80 per cent: for Plymouth and Knowsley less than one per cent Socioeconomic indicators [Info] 39 generally deprived areas: nine would fall within the most deprived 1,000 of the 32,000 +er level Super Output Areas derived from the 2001 Census. The Knowsley NDC area would be the 117th most deprived SOA in England. Other indicators of disadvantage 	• ++	•2

					[Info] • across the Programme 55 per cent of households live in social rented accommodation: in Southwark it is almost 85 per cent, but in Hartlepool less than 30 per cent.				
Crow (2004)	• before and after study	Communities that Care (CTC) prevention initiative.	This early intervention programme targets children living in communities and families that are deemed to put them at risk of developing social problems. The CTC approach focuses on specific geographical areas and involves bringing together local community representatives, professionals working in the area and senior managers responsible for service management. Participants are given training and provided with evidence of the levels of risk and protection in their community. From this they design an action plan that seeks to enhance existing services or introduce new ones likely to reduce risk	Substance use Personal wellbeing Social capital/ cohesion Other [Info] disadvantaged neighbourhoods; educational achievement Children and Young People/ Parenting	Place/ Location [Info] Southside (located in Wales), Westside (West Midlands), Northside (North of England) Race/ ethnicity [Info] Southside: predom white; The city of Westside has a significant ethnic population (12 per cent), mainly of Asian descent Occupation [Info] Unemployment was the +++est in the city in Westside Other indicators of disadvantage [Info] Southside: It was predominately white, and the proportion of young people (under 18)	• ++			• 1 • 2 • 3
Crowley et al., 2002)	• Mixed methods evaluation [Info] <i>case</i> <i>study</i>		promoting community participation in decision making about local services	 Other [Info] ways in which local health services are planned and delivered General health (community) 	 Place/ Location Race/ ethnicity [Info] significant BME population (6%) Other indicators of disadvantage [Info] area of social disadvantage; people with disabilities 	•++			• 1 • 2
Curno 2012)	Research	Life is Precious	Life is Precious is a cancer health improvement project commissioned by Dudley Public Health Community Health Improvement Team. The project used a creative arts approach to engage local people from minority ethnic	Disease prevention Personal wellbeing	Place/ Location Race/ ethnicity Gender	++	• 1 • 2 • 5 • 8	H; WB; I; P	

Curtis et al., 2007)	•Qualitative study	Breastfriends scheme	communities in a dialogue around cancer. Includes community health champions. breast feeding peer-support project	Healthy eatin Children and Parenting	ng d Young People/	Place/ Location Gender [Info] <i>females, mothers</i> Socioeconomic indicators [Info] <i>described as 'working class'</i>	• +		• 3 • 7
Data Collection Reporting System, 2012)	• before and after study	Health Trainers Service	Health Trainer Service	Physical active Healthy eatine Substance us Personal well Other [Info] weight; 'I General healthealthealthealthealthealthealthealt	ng ise ellbeing <i>'local issue'</i>	 Place/ Location [Info] National Race/ ethnicity [Info] sees a strong White British majority - clients Gender [Info] clear female majority - clients Socioeconomic indicators [Info] most clients live in an area which falls within the 'Q1 – Most deprived' threshold Other indicators of disadvantage [Info] clear consistency of clients in the middle age bandings, with 36- 45 being marginally the +++est (19.43%); a significant number of 'Long term condition' and 'Disability/ vulnerable group' clients are accessing the service.; offenders	• +		• 3
Davies, 2009)	Practice description Discussion	community health champions	community empowerment; health champions		 Physical activity Healthy eating Mental health Personal wellbeing Community wellbeing General 	Place/ Location Other indicators of disadvantage [Info] targeting areas where health is currently poorest	• ++		• 1 • 3 • 5

					health (personal) • General health (community)					
Davis, 2008)	Rese• Mixed methods evaluation		to understand the commissioning process for people with learning disabilities and complex needs	Other [Info] <i>commisss</i> <i>services</i> General healthealthealthealthealthealthealthealt	-	people with learning disabilities	• ++	•2	C, P	
Dearden- Phillips and Fountain, 2005	Practice description Discussion	Speaking Up	a voluntary organisation that has developed the 'F model to give people with learning difficulties a str collective voice.		Other [Info] commissi oning/ influencing health services	Place/ Location Other indicators of disadvantage [Info] people with learning disabilities	• ++			•2
Departmen t for Communiti es & Local Governme nt, 2006a	•Questionn aire/ survey	Neighbourhood Management Pathfinder Programme	neighbourhood management/ renewal/ regenerati	on	Prevention violence/ abuse/ crime Community wellbeing	Socioeconomic indicators [Info] deprived neighbourhoods	• ++			•2
Departmen t for Communiti es & Local Governme nt, 2006a)	• Policy	local area agreements	Paper proposes a new approach to local partners local authorities more opportunity to lead their are other services and better meet the public's needs. public services by giving citizens and communities say. a new framework for strategic leadership in lo bringing together local partners to focus on the ne citizens and communities Stronger local leadership resident participation in decisions and an enhance community groups can help all local areas to pron community cohesion These reforms will empower communities.	ea, work with . Reshape s a bigger ocal areas, eeds of ip, greater ed role for note	Community wellbeing Social capital/ cohesion	Place/ Location Social capital	• ++			•2 •4

Departmen t for Communiti es & Local Governme nt, 2007a	Policy	Strong and Prosperous Communities - The Local Government White Paper	The Government believes that public services are better, local people more satisfied and communities stronger if involvement, participation and empowerment is at the heart of public service delivery. 'Strong and Prosperous Communities - The Local Government White Paper' lays out the Government's proposals on how to local authorities can achieve community empowerment. One of the ways this will be achieved is through Statutory Guidance, as laid out in the approach to guidance in the White Paper Implementation Plan. This paper gives detail on a number of pieces of Statutory Guidance provided for within the Bill aimed to support local authorities in community empowerment.	Community wellbeing Other [Info] communi ty empowerment	Place/ Location	• ++	•1 •2
Departmen t for Communiti es & Local Governme nt, 2007b	• Qualitative study	(Neighbourhoo d Management and Social Capital) Neighbourhood Management Pathfinders Programme	Neighbourhood management, various methods: -establishing and supporting a wide range of local groups and activities, especially for children and young peoplecreating opportunities for people from different backgrounds and communities to come together and work towards common goals – examples include a local radio station, work with schools and faith communities to increase cross-cultural understanding and involving young people and adults in debates about perceptions of anti-social behaviour; -giving residents more of a sense of local identity through festivals, community centres and through reclaiming local public spaces; -tackling negative stereotypes of the neighbourhood and of particular groups within it;	Prevention violence/ abuse/ crime Community wellbeing Social capital/ cohesion Children and Young People/ Parenting	 Place/ Location Race/ ethnicity [Info] Blacon and Ovenden have a predominantly white population; Leyton is ethnically mixed. Social capital Other indicators of disadvantage [Info] All three neighbourhoods report problems in relations between adults and young people, but while Blacon and Leyton have a fairly active voluntary and community sector, Ovenden – which has suffered from economic restructuring and the loss of major local industries – does not. 	• +	• 1
Departmen t of Health, 2004	Policy	Choosing health	health policy	 Physical activity Healthy eating Mental health Disease prevention STIs Substance use Children & 	Place/ Location Socioeconomic indicators [Info] <i>health inequalities</i>	• +	•2

	1		1	- · ·				
				Young People/ Parenting				
				. c. c				
Departmen t of Health, 2006b	Policy Concept/ theory		a framework for creating a stronger local voice in the development of health and social care services. There are five elements of the new arrangements: local involvement networks; overview and scrutiny committees; more explicit duties on providers and commissioners of services to involve and consult; a stronger national voice; and a stronger voice in regulation	Other [Info] planning, developing and making decisions about health and social care services General health (community)	• Place/ Location	• +		•2
Departmen t of Health, 2007a)	Policy	Commissioning framework for health and wellbeing. Builds on the white paper 'Our health, our care, our say', providing a framework for action.	Commissioning framework. Commissioning for health and well- being means involving the local community to provide services that meet their needs. Current reform of public services rests on increased investment and on devolving power to local people so that they can make the choices that affect their communities Individuals and communities need to co- producers of information in order to make effective decisions for individuals and groups	Personal wellbeing Community wellbeing General health (personal) General health (community)	Place/ Location	• ++	•2	
Departmen t of Health, 2007b	Practice description	Opportunities for Volunteering Scheme 2007	Volunteering in health and social care services.	 Physical activity Healthy eating Mental health Disease prevention STIs Substance use Prevention violence/ abuse/ crime 	 Place/ Location Race/ ethnicity [Info] Mixed ethnicities Occupation [Info] 70% of volunteers were employed, 30% were unemployed Gender [Info] 36% of volunteers were male, 64% were female 	• +		• 1 •3 • 6 •7

				Community		
				wellbeing		
				Social		
				capital/		
				cohesion		
				• Other		
				[Info] refugees		
				and asylum		
				seekers		
Departmen	 Policy 	Health	Looks at government targets of reducing inequalities in health	Disease	Place/ Location	• +
t of Health,	•	inequalities	outcomes, what works and what does not work, and what	prevention	Socioeconomic indicators	
2008a)	Discussion	programme	needs to be done to carry forward progress. Engaging	 Community 	Other indicators of disadvantage	
			individuals, families and communities 'works'. A new primary	wellbeing		
			and community care strategy as part of the NHS Next Stage	Safety/		
			Review which will move towards personalised, integrated and	accident		
			better quality service. Health Trainers are seen as important	prevention		
			and the DH wants to roll them out to every community .Report	Social		
			recognises the work third sector organisations do in engaging	capital/		
			communities.	cohesion		
				Other		
				[Info] educatio		
				n, housing etc.		
				(social		
				determinants)		
				General		
				health		
				(personal)		
				General		
				health		
				(community)		
				[Info] <i>health</i>		
				inequalities.		
				Life		
				expectancy/		
				mortality.		
Departmen		Tackling Health	policies to tackle health inequalities	Disease	Place/ Location	
t of Health,	Policy	Inequalities:		prevention	Socioeconomic indicators	• +
2008b)	1 Olicy	programme for		Substance		
20000)		programme ior				
				use		

Departmen t of Health, 2009a	Policy Practice description	action Communities for Health Programme	a programme led by local government to: • work communities to help them to improve their own he promote partnership across local organisations; • areas to choose their priorities for health and pro from the centre; and • create a climate for innova	ealth; • al+ local vide support	Other [Info] child poverty, housing quality, educational achievements, uptake of flu vaccinations General health (personal) General health (community) [Info] life expectancy/ mortality Social capital/ cohesion Community assets General health (personal)	[Info] include	ntion omic indicators s all the health Spearhead areas	• ++		·1 ·2
					• General health (community)					
Departmen t of Health, 2009b)	• Policy • Discussion	National health inequalities strategy, the 'Programme for Action'	policies to tackle inequalities; working in partnership	child poverty;	ise al/ cohesion ectancy/ mortality;		Place/ Location Socioeconomic indicators	•+	•2	1

					alth (personal) alth (community)					
Derges et al., 2004	•Qualitative study	Well London	Well London is a multicomponent community engagement and coproduction programme designed to improve the health of Londoners living in socioeconomically deprived neighbourhoods	Physical ac Healthy eat Mental hea Personal w	ing Ith	and Mountsio • Race/ ethnicit [Info] Ethnicit time in the ne the study pop across all thr • Other indica [Info] Ethnicit time in the ne the study pop across all thr	E Eastford, Hartfield de city ty, age and length of eighbourhood among pulation were mixed ee neighbourhoods ators of disadvantage ty, age and length of eighbourhood among pulation were mixed ee neighbourhoods; nically deprived	• ++		•2 •7
Dewar, 2005	•Qualitative study Practice description	Initiatives to support involvement of older people in research and development activity	to support older people in partnership working in research and development work			Place/ Loca Other indica [Info] older pa	ators of disadvantage	•+		• 3
Dews, (2014)	Practice description	Community Health Champions	Providing health information through brief interve and bridging programmes, supporting people to a mainstream services. Community health champio primary role is to engage at grassroots level with communities, particularly those who are hard to r view to raising awareness of the benefits of good lifestyle choices and referring them into mainstrea	access ons whose local each with a ' health and	Physical activity Personal wellbeing Community wellbeing Social capital/ cohesion Other [Info] wider determinants e.g. employment;	Place/ Loca Socioecono [Info] areas c	mic indicators		• ++	•2 •4 •5

Distance					debt management • General health (personal) • General health (community)					
Dickens Andy et al., 2011)	• RCT	Community Mentoring service	community mentoring service for socially isolated older people:	Mental health Social capital Other [Info] <i>Mentorin</i> , General health	nl/ cohesion	 Place/ Location Socioeconomic indicators [Info] older people, socially isola Social capital 	ted			, , E , C
Dinham, (2007)	•Qualitative study	New Deal for Communities	neighbourhood renewal/ regeneration	Personal well Community w Social capital Community a Other [Info] neighbou regeneration	wellbeing Il/ cohesion	Place/ Location Socioeconomic indicators [Info] <i>39 most disadvantaged are</i> Social capital [Info] <i>address issues of social ex</i>		NDC	• ++	, , , , , ,
Dooris et al., 2013)	Mixed methods evaluation	Offender Health Trainer service	Offender Health Trainer service	crime • Personal well	ng h se iolence/ abuse/	Place/ Location Socioeconomic indicators [Info] People on probation	• +	3	H, WB, SDH, C, P	
Draper et al., 2010)	Concept/ theory Evaluation / research		developing an evaluation framework that enables of the process of participation and links this with h programme outcomes							

Duffy, 2012)	Mixed methods evaluation	Peer Power (the personalisation forum group)	Peer support group for people with mental illness			Place/ Location	• ++	• 3 • 4 • 6	H, WB, I, C, P
East Midlands Regional Empowerm ent Partnership , 2009a)	Practice description	Bagworth and Thornton Parish Plan Group, Leicestershire	The Parish Plan group was formed in 2006 to add community issues and bring facilities to the area benefit all residents		Community wellbeing Social capital/ cohesion Community assets	 Place/ Location Socioeconomic indicators Other indicators of disadvantage [Info] <i>no facilities</i> 	•++	• 4	
East Midlands Regional Empowerm ent Partnership , 2009b)	•Qualitative study	Manton Community Alliance : Residents Building a Better Neighbourhood	Community Alliance :(NMP) which aims to explore new ways of working at a neighbourhood level so that local services are better, more efficient and relevant Building a Better• Social capital/ cohesion • OtherImage: Community Better(NMP) which aims to explore new ways of working at a neighbourhood level so that local improvement• Social capital/ cohesion • Other		Place/ Location	•+	• 1	WB, C	
Edwards, 2002)				al/ cohesion ber explores the f and barriers to, ole's involvement ion in the SRB, es the notion that hips are inclusive	 Place/ Location Other indicators of disadvantage [Info] Disability. SRB partnerships seek collaboration between public, private and community sectors but, for some minority groups, such inclusionary intentions have proved to be more rhetoric than reality. 	• ++	•2	P, U	
Eleftheriad es, 2005)	Practice description	Renton Regeneration; Cordale Housing Association	regeneration	1	Community wellbeing Social capital/ cohesion Community assets Other	Place/ Location	• ++	•1 •2 •4	

Elford et al., 2001)	•Controlled trial •Questionn aire/ survey		peer education - popular opinion leader "diffusion of innovation" model	STIs [Info] prevention of infection Substance use		Place/ Location Other indicators of [Info] gay men	disadvantage	• ++	• 3	H, P
Elliott et al., 2001)	•Qualitative study		paper explores a number of key issues relating to the employment of peer interviewers by reflecting on a project designed to explore the views and experiences of parents who use illegal drugs	Substance use Children and You Parenting	ing People/	Place/ Location Other indicators of [Info] <i>drug using par</i>	-	•+	• 3	Н, Р
Elliott et al., 2007)	Practice description	health impact assessment (HIA): informing decisions on the future of a landfill site in Wales		Community asset Other [Info] Decisions abo		it	Place/ Location Race/ ethnicity [Info] <i>Welsh</i>	• ++	•1	
Ewles et al., 2001)	before and after study	the Hartcliffe Health and Environment Action Group	community health development project	Healthy eating Substance use Community wellbe Social capital/ col Community asset General health (col	hesion ts	Place/ Location Occupation [Info] +++ unemployment Socioeconomic indicators [Info] most families are on a + income		• ++	•1 •4	WB, SDH, C, P
Farooqi and Bhavsar, 2001)	•Questionn aire/ survey	Project Dil Primary Care & Community Health Promotion Programme - Reducing Risk Factors of Coronary Heart Disease Amongst the	A CHD training and awareness programme for health care professionalsA public awareness campaign including a peer education programme for the South Asian community of Leicestershire.			 Place/ Location Race/ ethnicity [Info] South Asian C Socioeconomic indering [Info] deprived inner Other indicators of [Info] Studies have as South Asians to have knowledge of risk far and also poorer acc uptake of services. 	icators city areas. disadvantage shown some e poorer ctors for CHD, ess and	• +	• 2 • 3 • Volunteers	WB

		South Asian Community			disadvantage is compounded by historically under-resourced primary care services in inner city areas where South Asians predominantly live. • Place/ Location				
Fenton, 2013)	Mixed methods evaluation	assets based approach to health promotion with young people in England	Asset mapping/models	Personal assets Community assets Children and Young People/ Parenting	Place/ Location				
Flowers et al., 2002)	•Controlled trial		a bar-based, peer-led community-level intervention to promote sexual health amongst gay men. The intervention consisted of peer education within bars, gay specific genitourinary medicine (GUM) services and a free-phone hotline.	Disease prevention [Info] <i>HIV/ AIDS prevention</i> STIs	Place/ Location Other indicators of [Info] gay men	disadvantage	•+	• 3	H, I, P
Foot and Hopkins, 2010)	 Practice description Discussion 		asset approach	 Community wellbeing Community assets General health (community) 		Place/ Location	• ++	• 1 • 2	
Fountain and Hicks, 2010)	• Mixed methods evaluation	National Institute for Mental Health in England Community Engagement Project	The community engagement strand of the DRE action plan is a significant aspect of the work of DRE. As one of the three building blocks of the action plan and programme which developed to implement it, the work on community engagement is a good barometer to gauge – at a grassroots level – the extent to which people from Black and minority ethnic (BME) communities feel engaged; feel that their views are taken on board by commissioners and providers of services; and feel that there is real improvement in how they access and experience mental health services. The project- 547 community researchers, 75 4, 935 Black and minority ethnic current or ex-mental service users, 344 carers and 4,472 other	 Mental health Personal wellbeing General health (personal) 	Place/ Location Race/ ethnicity Other indicators of [Info] mental health	0		• 1 • 2 • 4 • 8	H, WB, I, P

			community members to contribute to the development of mental health policy and to the planning and provision of services.					
Fountain et al., 2007)	• Concept/ theory		describes the community engagement model developed during the community engagement programme	Community wellbeing Social capital/ cohesion Community assets	Place/ Location Other indicators of disadvanta e [Info] "socia y excluded communitie	9 ///	• 1 • 2	
France and Crow, 2001)	Mixed methods evaluation	Communities That Care	programme designed to help children and young people to grow up in safer and more caring communities	 Prevention violence/ abuse/ crime Children and Young People/ Parenting 	Place/ Location Other indicators of disadvantag [Info] children and young people risk of offending		•1	H, P
Gardner et al., 2012)	• before and after study	NHS Health Trainer Service	Health trainer service	 Physical activity Healthy eating Personal wellbeing Other [Info] <i>OBESITY</i> General health (personal) 	 Place/ Location [Info] Across England and Wales Race/ ethnicity [Info] (17%) were of Asian or Blacethnicities; 83.2% White Gender [Info] (79%) were female Socioeconomic indicators [Info] Nearly, half (1836 clients; 43.2%) were from the most deprived quintile of the UK population, and a further quarter (1093 clients; 25.7%) were from the second most deprived quintile 	ck	• 3 • 7	H, WB, I, U
Gay, 2007)	Mixed methods evaluation	volunteering	Scoping study to investigate the nature, practice and extent of volunteering in health promotion (in Suffolk)	 Physical activity Healthy eating Mental health Substance use Personal wellbeing Other 	 Place/ Location Race/ ethnicity [Info] <i>BME</i> Other indicators of disadvantag [Info] <i>For the most part,</i> organisations existed to support 	• +	• 4 • Volunteers • 8	Ρ

				such as art, la classes Budge • Children and Parenting • General heal	earning new skills nguage and IT eting I Young People/	particular groups, for example, MS sufferers, people with mental health difficulties, older people or those with disabilities, young people, refugees or carers			
Glasgow Centre for Population Health, 2007)	• Concept/ theory	Healthy Futures	community engagement (model)		Community wellbeing Social capital/ cohesion Community assets General health (community)	Place/ Location	• +++	• 1 • 2 • 6	
Goddard, 2005)	Mixed methods evaluation		personal experience volunteers	Personal we Other [Info] support cancer	lbeing for people with	Place/ Location	• +	Volunteers	WB, I
Gooberma n-Hill et al., 2008)	•Qualitative study	Bristol Citizens' Jury	public involvement: involving members of the public in citizen's jury setting priorities for health research	health researc	sioning; defining ch priorities Ith (community)	Place/ Location	• ++	•2	P
Graffy et al., 2004)	• RCT		Support from volunteer counsellors for mothers considering breast feeding	 Healthy eatir Children and Parenting 	ng Young People/	Place/ Location Gender [Info] Women- mothers	• +	• 7	Н, WB, C, Р
Green, 2012)	before and after study Mixed methods	Health Trainer Service	Health trainer service	Physical acti Healthy eatir Substance u Personal wel Other [Info] weight	se	Place/ Location [Info] East of England Race/ ethnicity [Info] 1/3 of clients were from minority groups. Occupation [Info] 84 clients (7.79%) were long	• +	• 5	H, WB, I, P, U

	evaluation			General health (personal)	term unemployed (over one year). • Other indicators of disadvantage [Info] deprived areas; 60.13% of clients fell within (any) one or more of the following indicators 1 income, employment, health deprivation threshold, disability, barriers to housing & services			
Greene, 2005)	•Qualitative study		looking at factors that influence how and when young mothers participate in their communities as well as the barriers that young mothers experience regarding their inclusion in community based participation	Personal assets	 Place/ Location Gender [Info] <i>interviews with 20 young mothers between the ages of 16 and 22</i> Socioeconomic indicators [Info] <i>deprived communities</i> 	•+	• 3 • 4	WB, I, P
Gregson and Court, 2010)	Practice description •Discussion		community empowerment	 Personal wellbeing Community wellbeing Community assets Other [Info] commissioning health services 	Place/ Location	• ++	•1 •2	
Halliday and Asthana, 2005)	 Practice description Discussion 	health action zone	partnership working	 Physical activity Personal wellbeing Social capital/ cohesion Children & Young People/ Parenting 	Place/ Location Socioeconomic indicators	•+	•1 •2	
Hamer and Box, 2000)	Mixed methods evaluation	Boscombe Network for Change	Boscombe Network for Change, a health- related forum of statutory and voluntary agency employees, volunteers and local residents, set up in 1996, born out of a concern to promote 'change' in the deprived ward of Boscombe	Social capital/ cohesion Other [Info] <i>promote change</i>	Place/ Location [Info] Boscombe Socioeconomic indicators [Info] The Jarman Index of Deprivation Score is 31.4 for the area, and therefore general practitioners receive additional payment in recognition of their population's greater health needs.	•+	•2 •7	P

					• Other indicators of disadvantage [Info] <i>deprived neighbourhoods</i>			
Hardill et al., 2007)	Concept/ theory		volunteering		Socioeconomic indicators	• ++	• 7	
Harkins and Egan, 2012)	• Mixed methods evaluation	Equally Well (Govanhill test site). Equally Well is a key Scottish Government policy to reduce the nation's health inequalities	Unlike the other Equally Well test sites throughout Scotland the Govanhill test site does not have a particular health related theme. Rather, the test site can be described as a localised partnership approach (involving public and third sectors as well as community members) which aims to improve all aspects of life and conditions in the area. Evaluation evidence indicates that test site partners believe that this 'complete' approach is the correct way to tackle the complexity of issues in the area and to improve the health and wellbeing of Govanhill residents.	 Community wellbeing Social capital/ cohesion Community assets General health (community) 	 Place/ Location Race/ ethnicity Govanhill is also a diverse and transient community and is currently playing host to the highest concentration of Eastern European Roma migrants seen in Scotland Socioeconomic indicators Govanhill is an area on Glasgow's Southside facing stark inequalities across a range of social, economic, health and environmental markers. Social capital [Info] high levels of antisocial behaviour 	• ++	• 2	H, P
Harris,	•Questionn aire/ survey	Healthwatch Torbay	Healthwatch Torbay is the independent consumer watchdog for health and social care services in Torbay, ensuring the voice of the community is used to influence and improve services for local people.	Personal wellbeing [Info] support for carers	Place/ Location Other indicators of disadvantage [Info] carers	• +	•2	Ρ
Hatamian et al., 2012)	Mixed methods evaluation	the Active at 60 Community Agent Programme by Areenay	Community agents (community groups and their volunteers) to help people approaching and post retirement to stay or become more active and positively engaged with society, in particular those at risk of social isolation and loneliness in later life.	 Community wellbeing Social capital/ cohesion General health (community) 	 Place/ Location Occupation [Info] approaching and post retirement Other indicators of disadvantage [Info] those at risk of social isolation and loneliness in later life 	•+	• 3 • 7	WB, C, P
Hatzidimitri adou et al., 2012)	•Qualitative study	no name provided- a community-	offering Improve Access to Psychological Therapies (IAPT) services in the locality	 Mental health Community wellbeing Social capital/ cohesion 	Place/ Location Race/ ethnicity [Info] Aimed at BME communities. 17 therapists were from BME	• ++	• 1 • 2	WB, C, P

		based mental health project		Community assets	background and spoke 7 languages between them			
Healthy Communiti es, 2010)	• Mixed methods evaluation • Other [Info] case studies	Bowmar Women and Girls Group; CAMGLEN Community Radio; Eyemouth and District First Responders; Girvan Youth Trust; Healthy Valleys Initiative; 'Make It Happen' – Girvan's community garden; Perth and Kinross Healthy Communities Collaborative	women and girls group; community radio; first responders; youth trust; healthy living centre; community garden; Healthy Communities Collaborative	 Physical activity Healthy eating Mental health STIs Substance use Prevention violence/ abuse/ crime Personal wellbeing Social capital/ cohesion Personal assets Other [Info] <i>first responder trainnig, arts</i> Children and Young People/ Parenting General health (personal) Safety/ accident prevention 	 Place/ Location [Info] Scotland Race/ ethnicity [Info] travellers Gender [Info] women and girls Other indicators of disadvantage [Info] • travellers • people with learning difficulties • young people • older people • people with metabolities • people with mental health issues. There is a +++er rate of people deprived of employment than the national average, with 23% of children living in households where no adults work. There are comparatively +++ numbers of people living with limiting long term illness. Incidences of cancer and coronary heart disease are significantly +++er than the national average, as are the numbers of hospital admissions related to alcohol and drug misuse.	• ++	• 1 • 2 • 3 • 4 • 6 • 7	H, WB, SDH, I, P
Henderson et al., 2002)	Mixed methods evaluation •Qualitative study	Sure Start		Children and Young People/ Parenting	Place/ Location Socioeconomic indicators [Info] focused on deprived areas	• +	•2 •3 •5	C, P

Hills et al., 2007)	• Mixed methods evaluation	Healthy Living Centres	Some HLCs focused on specific health-related services, but in keeping with the broad, holistic vision of the programme, many have sought to address the wider determinants of health inequalities, such as social isolation, unemployment and poverty.	health inequa social isolatio and poverty • General hea	wellbeing al/ cohesion	 Place/ Location Race/ ethnicity [Info] minority ethnic groups Occupation [Info] unemployed Gender Other indicators of disadvantage [Info] "deprived" communities those with the poorest health children and young people families those with specific health conditions isolated, vulnerable, hard-to-reach or inactive adults disabilities. 	• ++	• 1 • 2 • 4 • 7	H, WB, SDH, I, C, P, E
Hoddinott et al., 2006a)	•Qualitative study		peer support for breastfeeding (one to one or group-based)	Healthy eati [Info] <i>breastfe</i> Children and Parenting		Place/ Location Gender [Info] women - mothers	• +	• 3	H, P, U
Hoddinott et al., 2006b)	•Controlled trial •Questionn aire/ survey [Info] and diaries		breastfeeding peer coaching initiative	Healthy eati [Info] <i>breastfe</i> Children and Parenting	-	Place/ Location Gender [Info] women - mothers	• ++	• 3	H, C, P, U
Holden and Craig, 2002)	Practice description Discussion	• The Hull and East Riding Health Action Zone (HERHAZ)	Activity Community development workers focusii health issues. HAZ evaluation group, smoking ce sexual health promotion,		 Physical activity Healthy eating Substance use Community wellbeing Social capital/ cohesion General health (community) 	Place/ Location Socioeconomic indicators [Info] Areas of deprivation	• +	• 2	

Home Office, 2004)		Leicester City's Multi- Cultural Advisory Group; The REWIND programme; Shoreditch Our Way New Deal for Communities Programme	Leicester City's Multi- Cultural Advisory Group, wh an unofficial monitoring body for the city's various aimed at tackling obstacles to community cohesio The project is based on exposing the myths that h created around issues of 'race'; Shoreditch NDC µ The partnership is not content with the current lev engagement, but actively seeks to increase the in and support of local residents.	initiatives on.; REWIND - nave been partnership - rel of	Social capital/ cohesion [Info] <i>TACKLE</i> <i>RACISM</i> • Other [Info] <i>regenera</i> <i>tion</i>	 Place/ Location [Info] Leicester; Sandwell Race/ ethnicity Other indicators of disadvantage [Info] CHILDREN AND YOUNG PEOPLE 		• 2 • 7
Hothi et al., 2007)	Mixed methods evaluation	The Local Wellbeing Project	The project covers five main strands: emotional resilience for 11 to 13 year olds; wellbeing of older people; guaranteed apprenticeships; neighbourhoods and community empowerment; and parenting.	Parenting		Place/ Location	• +	• 1 • 3 • 6
Hough and Lyall, 2014)	Mixed methods evaluation	Co-producing cardiovascular health in Wandsworth	three co-produced healthcare projects working with ethnic minority groups at high risk of cardiovascular disease (CVD) in Wandsworth. The three projects included two cook and eat projects for South Asian and Somali women, and an exercise project for African-Caribbean men, which met weekly over a six week period. Community leaders were involved in the project design and delivery, and community members co-produced the projects as they evolved over the six weeks	Hea Dise Gen	sical activity Ithy eating ease prevention neral health rsonal)	Race/ ethnicity: South Asian and Somali women; African- Caribbean men Religion: Church networks and pastors were involved in the WCEN Deprived area	++	1, 2, 4, 6, 8
Houghton)	Practice description	The People's Family Project	Providing opportunity for local families to attend free family based sessions al+ing opportunity to increase physical activity, increase education and awareness about various aspects of health and signpost to local services.	 Physical acti Healthy eatir Mental health Substance us Children & Y Parenting General heal 	ng h se oung People/	Place/ Location	•+	• 2 • 4 • 5 • 7

Hyland et al., 2006)	• RCT [Info] article reports on process data •Qualitative study	The Peer-Led Food Club (PLFC) project	peer educators in nutrition interventions with older people	 Physical activity Healthy eating Mental health Personal wellbeing Social capital/ cohesion 	 Place/ Location Socioeconomic indicators [Info] socially disadvantaged areas of northeast England as appropriate Other indicators of disadvantage [Info] 60+ - service users The study operated in sheltered accommodation schemes in areas of relative disadvantage identified using an index of multiple deprivation by UK postcode 	•+	• 3	H, WB, SDH, I, P
Ingram et al., 2005)	Mixed methods evaluation	"Babes" breastfeeding support initiative	breastfeeding peer support	 Healthy eating [Info] breastfeeding Children and Young People/ Parenting 	Place/ Location Gender [Info] women - mothers Socioeconomic indicators [Info] area of social and economic deprivation in Bristol	• ++	• 3	H, I, P, U
Ingram, 2013)	Mixed methods evaluation	Bristol Breastfeeding Peer Support Service	Type of activity • Type of activity [Info] <i>peer support for breastfeeding</i>	 Healthy eating [Info] breastfeeding Children and Young People/ Parenting 	Place/ Location Gender [Info] women - mothers	•+	• 3	H, WB, I, P
Institute for Criminal Policy Research(2 011)	• Mixed methods evaluation	offender health trainer service	The team delivers four main types of work: 1. Helping offenders register with GPs and dentists. 2. One-to-one work with offenders developing a personal health plan and facilitating health improvement particularly around diet, fitness, smoking cessation and alcohol use. 3. Delivering group work sessions on general health and well-being issues to offenders attending the CJDT or participating in offending behaviour group work programmes. 4. Participating in multiagency health promotion campaigns.	 Physical activity Healthy eating Substance use Personal wellbeing Other [Info] registering with GPs and other local health services General health (personal) 	Place/ Location Other indicators of disadvantage [Info] offenders	•+	• 3	H, WB, I, P

Institute for Volunteerin g Research (2003)	•Questionn aire/ survey	volunteering for mental health	volunteering	• Mental healt	h	 Place/ Location Occupation [Info] many respondents were unemployed Other indicators of disadvantage [Info] people with direct experience of mental ill health 	•+	• 7	H, WB, SDH, I
Involve (2004)	Practice description Discussion	The TRUE project- Training for Public Involvement in Research		1	• Other [Info] Seminar- how to involve people in research	Place/ Location	•+	• 1	
IRISS (2012)	•Qualitative study		Asset mapping project to discover community assets in Kirkintilloch that were useful and available for positive mental health and well- being, but also to help others identify their own personal assets.	Mental healt Personal we Community Personal ass Community	llbeing wellbeing sets	 Place/ Location Other indicators of disadvantage [Info] people using mental health services 	•++	•1 •2	H, WB, I, C, P
Jarvis et al., 2011)	•Qualitative study case study		neighbourhood regeneration	Community Social capita Community	al/ cohesion	 Place/ Location Socioeconomic indicators [Info] Canley is in the top 20 % most deprived neighbourhoods in England Other indicators of disadvantage [Info] is characterized by: above- average proportions of young and older residents; a higher pro- portion of lone parents; lower rates of economic activity and car ownership; and a higher proportion of social or private-rented accommodation. 	• ++	•1 •2	C, P
Jennings et al., 2013)		Health Trainers	Health trainer service	Physical active Healthy eating Other [Info] Weight of	ng	Place/ Location [Info] Great Yarmouth and Waveney Gender	• +	• 3	Н, І

				• General hea [Info] <i>blood pr</i>	 [Info] The majority of were female • Other indicators of [Info] their mean age was 48.2 years; 30% most deprived quint national deprivation	disadvantage e at baseline % lived in the iles (20%) of				
Jolly et al., 2012)	• RCT		peer support worker service for breastfeeding	Healthy eatin [Info] <i>breastfe</i> Children and Parenting	Place/ Location Race/ ethnicity [Info] <i>multi-ethnic</i> Gender [Info] <i>women - moth</i> Socioeconomic inc [Info] <i>socioeconomic</i> disadvantaged popu	licators cally	• +	• 3	H, U	
Jones, 2014	Practice description	Leeds Gypsy and Traveller Exchange (GATE)	Community led organisation with a range of project services. Focussing increasingly on asset based of development and co-production. The overall aim GATE is to improve the quality of life for Gypsy ar Travelling people living in or resorting to Leeds ar four objectives: to improve accommodation provis health and well-being; improve education, employ financial inclusion; and to increase citizenship and inclusion.	community of Leeds nd Irish nd we have sion; improve vment and	ellbeing cohesion ets ssets <i>accommodation,</i> <i>oloyment and financial</i> h (personal)	 Place/ Location Race/ ethnicity [Info] <i>Gypsy</i> and Irish <i>Travelling</i> <i>People living</i> <i>in Leeds</i> Religion/ culture Socioecono mic indicators 	• +++	• 1 • 4 • 8		
Joseph Rowntree Foundation (2011)			support and facilitate community activity which addresses loneliness amongst people at the neighbourhood level;	Personal we Social capita	Place/ Location Social capital [Info] social isolation	l n/ loneliness	• +++	•2		

Kashefi and Mort, 2004)	• Qualitative study	The South West Burnley citizens' jury on health and social care	Citizen jury -twelve local people aged between 17 and 70 were recruited to come together for a week to hear evidence, ask questions and debate what they felt would improve the health and well-being of people living in the area	Community assets Other [Info] Jury steering group-the jury process acted effectively as a grass-roots health needs assessment	 Place/ Location Socioeconomic indicators [Info] An area suffering intractable health inequalities. Social capital [Info] There is a strong sense of community in some parts of the area while other parts are fragmented Other indicators of disadvantage [Info] • poverty and + pay; • poor housing and proliferation of empty properties; •high levels of death, illness and disability; 	• ++	•2	WB, P
Kearney, 2004)	•Qualitative study	HIA of the Castlefields Regeneration Masterplan	Health Impact Assessment; The aim of the current study, conducted before the Masterplan was completed, was to assess how community participation in the HIA would be affected by the attitudes and experiences of key stakeholders	Other [Info] <i>regneration</i> General health (community) [Info] <i>Impact of regeneration wo</i>	 Place/ Location [Info] The Castlefields estate in Runcorn • Other indicators of disadvantage [Info] The Castlefields estate in Runcorn is in the top 2% most deprived wards in England 	• +	•2	P
Kelly (2004)	Mixed methods evaluation Other discusses findings of research published in other papers			Disease prevention [Info] <i>HIV/ AIDS prevention</i> STIs	Place/ Location Other indicators of disadvantage [Info] gay men	•+	• 3	H, I, P

Kennedy et al., 2006)	• Policy • Concept/ theory •Evaluation / research	Sustainable Dialogues initiative, Clackmannans hire; Quality Action Group,	community development including people with lea difficulties	iming	 Healthy eating General health 		Place/ Location Socioecono mic indicators [Info] "less affluent neighbourho ods"	• +	• 5	
Kennedy et al., 2006)	• Practice description	Lay Food and Health Worker role	lay involvement in community nutrition		• Community we • Social capital/ [Info] <i>social incl</i>	cohesion	Place/ Location Social capital [Info] social inclusion/ exclusion Other indicators of disadvantag e [Info] people with learning difficulties	• ++		
Kennedy et al., 2008)	•Qualitative study	lay food and health worker helping roles	community-based food initiatives	Healthy eating	g	Other indicators of [Info] "hard to reach" neighbourhoods		•+	• 5	H, I, C, P
Kennedy, 2006)	•Qualitative study	Lay Food and Health Worker scheme				Place/ Location Socioeconomic indi [Info] less affluent ne				WB, P, U
Kennedy, 2010)	•Qualitative study	Lay Food and Health Workers	community nutrition	Healthy eating Disease preve Social capital General healt	ention / cohesion	Place/ Location Socioeconomic indi [Info] less affluent ne Other indicators of [Info] hard to reach g	<i>aighbourhoods</i> disadvantage	•+	• 5 • 8	H, WB, SDH, P

Kimberlee, 2008)	• Qualitative study	Birmingham City Council's Streets Ahead on Safety project	young people's participation in decision- making to address the European road injury 'epidemic'. aims to improve road safety and quality of life in an area of multiple deprivation	Children and Young People/ Parenting Safety/ accident prevention	Place/ Location Race/ ethnicity Religion/ culture [Info] <i>58% Muslim</i> Other indicators of disadvantage [Info] <i>one third of residents are under 16 years old</i>	•++	• 1 • 2	Н, С, Р
Kirkham, 2000)	Practice description	Breastfriends Doncaster	peer support for breastfeeding	 Healthy eating [Info] breastfeeding Children & Young People/ Parenting 	Place/ Location	• +		
Lamb et al., 2002)	• RCT	health walks	a community based lay-led walking scheme, compared to advice from health care professional only	Physical activity	Place/ Location	• +	• 5 • Volunteers	H, I
Laverack, 2006)	Concept/ theory Practice description		provides a predetermined focus through each of nine 'empowerment domains': Improves participation; Develops local leadership; Increases problem assessment capacities; Enhances the ability to 'ask why'; Builds empowering organizational structures; Improves resource mobilization; Strengthens links to other organizations and people; Creates an equitable relationship with outside agents; and Increases control over programme management.		• Place/ Location	• +++	•1	
Lawless et al., 2007)	•Qualitative study [Info] 6 case studies	New Deal for Communities	neighbourhood renewal, regeneration	Community wellbeing Social capital/ cohesion Community assets Other [Info] regeneration/ renewal	Place/ Location Socioeconomic indicators [Info] areas of deprivation Social capital	• ++	• 1 • 2	SDH, C, H, P, U
Lawless, 2004)	Mixed methods evaluation	New Deal for Communities	neighbourhood regeneration	Prevention violence/ abuse/ crime Community wellbeing Social capital/ cohesion Community assets	Place/ Location Socioeconomic indicators [Info] deprived areas	• ++	•1 •2	P

				Other neighbourhood regeneration	Social capit	al			
Lawson and Kearns, 2009)	•Qualitative study		Regeneration.	Prevention violence/ abuse/ crime Community wellbeing Social capital/ cohesion Community assets Other- urban regeneration			• ++	• 1 • 2	C, P
Lee, 2014)	Practice description	Eye health community engagement projects	Working in partnership with communities particularly at risk of avoidable sight loss and service providers to trial a range of sight loss prevention interventions. RNIB has pilot projects throughout the UK working with South Asian, Black African and Caribbean and white + income communities designed to promote eye health and prevent avoidable sight loss. Range of interventions including eye health volunteers and champions; service redesign; supporting self management of diabetes; glaucoma case finding in primary care; community education and outreach,	Community wellbeing Community assets Other [Info] <i>improving local conditions</i> General health (personal) General health (community)		Place/ Location Socioeconomic indicators [Info] "disadvantage d areas"	• +++	• 1 • 2	<u>I</u>
Liverpool John Moore's University, 2012)	• Mixed methods evaluation		It explores the role and value of Health Improvement Practitioners employed by NHS Ashton, Leigh and Wigan, the training they have delivered, and the impact it has had. The evaluation also explores the development of the 'Health Champion approach' and the impact it has had on recipients at an individual and organisational level.	 Physical activity Healthy eating Mental health Disease prevention Substance use Social capital/ cohesion Personal assets Community assets Other General health (personal) General health (community) 	Other indica [Info] disadva offenders, yo Deprivation is	, Leigh and Wigan's ators of disadvantage antaged groups,	• +	• 1 • 5 [Info] <i>health</i> <i>champions</i>	WB, SDH, P
Local Governme nt	 Policy Concept/ theory Practice 		co-production	Community wellbeing General health (community)		Place/ Location	• ++	• 2	

Information Unit, 2012) Lorenc and Wills, 2013)	description •Discussion • Mixed methods evaluation		Health Trainer Case Stories (support around; healthy eating, physical activity, alcohol, smoking and stress management)	Physical acti Healthy eatir Mental health Substance u General hea	ng h se	Place/ Location		• +	• 1 • 3 • 5	H, WB, SDH, C, H, P
Lyons et al., 2013)	• RCT		political advocacy approach to reduce pedestrian injuries in deprived communities	Safety/ accid	lent prevention	Place/ Location Socioeconomic inc [Info] deprived	licators	• ++	• 5	SDH, C
MacArthur et al., 2009)	• RCT [Info] <i>Clust</i> er RCT	Initiation of breast feeding?	Support to initiate breast feeding	Healthy eatir Children and Parenting	ng I Young People/	 Place/ Location Race/ ethnicity [Info] multi-ethnic- T was multi-ethnic, wii women being white 70% were in the +est deprivation. Socioeconomic indo [Info] multi-ethnic, de population. 	th only 9.4% of British, and at 10th for licators	• +	• 3	P, U
Mackinnon et al., 2006)	•Qualitative study		community based health improvement	Community v Social capita General hea	Il/ cohesion	Place/ Location			• 1 • 2	P
Mackintosh , 2012)	Practice description	GlasGrow project	The project aims to improve the health, nutrition a generating opportunities for communities in Gova. offering nutritious meals, the new PI café will also people to buy fresh food locally, from local produc hopefully generate a sustainable income to help th groups continue their vital work.	n. As well as enable cers, and will	Healthy eating Personal wellb Community we Social capital/ Community as General health General health	oeing ellbeing cohesion ssets n (personal)	 Place/ Location Race/ ethnicity Occupation [Info] +++ unemployme nt Socioecono mic 	• ++	• 1 • 2 • 4	

MacPherso n et al., 2010)	•Qualitative study	Home Start	parental support scheme	Social capital Personal asse [Info] <i>training p</i> <i>mothers</i> Children and Parenting	ets	had all been ide	ners ic indicators antage Index ors of	• +	•3 •7	WB, I, P	
Mahoney et al., 2007)	• Concept/ theory	Health Impact Assessment	typology of public involvement / community partice	 ipation in HIA		1	Place/ Location	• +++	•2		
Marais, 2007)	• Mixed methods evaluation	Toward the Improvement of TB Control and Participatory Research	A multi-method Community-based Participatory Research study of TB in migrant African communities	• Disease prevo	ention	• Race/ ethnici	ity- African	• +++	•2		
Marmot, 2010)	Policy	Marmot Review: Fair Society, Healthy Lives	Achieving health and wellbeing policy goals will ne achievable without action from local and national the NHS, the third and private sectors and commu Effective participatory decision making at a local l required. Empowerment of communities and indiv the heart of action Creating an "enabling society to	government, ınity groups. evel is iduals is at	Disease preve Substance use Personal wellt Safety/ accide Social capital/ Children & You	e being nt prevention cohesion	 Place/ Location Socioeconomic indicators Social capital 	• ++	• 1 • 2		

Matthewa Practing and the process of user involvement in the i												/
Image: Second Control their com lines will require the removal of structural larries to operative second community prescond/community development. There needs to be a more systematic approach to the origing communities by local large second community. Second community of the community. Second community of the community. Second community of the community. Second community of the community. Second community of the community of the community of the community of the community. Second community of the community. Second community of the community. Second community of the			1 1			Parenting	· · · · · · · · · · · · · · · · · · ·		1			, , , , , , , , , , , , , , , , , , ,
Auger and at al., 2000; Policy and at al., 2000; Version: **** *2 H.WB, 2014 Madger and at al., 2000; **** *2 H.WB, 2014 **** *2 H.WB, 2014 Metables at the optimized or any statematic approach to engage communities by local strateging partnerships; partnerships; moving beyond the consultations to effective participation where communities define problems and develop solutions: The review provides datable depresention of development of a public health of the conversations and develop solutions: The review provides datable depresention of development of a public health of the conversations and care by for Life or conversations and care by inderview partnerses inhibite conversations and care by inderview partnerse inhibitor conversations and care by inderview partnerse inhibitor conversations and care by inderview partnerse inhibitor index conversa	·	1 1	1						1			ľ
Image: Second Community dovide/present There needs to be a more systematic approach to engaging communities by consultations to engaging communities during back to the engaging communities to the engage for engage f		1 1	1 1		al barriers to	General health	ו (community)		1			ľ
Image: Section and Section of the enclosing section of deterministic define problems and "directions of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription of delivery. Image: Section of trave" (p. 34), not detailed prescription or one average (p. 34), not detailed prescription or one aver	!	1	1 1			1			1			1
Image: A strategic partnerships: moving beyond brief consultations to develop solutions and develop solutions for Life (2,34), not detailed prescription of delivery. • Place/ Location • ++ • • • • • • • • •	'	1	1 1			1			1			/
Image: A control of the control of the problem s and control of the problem s and control of the control of delivery. Community assets Community assets		1 1	1			1			1			ľ
Matthiesan -Practice description et al., 2014) -Cumbra Conversations tor Life Biscussion Cumbra Conversations tor Life Biscussion -Place/ Location Biscussion +++ -1 Mauger rate et al., 2010) -Policy vientifying and connecting existing skills and expertise. -General health (personal) -Other indicators of disadvantage [Info] Older people with earning disabilities and complex needs to live their lives fully through the activities of commissioning -Personal velibeing -Social capital -Personal velibeing -Social capital -Personal seets -General health (personal) -Other indicators of disadvantage [Info] Older people with earning disabilities and complex needs to live their lives fully through the activities of commissioning -Personal velibeing -Social capital -Personal seets -General health (personal) -Social capital -Social capital -Other indicators of disadvantage [Info] people with learning disabilities and complex needs +++ -2 H, WB, SDH, I, P McDaid, 2008) -Concept/ theory participatory actio		1 1	1			1			1			ľ
Matthiesen et al., 2014) - Practice description at al., 2014) Cumbria comparing for Life Engaging 6 communities: used a facilated asset based apprach to engage 6 communities: used a facilated asset based apprach to engage 6 communities: used a facilated asset based apprach to engage 6 communities: used a facilated asset based apprach to engage 6 communities: used a facilated asset based apprach to engage 6 communities: used a facilated asset based apprach to engage 6 communities: used a facilated asset based apprach to engage 6 communities: used a facilated asset based apprach to engage 6 communities: used a facilated asset based apprach to engage 6 communities: across one region Merseyside and Cheshine • Cherrindicators of disadvantage [Info] Older people • Place/ Location • + + + + + + + + + + + + + + + + + + +	!	1 1	1			1			1			ľ
Matthiesen et al., 2014) - Practice description Pregion Pregion Merseyside and Conversations for Life Engaging 6 communities used facilited asset for Life Engaging 6 communities served for life engaging 6 communities for Life Engaging 6 communities encode to engage 4 communities initiatives concerning end-of-life conversations and care by awareness initiatives concerning end-of-life conversations initiatives concerning end-of-life conversations are areas one region Merseyside and Cheshire • Community assets • Other (Initio) end of life issues • Place/ Location • Place/ Location • + + • + • + • + • + • + • + • + • + •	!	1 1	1	develop solutions. The review provides evidence	and	1			1			ľ
et al., 2014) description for Life Engaging 6 communities across one region Merseyside and Chestrice Conversations for Life add approach to engage 6 communities to lead their own awareness initiative, facilitating community-led awareness initiative, facilitating community-led awareness intentitying and connecting existing skills and expertise. • Other indicators of disaversations and care by identifying and connecting existing skills and expertise. • Other indicators of disaversations intentitying and connecting existing skills and expertise. • Other indicators of disaversations intentitying and connecting existing skills and expertise. • Other indicators of disaversations intentitying and connecting existing skills and expertise. • Other indicators of disaversations intentitying and connecting existing skills and expertise. • Other indicators of disaversations intentity existing • Other indicators of disaversations • • • • • 2 McCaffrey, 2008) Research Uqualitative tude to live fully through the activities of commissioning • • Personal wellbeing • • • • • • • • • • • • • • • • • • •			1	"directions of travel" (p.34), not detailed prescripti	ion of delivery.	1			1			ľ
et al., 2014) description for Life Engaging 6 communities across one region Merseyside and Chestrice Conversations for Life add approach to engage 6 communities to lead their own awareness initiative, facilitating community-led awareness initiative, facilitating community-led awareness intentitying and connecting existing skills and expertise. • Other indicators of disaversations and care by identifying and connecting existing skills and expertise. • Other indicators of disaversations intentitying and connecting existing skills and expertise. • Other indicators of disaversations intentitying and connecting existing skills and expertise. • Other indicators of disaversations intentitying and connecting existing skills and expertise. • Other indicators of disaversations intentitying and connecting existing skills and expertise. • Other indicators of disaversations intentity existing • Other indicators of disaversations • • • • • 2 McCaffrey, 2008) Research Uqualitative tude to live fully through the activities of commissioning • • Personal wellbeing • • • • • • • • • • • • • • • • • • •	Matthiesen	Practice	Cumbria	Cumbria Conversations for Life: development of	a nuhlic health	Community ar	ecote	Place/ Location	+++	• 1		——–
2014) • for Life Engaging 6 communities across one region Merseyside and Cheshire based approach to engage 6 community-led awareness initiative, facilitating community-led awareness initiatives concerning end-of-life conversations and care by identifying and connecting existing skills and expertise. Info end of life issues • 5 Mauger across on erregion Merseyside and Cheshire • Policy user • think piece* on the process of user involvement • General health (personal) • Other indicators of disadvantage [Info] Older people • + • • • • • • • • • • • • • • • • • •							3613		1			ľ
Discussion Ergging 6 communities across one region Merseyside and Cheshire avareness initiative, facilitating community-del avareness initiatives concerning end-of-life conversations and care by identifying and connecting existing skills and expertise. Image: 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1		•					- iccupe		1			ľ
Image: communities across one region Merssyside and Cheshire initiatives concerning end-of-life conversations and care by identifying and connecting existing skills and expertise. Image: region Merssyside and Cheshire Image: volument Volter indicators of disadvantage (Info) Clder people Vese: volument Vese: volument	2014)	Discussion					188008		1	- 5		ľ
Image: region Merseyside and Cheshire identifying and connecting existing skills and expertise. Image: region Merseyside and Cheshire • Other indicators of disadvantage [Info] Older people • • • • • • • • • • • • • • • • • • •	!	Discussion				1			1			ſ
Image: A second determine involvement region Merseyside and Cheshine · · · · · · · · · · · · · · · · · · ·	!	1 1		-	•	1			1			ľ
Mauger and et al., 2010) • Policy • Discussion user involvement "think piece" on the process of user involvement • General health (personal) • Other indicators of disadvantage [Into] Older people • + + + • 2 McCaffrey, 2008) Research Qualitative studies supporting people with learning disabilities and complex needs to live their lives fully through the activities of commissioning • Personal wellbeing • Social capital • Social capital • Social capital • Social capital • Other indicators of disadvantage [Into] people with learning disabilities and complex needs to live their lives fully through the activities of commissioning • Personal wellbeing • Social capital • Social capital • Social capital • Social capital • Other indicators of disadvantage [Into] people with learning disabilities and complex needs • ++ + • 2 H, WB, SDH, I, P McDaid, 2009) • Concept/ theory participatory action research in mental health policy and planning • Mental health planning • Mental health service users • +++ + • 2 McInnes et al, 2000) • Controlled tiral peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Into] breastfeeding • Place/ Location • -+ + • 3	!	1			Huse.	1			1			/
Image: Addition of the controlled al., 2010) Cheshire "think piece" on the process of user involvement • General health (personal) • Other indicators of disadvantage [Info] Older people • + + • 2 McCaffrey, 2008) Research (Qualitative study [Info] case study] • Supporting people with learning disabilities and complex needs to live their lives fully through the activities of commissioning • Personal wellbeing • Social capital • Other indicators of disadvantage [Info] people with learning disabilities and complex needs to live their lives fully through the activities of commissioning • Social capital • Other indicators of disadvantage [Info] people with learning disabilities and complex needs • • • • • • • • • • • • • • • • • • •	!	1 1	-	1		1			1			ľ
Mauger and et al., 2010) • Policy involvement "think piece" on the process of user involvement • General health (personal) • Other indicators of disadvantage [Info] Older people • + + • 2 McCaffrey, 2008) Research Qualitative study (Info] case studies supporting people with learning disabilities and complex needs to live their lives fully through the activities of commissioning • Personal wellbeing • Social capital • Social capital • Other indicators of disadvantage [Info] people with learning disabilities and complex needs • ++ • 2 H, WB, SDH, I, P McDaid, 2009) • Concept/ theory participatory action research in mental health policy and planning • Mental health policy and planning • Mental health planning • Mental health planning • Place/ Location • Other indicators of disadvantage [Info] nental health service users • ++ • 2 McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Other indicators of disadvantage [Info] mental health • ++ • 3	!	1 1		1		1			1			/
and et al., 2010) •Discussion involvement			Criesriire	[1			1			Į
2010) Image:	-	5		"think piece" on the process of user involvement		General health	n (personal)		• +	•2		
McCaffrey, 2008) Research Qualitative study [Info] case studies supporting people with learning disabilities and complex needs to live their lives fully through the activities of commissioning • Personal wellbeing • Social capital / cohesion • Personal assets • General health (personal) • Social capital • Other indicators of disadvantage [Info] people with learning disabilities and complex needs • ++ • 2 H, WB, SDH, I, P McDaid, 2009) • Concept/ theory • Participatory action research in mental health policy and planning • Mental health policy and planning • Mental health planning • Mental health service users • +++ • 2 +++ • 2 McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • ++ • 3		 Discussion 	involvement	1		1			1			/
2008) Qualitative study [Info] case studies Complex needs to live their lives fully through the activities of commissioning • Social capital/ cohesion • Personal assets • General health (personal) • Other indicators of disadvantage [Info] people with learning disabilities and complex needs SDH, I, P McDaid, 2009) • Concept/ theory participatory action research in mental health policy and planning • Mental health policy and planning • Mental health • Place/ Location • Other indicators of disadvantage [Info] mental health service users • +++ • 2 McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • ++ • 3	2010)	1 1	1	1		1		[Info] Older people	1			
2008) Qualitative study [Info] case studies Complex needs to live their lives fully through the activities of commissioning • Social capital/ cohesion • Personal assets • General health (personal) • Other indicators of disadvantage [Info] people with learning disabilities and complex needs SDH, I, P McDaid, 2009) • Concept/ theory participatory action research in mental health policy and planning • Mental health policy and planning • Mental health • Place/ Location • Other indicators of disadvantage [Info] mental health service users • +++ • 2 McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • ++ • 3			1	1		1			1			
2008) Qualitative study [Info] case studies Complex needs to live their lives fully through the activities of commissioning • Social capital/ cohesion • Personal assets • General health (personal) • Other indicators of disadvantage [Info] people with learning disabilities and complex needs SDH, I, P McDaid, 2009) • Concept/ theory participatory action research in mental health policy and planning • Mental health policy and planning • Mental health • Place/ Location • Other indicators of disadvantage [Info] mental health service users • +++ • 2 McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • ++ • 3	MaCoffroy	Dessereb	۱ ۱		Demonoluur	libe in a	- Coolel coni	I	<u> </u>			/
study [Info] case studies the activities of commissioning • Personal assets • General health (personal) [Info] people with learning disabilities and complex needs McDaid, 2009) • Concept/ theory participatory action research in mental health policy and planning • Mental health policy and planning • Mental health • Place/ Location • Other indicators of disadvantage [Info] mental health service users • +++ • 2 McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Cher indicators of disadvantage [Info] breastfeeding • ++ • 3			1						• ++	• 2		/
Info] case studies Info] case studies • General health (personal) disabilities and complex needs Image: Complex needs McDaid, 2009) • Concept/ theory participatory action research in mental health policy and planning • Mental health policy and planning • Mental health • Place/ Location • Other indicators of disadvantage [Info] mental health service users • +++ • 2 McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • + • 3	2008)		1					J J J J J J J J J J J J J J J J J J J	1		SDH, I, P	7
studies participatory action research in mental health policy and planning • Mental health • Place/ Location • Other indicators of disadvantage [Info] mental health service users • +++ • 2 McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • + • 3	!		1	the activities of commissioning				-	1			- I - I
McDaid, 2009)Concept/ theoryparticipatory action research in mental health policy and planningMental health planning• Place/ Location odisadvantage [Info] mental health service users• +++ • 2• 2McInnes et al., 2000)• Controlled trialpeer counselling to promote breastfeeding in the antenatal and postnatal periods.• Healthy eating [Info] breastfeeding• Place/ Location • Other indicators of disadvantage [Info] mental health service users• ++• 2McInnes et al., 2000)• Controlled trialpeer counselling to promote breastfeeding in the antenatal and postnatal periods.• Healthy eating [Info] breastfeeding• Place/ Location • Gender• +• 3	!		1 1	1	General hear	th (personal)	disabilities ar	nd complex needs	1			- I – I
2009) theory planning • Other indicators of disadvantage [Info] mental health service users • Other indicators of disadvantage [Info] mental health service users McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • + • • 3		studies	1	[I	1			/
2009) theory planning • Other indicators of disadvantage [Info] mental health service users • Other indicators of disadvantage [Info] mental health service users McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • + • • 3	McDaid,	Concept/	I	participatory action research in mental health pol	licv and	Mental health	<u> </u>	Place/ Location	• +++	•2		
McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • + • 3			1		<i>y</i>				1			ſ
McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • + • 3	2000,	1.00.9	1 1	planning		1			1			ſ
McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • + • 3	!	1	1 1	1		1		J J	1			, I I I I I I I I I I I I I I I I I I I
McInnes et al., 2000) • Controlled trial peer counselling to promote breastfeeding in the antenatal and postnatal periods. • Healthy eating [Info] breastfeeding • Place/ Location • Gender • + • 3	!	1 1	1	1		1			1			ſ
al., 2000) trial the antenatal and postnatal periods. [Info] breastfeeding • Gender			1	[1		Sei 1100 43010	1			
			1			-	,		• +	• 3		
breastfeeding promotion programme [Info] women -	al., 2000)	trial	1		[Info] breastfer	eding	,		1			r
		۱۱	II	breastfeeding promotion programme			·	[Info] women -	I			1

	•Questionn aire/ survey		comprising personal peer counselling of pregnant women, post-natal support and local awareness raising activities over a period of 2 year	Children and Young People/ F	Parenting	mothers • Socioeconomic indicators			
McLean and McNeice, 2012)	• Qualitative study [Info] case studies		illustrating asset based approaches for health improvement	 Physical activity Mental health Personal wellbeing Community wellbeing Social capital/ cohesion Community assets Other [Info] Peer mentoring, crafts, hor recycling, gardening General health (personal) General health (community) 	omemaking,	Place/ Location Other indicators of disadvantage [Info] prisoners; ex- offenders; unemployed; people from disadvantaged backgrounds; older people; people with poor mental health; children and young people; young dads; homeless	• ++	• 1 • 3 • 4 • 6	H, WB, SDH, I, C, H, P, E
Melhuish et al., 2005)	• Mixed methods evaluation	Sure Start Local Programmes (SSLPs)	To enhance the life prospects of young children in disadvantaged families and communities. (150 SSLPs included in the study)	Children and Young People/ Parenting	[Info] <i>areas</i> w • Other indica	L ation omic indicators with +++ levels of depriv ators of disadvantage dren under 4 years of ag			P WB,
Mellanby et al., 2001)	Mixed methods evaluation	A PAUSE experiment	programme of sex education for secondary schools	STIs Other [Info] sex education Children and Young People/ F	Parenting	Place/ Location Occupation [Info] school pupils	•+	•3	H, I, P
Mental Health Foundation , 2013)	Mixed methods evaluation	Music and Change	MAC-UK developed an innovative model Integrate© which provides mental health and general support in a youth-led way, and considers young people experts in their own experience. Mental health promotion is at the centre of the model which aims to: (1) reduce serious youth violence and reoffending; (2) promote the treatment and mental health needs of young people; (3) engage young people in training, education and/or	 Mental health Other [Info] Young people involved in Children and Young People/ F 		 Education- absence of formal education Other indicators of disadvantage-young people involved in gangs. By taking mental health services into the community, they 	• ++	• 1 • 3	WB, SDH, I, P

			employment; and (4) bridge young people into appropriate existing services.		reach young people who normally would not seek help, but present with a number of complex issues such as homelessness, domestic violence, leaving care, absence of formal education, poverty and unemployment.			
Morgan et al., 2004)	Mixed methods evaluation •Questionn aire/ survey	Social capital for health	a collection of quantitative research projects that investigate the relevance of the concept of social capital to health development in England.	 Social capital/ cohesion Community assets 	Place/ Location Social capital	•+	• 1 • 6	I, C
Murray, (2014)	• Mixed methods evaluation	CALL-ME (Community Action in Later Life - Manchester Engagement)	The CALL-ME project is a three year collaborative and participatory research project that aims to: Describe the processes involved in developing local community-based strategies for promoting enhanced social interaction among older residents of four disadvantaged neighbourhoods in Manchester. Evaluate the impact of these activities on improving opportunities for older people. Develop policy and practice guidelines and procedures for entrenching and broadening these activities.	 Personal wellbeing Community wellbeing Social capital/ cohesion 	 Place/ Location Socioeconomic indicators [Info] <i>disadvantaged</i> <i>neighbourhoods</i> Other indicators of disadvantage [Info] <i>older people</i> 	• +++	• 2 • 4	WB, SDH, I, C
Muscat, 2010)	• Other [Info] <i>metho</i> <i>ds not</i> <i>described</i>	New Deal for Communities	Area based initiatives; neighbourhood renewal/ regeneration	 Prevention violence/ abuse/ crime Personal wellbeing [Info] education Community wellbeing Social capital/ cohesion Personal assets Other regeneration 	 Place/ Location Socioeconomic indicators [Info] deprived localities Social capital Other indicators of 	• ++	• 1 • 2	H, SDH, C, H, P

				General hea General hea	lth (personal) lth (community)		disadvantage			
Naylor et al., 2013)	Mixed methods evaluation •Qualitative study		volunteering	Community General hea	wellbeing Ith (community)		Place/ Location	• +	•1 •3 •5 •7	P
Nazroo and Matthews, 2012)	• Other longitudina l analysis		• Type of activity [Info] <i>volunteering</i>	Personal we		 Place/ Loca Occupation [Info] retired Other indica disadvantage 		• +	•7	WB, I
Nesta, 2012a)	Practice description	people powered health	co-production	1	Mental health Personal wellbei Social capital/ cc Other [Info] self help General health (p	bhesion	Place/ Location	• ++	• 1 • 2	1
Nesta, 2012b)	Practice description •Discussion	By us, for us- the power of co-design and co-delivery	'People powered approach' to co-production and	co-delivery	Community asse Other [Info] Access to se		Place/ Location	• +++	•1 •2 •3 •5 •6 •7	
Nesta, 2013)	• Other	People Powered Health	peer support		General health (r [Info] long term co		Place/ Location	•+	• 3	WB, I, P, E
Neumark, 2010)	Practice description	The Take Part approach	Community empowerment - helping people to; ga knowledge and confidence to become empowere them to make an active contribution to their comn influence public policies and services.	d, enabling	Community wellt General health (c		Place/ Location	• ++	• 1	1

New	 Mixed 	community time	community time bank	Personal wellbeing	Place/ Location-	• +	•1	WB, I, H, P
Economics	methods	bank		 Social capital/ cohesion 	Rushey Green		• 3	
Foundation	evaluation				• Race/ ethnicity- ,		• 6	
, 2002)					44 per cent are from			
					minority ethnic			
					group			
					Gender- 29 per			
					cent men, 71 per			
					cent women. Of			
					these, 44 per cent			
					are from minority			
					ethnic groups and			
					52 per cent have			
					some kind of			
					disability.			
					Other indicators of			
					disadvantage -52			
					per cent have some			
					, kind of disability;			
Newburn	Practice	Community	peer support for pregnant and new mothers	Personal wellbeing;	South Asian	+	3	
and	description	parent		-	women; new			
Bhavnani,	-	befrienders		Children & Young People/	mothers; area of			
2014)				Parenting	high deprivation			
,				-				
Newburn et	Practice	Birth and	training refugees and asylum seekers as peer supporters for	Personal wellbeing;	women from the	+	3, 8	
al., 2013)	description	Beyond	pregnant and new mothers in their communities. The role of		South Asian			
		Community	the NCT community peer supporters is to engage with local	Children & Young People/	communities in East			
		supporters	parents as befrienders, offering empathy and encouragement,	Parenting	Lancashire and the			
			and to signpost them to relevant services.		West Midlands and			
					young army families			
					in Catterick			
					Garrison, North			
					Yorkshire as well as			
					refugee and			
					asylum-seeking			
					women in West			
					Yorkshire.			
				ronomic.		1		

NHC	. Droctice	0.0 00 00 10 10 10 1			- Dereand well-	· Diago/ Losstian		. 1		
NHS	Practice	community			Personal wellbeing	Place/ Location	• ++	• 1		
(2012)	description	health			Community assets	Race/ ethnicity		• 2		
		champions			General health (personal)	Religion/ culture		• 3		
					General health (community)	 Socioeconomic 		• 5		
						indicators				
						 Social capital 				
NHS		Mosaics of	to research and then address stigma relating to	Mental health		Place/ Location	• +++	• 2	WB, SDH	1
Greater		meaning	mental health problems with the four largest		stigma related to mental health	[Info] Scotland	• + + +	• 3	WD, SDH	
		meaning		Personal ass		Race/ ethnicity		• 8		
Glasgow			settled BME groups in Glasgow: Pakistani,	Personal ass	ets			• 8		
and Clyde			Chinese, Indian and African and Caribbean.			[Info] BME				
(2010)						communities				
NHS	Practice			Physical activ	vity	Place/ Location	• ++	• 1		
Greater	description			• STIs		 Socioeconomic 		• 2		
Glasgow				Substance us	se	indicators		• 6		
and Clyde				Prevention vi	olence/ abuse/ crime	 Social capital 		• 7		
2010				Community w	vellbeing					
				Social capital						
				Community a						
					oung People/ Parenting					
North West	Mixed	Health Trainers	health trainers offering general support		 Physical activity 	Place/ Location	• +	• 3	H, WB, I	
Public	methods				 Healthy eating 	 Socioeconomic 				
Health	evaluation				 Mental health 	indicators				
Observator						[Info] workless,				
y, 2011)						homeless				
						 Other indicators of 				
						disadvantage				
						[Info] ex-offenders,				
						mental health				
						issues				
O'Brien et	2 separate	Environmental	Study 1: general environmental volunteering in Ne		Mental health	Place/ Location	• +	• 7	WB, SDH,	
al., 2011)	studies	volunteering	England and Southern Scotland. Study 2: mental		 General health (community) 	 Other indicators of 			I, P	
			participants at Meanwhile Wildlife Garden in Lond	lon.		disadvantage				
						[Info] mental health				
						issues. Volunteers				
						from a range of				
l	1						l		1	J

Office of the Deputy Prime Minister and Neighbourh ood Renewal, 2005)	•Qualitative study 2 focus groups in each of the 39 NDC areas. those seeking work or	New Deal for Communities	neighbourhood renewal/ regeneration	Community wellbeing Social capital/ cohesion Other [Info] neighbourhood regeneration	ages and different socioeconomic backgrounds • Place/ Location • Socioeconomic indicators [Info] NDC areas are generally "deprived" • Social capital [Info] NDC areas are generally areas of social exclusion	• ++	• 1 • 2 • 7	WB, C, P
Office of the Deputy Prime Minister, 2002)	• Qualitative study •Questionn aire/ survey	summarises the evaluation evidence drawn from ten case study Regeneration Budget partnerships	neighbourhood regeneration; area based initiative	 Community wellbeing Social capital/ cohesion Community assets Other [Info] regeneration 	Place/ Location Socioeconomic indicators [Info] <i>targeting social need and deprivation</i> • Social capital	• ++	• 1 • 2	SDH, C, P
Office of the Deputy Prime Minister, 2004)	Mixed methods evaluation Other [Info] case studies	residents' consultancy pilots initiative	The Residents Consultancy Pilot (RCP) initiative recognised this fact. It investigated the extent to which residents with experience of effective community-based regeneration could play a valuable role in providing advice and inspiration to others, and promoting good practice to bring about change; The aim was to test different approaches to engaging and transferring residents' expertise in order to promote neighbourhood renewal and community-led regeneration	Personal assets-Benefits for the 'consultants' have included increased confidence and enhanced skills, including the realisation of previously unrecognised skills	Place/ Location [Info] Kent, Birmingham, London, Sheffield, Plymouth, Liverpool, Oldham, Sunderland	• ++	• 1 • 2 • 5 • 7	WB, SDH, U
Office of the Deputy Prime	Mixed methods evaluation	The Pathfinder Programme		Prevention violence/ abuse/ crime Community wellbeing	Place/ Location Socioeconomic indicators	• ++	•1	WB, SDH, C, P

Minister, 2006) Osborne et al., 2002)	case studies	rural regeneration partnerships	rural regeneration partnerships in the UK		Social capital/ cohesion Safety/ accident prevention Community wellbeing Social capital/ cohesion Community assets Other	Place/ Location	• +	•2	C, P
Owens and Springett, 2006)	• before and after study	Roy Castle Fag Ends Community Stop Smoking Service	adult smoking-cessation service across Liverpool aspects are that the service is provided by trained with a nonmedical background and there is no wa clients can self-refer by calling a helpline or walkin meeting.	l lay advisors iiting list —	[Info] regeneration • Substance use [Info] SMOKING CESSATION	Place/ Location [Info] Liverpool	• ++	•1 •5	H, P, U
Passan, (2014)	Practice description	Leeds Involving People	Leeds Involving People is an innovative organisation that leads on involving citizens in redesigning the health and social services. The organisation has strong links with CQC and Leadership Academy, and are a consortia partner within Healthwatch, CCGs, REACT, Leeds Teaching Hospital, Leeds Community Healthcare, NHS IR, WYCLRN, West Yorkshire Police. Aims to ensure the voice of the citizen is at the heart of service provision, commissioning and evaluation by working with a range of partners including regulatory bodies, providers, community sector and commissioners. Supporting and training citizens to be involved and organisations to involve citizens, in all their activities to meet emerging needs of increased population demands (in a co-production approach) by having policies and practises that encourage involvement.	and social can citizen involve (patients and involved and solution focus	ealth and social services. health re training organisations in ement and training citizens public) to be ready to be ensure strong participation in a sed approach Mental Health lith (community)	Place/ Location Race/ ethnicity Other indicators of disadvantage [Info] Patients/ service users? Vulnerable communities Hard to reach and seldom heard, older people, mental health, dual diagnosis LIP works with Deaf communities, partially sighted, Older and other vulnerable groups incl BME whose representation is poor.	• +	• 2 • 4	

Pemberton and Mason, 2008)	•Qualitative study	Sure Start Children's Centres	Sure Start children's Centres (SSCCs) - created to address child poverty and social exclusion with an emphasis on participatory approaches.	Social capital/ cohesion Children and Young People/ Pa	Place/ Location Race/ ethnicity Social capital	•+	• 2 • 4	C, P
Personal (2009)	• Mixed methods evaluation	Partnerships for Older People Programme	aims to create a sustainable shift in the care of older people, moving away from a focus on institutional and hospital-based crisis care toward earlier and better targeted interventions within community settings. Older people are involved in design but main partnerships are between professionals.	 Disease prevention Personal wellbeing Social capital/ cohesion General health (personal) 	Place/ Location Other indicators of disadvantage [Info] older people	• +	•2 •7	H, WB, P
Phillips et al., 2012)	• RCT •Questionn aire/ survey	Well London	The Well London program used a community engagement and co-production approach to design and deliver a suite of community-based projects with the aim of increasing physical activity, healthy eating, and mental health and wellbeing in 20 of the most deprived neighbourhoods in London.	 Physical activity Healthy eating Mental health Personal wellbeing Community wellbeing General health (community) 	Place/ Location Socioeconomic indicators [Info] defined as U census +er super output areas (LSOAs); ranked ii the 11% most deprived LSOAs ir London by the English Indices of Multiple Deprivation)	1	•1 •2	H, U
Phillips et al., 2014)	Study design • RCT	Well London	community engagement activity to promote health and wellbeing	Physical activity Healthy eating Mental health Personal wellbeing Community wellbeing General health (personal) General health (community)	Place/ Location Socioeconomic indicators [Info] deprived inne city neighbourhood		•1 •2	H, WB, I
Place Shapers Group, 2011)	hapers Group,		Working with communities to opportunities and aspirations	•	Mental health Prevention violence/ abuse/ crime Other [Info] support, advice,	Place/ Location		

				s p	protection and alternative sources of finance to help people avoid and defeat llegal, doorstep lenders.			
Platt et al., 2003)	• Mixed methods evaluation	Breathing Space	community-based programme using innovative approach to try to achieve a significant shift in community attitudes towards non-smoking	Substance use [Info] <i>smoking</i>	Place/ Location Socioeconomic indicators	• +++	•1	H, I, C, P
Platt et al., 2005)	Mixed methods evaluation	Healthy Living Centre Programme in Scotland	Findings cover six key aspects of HLC strategic and operational activity: initiation and development of the HLC; partnership working; community involvement; tackling inequalities in health; sustaining the HLC beyond the initial BLF funding period; and monitoring and evaluation.	Community wellbeing Social capital/ cohesion Community assets	Place/ Location	• ++	• 1 • 2 • 4	P
Power and Hunter, 2001)	• Mixed methods evaluation	A survey of 100 Big Issue newspaper vendors	Community-based health promotion targeting homeless populations	General health (personal)	Place/ Location Occupation [Info] <i>Big Issue</i> vendors	•+	•1	Н, WB, I
Pritchard et al., 2006)	Other [Info] metho ds used not stated	Greenwich Community Food Co-op	community food initiatives	Healthy eating	Place/ Location [Info] <i>Greenwich</i> Other indicators of disadvantage [Info] <i>Forty-five per</i> cent of customers had a gross household income of less than £150 per week	• ++	•2 •7	H, SDH, I, P
Quinn and Knifton, 2005)	Mixed methods evaluation	Positive Mental Attitudes Programme				• ++	• 1 • 2	H, WB, C, P

Quinn and Knifton, 2012)	• Qualitative study	Positive Mental Attitudes	mental health inequalities initiative: promoting mental health	 Mental health Community wellbeing Social capital/ cohesion Community assets 	Place/ Location Occupation [Info] over 50% of the adult population	• +++;	• 1 • 2 • 3 • 4	С, Р
					are economically inactive • Education [Info] 58% have no qualifications • Socioeconomic indicators [Info] UK's highest concentrated area of socio-economic deprivation • Other indicators of disadvantage [Info] 30% state that they have a long- term limiting illness			
Race for Health, 2010)	Practice description			Disease prevention [Info] eye health; managing diabetes Other [Info] preventing avoidable sight loss	 Place/ Location Race/ ethnicity [Info] South Asian, Black African and Caribbean Socioeconomic indicators [Info] + income communities 	• ++	•2 •5 •7	
Raine, 2003)	•Qualitative study		peer-support intervention to promote breast- feeding in a deprived area	 Healthy eating [Info] <i>breastfeeding</i> Children and Young People/ Parenting 	Place/ Location Gender [Info] Women - mothers Other indicators of disadvantage [Info] "deprived area"	• +	•2 •3	H, I, P

Reece and Flint, 2012)	Mixed methods evaluation		community health champions	 Physical activity Healthy eating Mental health General health (community) 	Place/ Location	•+	• 1 • 5	WB, I, P
Reeve and Peerbhoy, 2007)	•Qualitative study case study • Other discussion of evaluation methodolog y	catchon2us! (Healthy Living Centre)	Requirements included local involvement in all aspects of development and delivery of services, joint working between local agencies including the NHS, and evaluation of individual HLC projects to provide an evidence base	 Personal wellbeing Community wellbeing Social capital/ cohesion General health (personal) General health (community) 	Place/ Location	• +++	• 1 • 2 • 4	WB, C, P
Ritchie et al., 2004)	•Qualitative study	Breathing Space	The aim of the programme was to capitalize on local knowledge and encourage local involvement in the development of a programme of activities that would create a supportive environment to enable local people to make healthy choices.	Substance use [Info] <i>smoking</i>	Place/ Location Socioeconomic indicators	• ++	•1 •2	P
Ritchie, 2001)	•Qualitative study • Other [Info] and mapping exercise	Breathing Space'	The aim of the intervention is to produce a significant cultural shift in the local community towards non-toleration and non-practice of smoking, through the development of an interlinked and co-ordinated response across a range of health promotion settings based on community action	Substance use [Info] <i>smoking</i>	 Place/ Location [Info] Edinburgh Gender [Info] men and women Socioeconomic indicators [Info] + income Other indicators of disadvantage [Info] adults and young people 12-16 years; areas of disadvantage 	• ++	• 1 • 2	P
Robinson (2010)	• Mixed methods		to review current policy, guidelines and practice on patient public engagement (PPE) in sexual and reproductive health and HIV/ AIDS (SRHH) services, and produce recommendations on	Disease prevention STIs	Place/ Location	•+	•2	C, P, U

	evaluation		how to effectively engage patients and the public in SRHH services in London in order to inform SRHH strategies.	General health (personal) [Info] sexual and reproductive headshift	ealth				
Robinson et al., 2010)	• Qualitative study	Working our Way to Health	Enhancing the health of men in deprived areas. The programme was undertaken with men to increase their health knowledge, and encourage behaviour modification and access to health improvement services.	 Physical activity Healthy eating Mental health Disease prevention Substance use Social capital/ cohesion General health (personal) General health (community) 		 Place/ Location Occupation [Info] + paid manual occupations, unemployed, on incapacity benefit, or acting as carers, Gender [Info] Males Socioeconomic indicators [Info] men aged 35 years and above in + paid manual occupations, unemployed, on incapacity benefit, or acting as carers, in the most deprived areas of Sefton. 	• +	•2 •3	Н, WB, C, Р
Rocket Science Ltd, 2011)	•Qualitative study	Health Weight Communities initiative	Pathfinders. The purpose of the Healthy Weight Communities Programme was to 'demonstrate the ways in which engaging communities in healthy eating, physical activity and healthy weight activities as part of a single coherent programme may have a greater impact on health outcomes than current discrete activities.'	 Physical activity Healthy eating Community wellbeing General health (personal) 	• Place/ Loca	tion	• ++	• 2 • 4	SDH, C, P
Roma Support Group, 2009)	•Qualitative study <i>Action</i> <i>Research</i>	Roma Support Group	Action Research in order to identify the barriers and enablers faced by the Roma refugee and migrant community when engaging in mainstream empowerment mechanisms.	Personal wellbeing Community wellbeing Other [Info] engagement with public se including health General health (community)	l ervices,	 Place/ Location Race/ ethnicity [Info] Roma refugee and migrant community Religion/ culture Socioeconomic 	• +++	• 1 • 2 • 8	P

					indicators • Social capital			
Romeo- Velilla (2014)	Practice description	My Community Matters	MCM is a community-led intervention based on the Connecting Communities (C2) framework. This is a bottom-up approach of accelerated neighbourhood development that aims to improve health, wellbeing and local conditions in disadvantaged areas.	 Prevention violence/ abuse/ crime Personal wellbeing Community wellbeing Social capital/ cohesion Community assets Other General health (personal) General health (community) 	Place/ Location Socioeconomic indicators [Info] disadvantaged areas Social capital	• ++	•1 •2	
Rosenburg, 2011)		Walterton and Elgin Community Homes (WECH)	community-owned and managed social housing agency	 Community wellbeing Social capital/ cohesion Community assets 	Place/ Location Socioeconomic indicators [Info] <i>poor neighbourhoods</i> Social capital	• ++	•2 •4	WB, SDH, C, P
Royal Society for Public Health, 2011)	•Evaluation / research •Discussion	The Youth Health Champion (YHC)	Health Trainer Service, which enables young children to act as "health advisors" to their peers.	 Physical activity Healthy eating Mental health Substance use Children & Young People/ Parenting General health (community) 	Place/ Location Education [Info] Secondary school level Socioeconomic indicators [Info] deprived areas	•+	• 1 • 3	
Sadare, 2011)	Mixed methods evaluation Qualitative study	Well London programme (World Cafe)	a 5 year health promotion programme incorporating mental wellbeing, physical activity and diet	 Physical activity Healthy eating Mental health Personal wellbeing Community wellbeing Social capital/ cohesion Community assets 	Place/ Location Socioeconomic indicators [Info] multiple deprived neighbourhoods Social capital	• ++	• 1 • 4	P

Salisbury 2014	Practice description	Bristol Crisis Service for women		 Mental health Personal wellbeing General health (personal) 	Place/ Location		• 4
Scottish Community Developme nt Centre, 2011)	Practice description	Mungo Foundation; Toy Box; The Muslim Elderly Day Care Centre; Jewish Care; The Cranhill community project; Glasgow Community Planning Partnership	The Roman Catholic Church established the Mungo Foundation, which now runs over 50 different projects including care homes and hostel accommodation; The Quaker community set up the 'Toy Box' project in Barlinnie prison, an initiative designed to support volunteers to look after children of visitors to the prison visiting rooms, ensuring that the children's visit to a prison is a good experience. The Muslim Elderly Day Care Centre, community planning processes; Equality and Human Rights Commission; heritage work (Equality and Human Rights Commission, Calton Parkhead Parish Church; Orbiston Neighbourhood Centre)	 Substance use Social capital/ cohesion Other [Info] homelessness; offenders; socio-cultural activities, healthcare and welfare surgeries, adult education and advice and information; welfare, ESOL, COMMUNITY PLANNING; HERITAGE Children & Young People/ Parenting 	Place/ Location [Info] Scotland Religion/ culture [Info] Roman Catholic, Quaker, Muslim, Jewish community, Church of Scotland Other indicators of disadvantage [Info] homeless, offenders, older people, children	• ++	•2 •3 •4 •7
Scottish Community Developme nt Centre, 2013)	• Other [Info] <i>not</i> <i>sure this is</i> <i>research!</i>	asset based approaches	Draws on current debates on assets based approaches to health improvement to support the development of a 'culture of thoughtfulness'.	 Community wellbeing Social capital/ cohesion Community assets General health (community) 	Place/ Location	• ++	• 1 • 2
Scottish Governme nt, 2009	Policy	Scottish Community Empowerment Action Plan	community empowerment policy	 Community wellbeing Social capital/ cohesion Community assets General health (community) 	 Place/ Location Socioeconomic indicators [Info] tackling health inequalities 	• +++	•1
Scottish Governme nt, 2013)	Policy Concept/ theory	Equally Well	uniting policies to reduce health inequalities across Scotland	 Physical activity Healthy eating Mental health Disease prevention Substance use 	• Place/ Location	•+	•2

			 Prevention violence/ abuse/ crime Community wellbeing [Info] social determinants Community assets Children & Young People/ Parenting General health (personal) 				
Seebohm and Gilchrist, 2008)	• Mixed methods evaluation	It explores how community development can contribute to an individual's 'recovery' from mental illhealth and also how it can promote 'community well-being' within a locality or community of interest.	• Mental health • Other [Info] community development	DIFFE SETTI ACRC • Race CD PRAC About (12) du thems White the res Austra Europ Pakist Caribb and A The m survive servic carers thirds thems White the oth Caribb Turkis Asian, and B (Nubia • Occu	DSS uk e/ ethnicity TITIONERS: two thirds escribed elves as British, and st were alian (one), ean (one) frican (one) frican (one); frican (one	•7	P

Seebohm et al., 2012)	• Qualitative study	Initiatives- UTASS, Sharing Voices and Beat the Blues	community development	 Physical activity Healthy eating Mental health Community wellbeing Social capital/ cohesion General health (community) 	Other indicators of disadvantage	• +	• 3	P
Sender et al., 2011)		National Empowerment Partnership Programme	The NEP programme aimed to empower citizens and communities, and to: demonstrate the difference that community empowerment can make to individuals, community groups, communities and public agencies; develop effective methods of quality assurance for community empowerment; promote good practice networks.	Community wellbeing Social capital/ cohesion	Place/ Location Social capital	• ++	• 1 • 2 • 6	SDH, C, P
Seyfang and Smith, 2002)	Other [Info] evalu ation - methods not discussed	Time Banks	time bank is a way for people to come together and help each other. Participants 'deposit' their time in the bank by giving practical help and support to others and are able to 'withdraw' their time when they need something done themselves.	 Social capital/ cohesion Personal assets Encouraging core public services to invest in building people's capacity to help themselves. Other 	Place/ Location [Info] UK Other indicators of disadvantage [Info] This report looks at time banking, a new government supported initiative which aims to tackle the problems of deprived neighbourhoods	• +	• 1 • 7	WB, SDH, P, U
Seyfang, 2003)	Mixed methods evaluation Other [Info] case	Rushey Green Time Bank		 Personal wellbeing Social capital/ cohesion General health (personal) 	Place/ Location [Info] <i>in East Lewisham, South London</i> Race/ ethnicity [Info] <i>The ethnic mix of the time bank</i>	•+	• 1 • 3 • 7	WB, SDH, P

	study				membership reflects that of the local population: 53% are from ethnic minorities. • Occupation- The majority of Rushey Green Time Bank members are not in paid employment: 80% are jobless, compared to 51% of the population (OPCS, 1993b). • Gender- Coordinato rs estimates show the membership has a majority of women (71%), • Other indicators of disadvantage			
Seymour 2014)	Research Mixed methods evaluation	Wirral Healthy Homes	Healthy Homes looks at a more holistic response to improving the health and wellbeing of vulnerable residents and improving the property condition. Referrals to the network of partners Healthy Homes has established can help achieve positive health outcomes for residents and reduce health inequalities.	Community assets Other [Info] <i>improving housing</i> Safety/ accident prevention	tors of disadvantage ble households e.g.	++	•2 •5	H, WB, SDH, I
Sheridan and Tobi, 2010)	Concept/ theory		outlines a framework that will help public bodies to approach engagement more strategically	Community wellbeing Social capital/ cohesion General health (community)		• +++	•2	
Sheridan et al., 2010)	•Evaluation / research • Practice	Community engagement using World Café: The Well	To improve the health and well-being of residents living in some of the most deprived communities in London. Build a collaborative	 Community wellbeing Social capital/ cohesion Community assets 	Place/ Location Socioeconomic indicators [Info] deprived	• ++	•1 •6	

	description	London experience	relationship with local communities	General health	(community)	communities			
Shircore, 2013)		Health Trainers	health trainers: lay workers supporting individual behaviour change	 Physical activity Healthy eating Mental health Substance use Personal wellbeing [Info] <i>e.g. resilience; self-efficacy</i> General health (personal) 		Place/ Location Race/ ethnicity Socioeconomic indicators [Info] Results demonstrate an excellent capacity to engage with clients in the +est socio-economic Quintile 1. Many in this quintile being the most difficult to engage with in respect of health issues.	• +	•3 •5	
Skidmore et al., 2006)	•Qualitative study [Info] case studies		This report uses three key concepts: governance, participation and social capital, defined as : - Governance: any decision- making body or structure that exists within a local authority area and has a remit to affect public service planning and delivery.	Social capital/ cohesion		Place/ Location Social capital	• ++	•2	WB, C, H, P
Smith 2014	Practice description	Leeds HIV prevention & testing service for Black African communities	Engagement with Black African communities in L promote behaviour change to reduce risk of HIV is and to increase access to HIV testing, to ultimate number of Black Africans with undiagnosed HIV i information & advice in the community - Group in advice in the community - HIV testing in the comm Engagement & development with community lead people within the communities.	transmission, ely reduce the in Leeds. 121 iformation & munity -	Disease prevention STIs Substance use	Place/ Location Race/ ethnicity [Info] Black African communities	• +	•2	
Smith et al., 2010)	• Other [Info] comp arsion of 2 case	West Johnstone Digital Inclusion Project (DIP),	two area-based community empowerment initiatives in UK cities which had common social inclusion goals but operated at different scales (neighbourhood and city-wide) and in	Personal wellbe [Info] self-efficacy Social capital/ c [Info] community	/	Place/ Location [Info] Renfrewshire, Scotland; Salford, Greater Manchester	• +	•3 •4	P

	studies	based in	different domains (digital inclusion and health)	inclusion	Occupation		• 6	
	-	Renfrewshire,S		Children and Young People/ Parenting	[Info] Priority to			
		cotland, and		General health (personal)	families with			
		Hearts of		[Info] heart health	children, single			
		Salford (HoS),			parents, older			
		based in			people, disabled,			
		Greater			people with learning			
		Manchester			difficulties,			
					unemployed and			
					volunteers			
					Education			
					[Info] There are,			
					however, fewer			
					people with no			
					formal qualifications			
					than would be			
					expected, which			
					contrasts sharply			
					with the DIP			
					sample HOS			
					Socioeconomic			
					indicators			
					[Info] Residents of			
					one 5 per cent			
					deprivation zone			
					(area 32 ha,			
					population 2180),			
					an 'outer-city' public			
					housing scheme 6			
					km from Paisley			
					Other indicators of			
					disadvantage			
South	Concept/							
(2014)	theory							
South et	Mixed	health trainers	health trainers: lay workers supporting	Personal wellbeing	Place/ Location	• +	• 3	H, WB, I,
al., 2007)	methods		individual behaviour change	General health (personal)	 Race/ ethnicity 		• 5	С, Р
				[Info] thematic analysis identified six core	[Info] In terms of			
				actions: listening, supporting, empathising,	ethnic profile, 11			

	evaluation			helping empower clients, giving clients confidence and signposting.	HTs were White British, seven were Asian British/Asian Pakistani and three were from Black or mixed background. • Socioeconomic indicators			
South et al., 2011)	• Other [Info] <i>Exper</i> <i>t Hearings</i>		study on lay people in public health roles	 Physical activity Healthy eating Mental health Substance use Personal wellbeing General health (personal) 	Place/ Location Socioeconomic indicators [Info] Health trainers operate in areas of deprivation	•+	•2 •3 •7	P
Spencer, 2014)	• Qualitative study		Drawing on findings from an ethnographic study on empowerment and young people's health, this article develops six conceptually distinct forms of empowerment (impositional, dispositional, concessional, oppositional, normative and transformative).	Children and Young People/ Parenting General health (personal)		• +++	• 1	P
Stafford et al., 2008)	• Questionna ire/ survey	New Deal for Communities	neighbourhood renewal/ regeneration	Physical activity Healthy eating Mental health Community wellbeing Other [Info] Social determinants: employment, education, crime General health (personal)	Place/ Location Race/ ethnicity [Info] 20% non- white Socioeconomic indicators Social capital	• ++	•1 •2	H, WB, SDH, I, C
Starkey (2005)	• RCT [Info] <i>Clust</i> er RCT	ASSIST (A Stop Smoking in Schools Trial)	To encourage stopping smoking	Substance use [Info] Smoking	Place/ Location Education Info] Secondary school level, Year 8 aged 11-12	• +	•3 •6	P

Starkey (2009)	• Questionna ire/ survey	A Stop Smoking In Schools Trial (ASSIST)		Substance use	 Place/ Location Race/ ethnicity [Info] Welsh Education [Info] Secondary school level- Year 8 (aged 12–13 years). 	•+	• 3	H, P
Stephenso n (2004)	• RCT	RIPPLE study	Peer-led sex education. In intervention schools, peer educators aged 16-17 years delivered three sessions of sex education to 13-14 year- old pupils from the same schools.	 Personal wellbeing Other [Info] sex education Children and Young People/ Parenting 	Place/ Location	•+	• 3	WB, I
Stephenso n, (2008)	• RCT [Info] Clust er RCT	RIPPLE (Peer- Led Sex Education Programme)	Peer-Led Sex Education Programme	STIs [Info] sex education Children and Young People/ Parenting [Info] sex education	Place/ Location Education [Info] Secondary school, Year 9 pupils (8th grade, aged 13–14 y)	•+	•3	Н, С, Р
Steven (2000)	• Mixed methods evaluation	Walking for Health	Physical activity, walking	 Physical activity Mental health Social capital/ cohesion 	Place/ Location Race/ ethnicity [Info] <i>All walk</i> leaders in the case studies were white Gender [Info] <i>Almost equal</i> split of males and females Other indicators of disadvantage	•+	• 7	H, WB, C, H, P
Stuteley 2014)		C2 (Connecting Communities)	C2 is short for Connecting Communities, delivering a practical 7-step application of an assets- based approach to community improvement. Essentially collaborative, it empowers both local residents and public service workers to improve health, wellbeing and local conditions in disadvantaged areas. It uses a tried and tested 7-step evidence-based model that works. C2 7 step programme					

			supports delivery of a 2 year intervention designed to reverse the H & WB of disadvantaged communities					
Stutely, (2002)	The Proje	oject,	community regeneration- aim to tackle the rapidly declining health and social needs of a community in Cornwall	 Physical activity Healthy eating Mental health Substance use Prevention violence/ abuse/ crime Community assets General health (community) 	 Place/ Location Social capital Other indicators of disadvantage 	• ++	•2	H, WB, C
		con Project	Multi-agency intervention in a community fraught with social and economic problems. The intervention devised by the health visitors was a mix of the 'formal' and the 'informal', for although it involved the statutory agencies, it also raised the capacity of ordinary residents on the Estate to have their voice heard, and to create entirely new pathways for consultation and involvement.	 Prevention violence/ abuse/ crime Community wellbeing Social capital/ cohesion Community assets General health (community) 	Place/ Location Socioeconomic indicators high deprivation estate. Community fraught with social and economic problems. According to the Breadline Britain Index (MORI, 1998), of CornwallÕs 133 wards Penwerris had the highest proportion (30.8%) of poor households, and they were poorer than the national average. Payne et al further indicated that Penwerris had the high percentage in Cornwall of children living in households with no wage earner, and the second highest percentage of	• ++	• 1 • 2 • 4	H, WB, SDH, C, P

							children living with lone parents. • Social capital [high incidence of violent crime, intimidation and drug-dealing and many children on the Child Protection Register.				
Summerfiel d, ()	• Practice description	Safer Places Scheme	Community Development Team - promoting social i for people with learning disabilities: • Safer Places s (detailed be+); • Researching and sourcing Opportu regular directories of all inclusive activities and ever Valued Volunteer scheme, recruiting volunteers to s adults with a learning disability to take part in the ac their choice. Recruited over 140 public, private and organisations to provide assistance to members if th uncomfortable or scared in the community. Member card with the contacts of 2 relatives/friends.	scheme unities, nts. • support ctivities of voluntary hey feel	Social capital/ ca Other [Info] disability aw safeguarding		Place/ Location Other indicators of disadvantage [Info] People with a learning disability from 14 upwards. It is planned to extend this to cover other vulnerable groups ie. People with physical disabilities, sensory impairment, dementia and mental health issues.	• +	• 2 • 4 • 5		
Summerfiel d, ()											
Susan (2006)	Mixed methods evaluation	Age Concern Newcastle	The Big Lottery funded Age Concern Newcastle - in partnership with Newcastle University - to undertake designed to increase understanding of volunteering older people. The research team used a range of so science techniques (surveys, in-depth interviews an groups) to assess the conditions under which older become volunteers, their capacity to remain voluntee	e research amongst ocial nd focus people	Community wellbeing [Info] The mission of Age Concern Newcastle is 'to promote the status and well- being of all older	of all the curr responded to about employ described the	ree fifths (62 per cent) rent volunteers who the survey question	• +++	•2 •3 •6 •7	WB, SDH, I, P	

			constraints that impact on volunteering for them.	people in the City of Newcastle upon Tyne and to make later life a fulfilling and enjoyable experience'. • Social capital/ cohesion [Info] promote social inclusion • Other [Info] older people	the volunteers acr ranges were in par- order largely women • Education Nearly two fifths (2 the volunteers con- schooling at age 1 whom were over to the time of the sur • Other indicators of	id work 39 per cent) of npleted their 5 and be+, all of he age of 55 at vey				
Sustainabl e (2010)	Policy Discussion		integrated, area-based approaches	Community well Social capital/ c Community asse Other [Info] neighbourh upgrading infrast sustainability	ohesion ets ood renewal/	Place/ Location Social capital	• ++	•1 •2		
Sustainabl e (2010)										
Taylor (2005)	Mixed methods evaluation	(CPP): The Community Empowerment Fund (CEF), Community Chests (CCs) and Community Learning Chests (CLCs)	Neighbourhood renewal. They were designed to: • encourage more people to become involved in the regeneration of their neighbourhoods; • help residents gain the skills and knowledge they need to play an active role in Neighbourhood Renewal; and • support the involvement of the local community and voluntary sector as an equal partner in local strategic partnerships (LSPs).	Community wellbeing Social capital/ cohesion Community assets General health (community)	Place/ Location Socioeconomic in [Info] disadvantage neighbourhoods Social capital		• ++	• 1 • 2 • 4 • 6	SDH, C, P	

Taylor, ()	Practice description	The JRF Neighbourh ood Programme : a 'light touch' learning network	Neighbourhood renewal; capacity building, community empowerment and building social capital.	 Physical activity Community wellbeing Social capital/ cohesion Children & Young People/ Parenting General health (community) 		• ++	• 1 • 6
Taylor, (2009)	Practice description	Healthy Living Centres; The Dundee Healthy Living Initiative;	Healthy Living Centres (HLCs); community-led health; Healthy Living Initiative	 Physical activity Healthy eating Mental health Substance use Personal wellbeing Social capital/ cohesion Personal assets [Info] <i>Health Issues in the Community training.</i> Community assets Other [Info] <i>Weight; healthy environments; improving facilities; wider outreach programmes</i> Children & Young People/ Parenting General health (personal) General health (community) 	Place/ Location [Info] Argyll and Bute; Dundee; Edinburgh; Falkirk; North Lanarkshire • Gender [Info] men and women's group	• ++	• 1 • 2 • 4 • 7
Thraves (2013)	• Policy	localism	Examines the aims of integrating public health across all services, helping communities provide services themselves and investing in prevention. There is a growing recognition that community input in decision-making can help promote health outcomes. However, the key to realising these health gains is giving communities real decision-making power. One option is to employ community commissioners. Local authorities should instead focus on strengthening pre-existing networks in communities that could play a role in delivering services. Ward councillors are the direct link between the local authority and community. They are best placed to encourage people to get involved improving public health outcomes.	 Disease prevention General health (personal) General health (community) 	Place/ Location	• ++	• 1 • 2 • 4

Truman, (2001)	Concept/ theory		involving users in evaluation		Mental health			• ++	• 2	
Ward and Banks, 2009)	• Mixed methods evaluation	health trainers	health trainers: lay workers to encourage individual behaviour change	Physical ac Healthy eat Mental hea Substance Personal w General he	ing th use	Place/ Location Socioeconomic indi [Info] deprived comm Other indicators of [Info] older people	nunities	• +	•3 •5	Н, WB, Р

Tunariu (2011)	Mixed methods evaluation Qualitative study	Well London DIY Happiness Project	Of the three projects specifically designed to address the theme of mental health and well-being, DIYH is the project that aims to improve individual and community health and well-being by exploring new ways to promote positive mental health from a whole population perspective by encouraging people to explore what subjective well-being and happiness means to them. The project aims to steer people away from the idea that mental health is synonymous with mental illness and begin to move people towards seeing mental health as a positive resource which can be improved and protected by making small effective changes	 Physical activity Healthy eating Mental health Personal wellbeing Social capital/ cohesion Personal assets General health (personal) 	Place/ Location Socioeconomic indicators [Info] working with groups of women in 20 +er Super Output Areas facing the greatest health inequalities in London	•+	•
(/	Mixed methods evaluation	Sure Start Centres	Sure Start Centres	 Healthy eating Substance use Children and Young People/ Parenting General health (personal) 	 Place/ Location [Info] National Gender [Info] Largely mothers Other indicators of disadvantage [Info] deprived areas 	• ++	• 1
UK (2007)	• Qualitative study	Get Heard project	Get Heard is one of the largest projects undertaken in the UK to involve people with first-hand experience of poverty to give their views on government policies designed to combat poverty – and in doing so to attempt to shape those policies which affect their lives. It was set up by the Social Policy Task Force, comprising the European Anti-Poverty Network, England; Poverty Alliance, Scotland; Northern Ireland Anti-Poverty Network; Anti-Poverty Network Cymru, Wales; Oxfam's UK Poverty Programme; the UK Coalition Against Poverty; and Age Concern	 Prevention violence/ abuse/ crime Personal assets Other [Info] housing, benefits and into work, finance, transport, neighbourhood renewal Children and Young People/ Parenting [Info] Benefits and into work General health (personal) 	 Place/ Location [Info] Northern Ireland, Scotland and Wales. Race/ ethnicity [Info] BME Gender Other indicators of disadvantage [Info] lone parents; carers; disabled people, older people, migrants homeless; people living in poverty	• ++	•

Visram	Mixed	health	health trainers: lay workers supporting ind	lividual behaviour change	Physical activity	Place/ Location	• +	• 3
(2006)	methods evaluation • Qualitative study	trainers			 Healthy eating Mental health Substance use Personal wellbeing General health (personal) 	Socioeconomic indicators		• 5
Wait (2006)	• Policy • Concept/ theory	<u> </u>	This paper explores some of the underlyin and issues underpinning public involveme a set of criteria and questions that need to the evaluation of public involvement strate the health policy process	nt policies and proposes be addressed to al+ for	General health (personal) General health (community) [Info] public involvement policies in healthcare			• 2
Wales (2008)	Policy	Designed to add value - a third dimension	to inform future directions and support the voluntary sector's contribution to health ar to inform planners and commissioners in t Health, Social Care and Wellbeing Strateg commissioning process across Wales.	nd social care. It will serve the development of the	 Personal wellbeing Other [Info] <i>health and social care</i> General health (personal) General health (community) 	Place/ Location Other indicators of disadvantage [Info] <i>vulnerable groups</i>	•++	• 1 • 5 • 7
Wallace, (2007)	 Policy Concept/ theory Discussion 	New Deal for Communities	Regeneration. Conceptual paper.		 Community wellbeing Social capital/ cohesion Community assets 	Place/ Location Socioeconomic indicators [Info] excluded neighbourhoods		• 1 • 2
Wanless (2002)	• Policy	Wanless report	health policy; people being fully engaged care	with their own health	Disease prevention Other [Info] <i>long term conditions</i> General health (personal)		•+	
Wanless (2004)	Mixed methods evaluation		It was asked to consider consistency of current policy with the public health aspects of the "fully engaged" scenario outlined in the 2002 report "Securing Our Future Health: Taking A Long-Term View"	Other [Info] <i>health services - pl reducing health inequalit</i> • General health (person			•+	• 2
Ward (2009)	Mixed methods	West Sussex Health Trainers	Health Trainers service	Physical activity Healthy eating Mental health Social capital/ cohesior	1	Place/ Location Socioeconomic indicators [Info] deprived communities; Local Neighbourhood	• +	• 5


	evaluation	service		General health (community)	Improvement areas (LNIAs) and with older people in other areas.		
Watson, (2004)	• Mixed methods evaluation	community champions fund	The aim of CCF was to increase the skills levels of individuals to enable them to act as inspirational figures, community entrepreneurs, community mentors and community leaders; and to also increase the involvement of communities in regeneration and learning activity	 Community wellbeing Social capital/ cohesion Other [Info] <i>regeneration; learning activity</i> Children and Young People/ Parenting 	Place/ Location Race/ ethnicity	•++	• • • • • • • • • • • • • • • • • • •
Watt (2009)	• RCT		social support intervention	 Healthy eating Children and Young People/ Parenting 	Place/ Location Gender [Info] <i>women</i> Socioeconomic indicators [Info] <i>disadvantaged areas</i>	• +	•
Webster (2000)	• Mixed methods evaluation	The Community Mapping project	community mapping	 Healthy eating Substance use Prevention violence/ abuse/ crime Social capital/ cohesion Build the capacity of local people – by training or involving them in PA methods – to develop their knowledge and skills so that they can understand more about how their food economy works and how they can change it; Other 	Place/ Location [Info] <i>Brighton, Coventry and Leicester</i>	• +++	• 2
Well (2011)	• Qualitative study	Well London	Tackling health inequalities- peer support tackling obesity, reducing smoking, cancer screening, improving mental health - health champions	 Physical activity Healthy eating Mental health Substance use Community wellbeing [Info] <i>tackling health inequalities</i> General health (community) 	 Place/ Location Race/ ethnicity the population of the White City Estate was measured at 6,300 residents with 2,450 households, twice the average borough density. Occupation 31% of residents (one in three adults aged between 16 and 74) have no formal educational qualifications. Religion/ culture Socioeconomic indicators The estate is situated in the North Hammersmith area covering the eastern part of the Wormholt & White City ward. It is the second most deprived 	• ++	• 2

White (2012)	• Mixed methods evaluation	Kirklees Health Trainer Service	Health Trainer Service General health and wellbeing, support for people with LTCs	• Mental health • Place/ Location • Substance use [Info] Kirklees community • Personal wellbeing • Socioeconomic indicators • General health (personal) [Info] Targeted areas of social deprivation • Other indicators • Other indicators [Info] People living with Long Term Conditions • Other indicators of disadvantage	•+	
White (2013)	• Qualitative study	Community Health Champion' programmes	Health Champions	 Physical activity Healthy eating Substance use Personal wellbeing Social capital/ cohesion [Info] <i>befrieding</i> Personal assets [Info] <i>training</i> Other [Info] <i>early detection of cancer</i> General health (personal) Physical activity Physical activity Place/ Location [Info] <i>Lincolnshire</i> Other indicators of disadvantage [Info] <i>A large proportion of volunteers were older o retired</i> 	. +	
Whitehead (2007)	Policy Discussion		discussion paper on concepts and principles for tackling social inequities in health	Other [Info] health care; access to health care · General health (community) · General health (community) · Socioeconomic indicators		
, (/	Mixed methods evaluation	Rochdale Partnershi ps for Older People Programm e	Rochdale POPP, launched in May 2007, set out to enable 'older people to have power and control over their lives to sustain independence and well-being in older age'.	 Disease prevention Personal wellbeing Social capital/ cohesion General health (personal) Place/ Location Other indicators of disadvantage [Info] older people 	•+	

Wood (2013) (Wood et al., 2013)	Mixed methods evaluation	Natural Choices for Health and Wellbeing Programm e	The Natural Choices for Health and Wellbeing programme provides support for projects throughout Liverpool which can demonstrate that they are i) helping to improve wellbeing through as many of the five ways to wellbeing as possible and ii) making use of the natural environment in the delivery of the project. A variety of different community projects are involved including community food growing, helping vulnerable groups to access nature, forest schools, reducing the carbon footprint and tree planting, developing community and therapeutic gardens and helping the homeless.	 Physical activity Personal wellbeing Community wellbeing Community assets 	51% of projects were in areas within the most deprived 1% in the UK	++
Woodall (2012)	Mixed methods evaluation • Qualitative study	community health champions	lay public health roles (including health champions)	 Physical activity Healthy eating Mental health Personal wellbeing Community wellbeing Social capital/ cohesion General health (personal) General health (community) Safety/ accident prevention 	Place/ Location Other indicators of disadvantage [Info] older people	•+
Woodall,J. , (2012)	• Qualitative study	community health champions	Community health champions in Yorkshire and Humber are involved in a huge range of activities including, among others, leading organised health walks, working in allotment and food- growing initiatives, setting up social clubs, delivering health-awareness presentations on chronic conditions, and signposting.	 Physical activity Healthy eating Personal wellbeing Community wellbeing General health (personal) General health (community) 	 Place/ Location Socioeconomic indicators Social capital 	• ++

YHEP	Practice	community	community health champions	Physical activity	Place/ Location	• ++
(2010)	description	health		Healthy eating	Race/ ethnicity	
		champions -		Mental health	Religion/ culture	
		Altogether		Substance use	Socioeconomic indicators	
		Better		Personal wellbeing	Social capital	
				Community wellbeing		
				Social capital/ cohesion		
				Community assets		
				General health (personal)		
				General health (community)		
Ziersch	•Controlled		pilot peer education STI prevention	• STIs	Place/ Location-London	• +
(2000)	trial quasiex		programme	Personal assets	Race/ ethnicity	
	perimental			[Info] peer education training	Gender- males	
	design.				Education	
	•Qualitative				 Other indicators of disadvantage 	
	study				Ĵ	

APPENDIX H The family of community-centred approaches (South 2014)



APPENDIX I Studies by type of community engagement approach (South 2014; South 2015).

2006 Community development including people with learning difficulties (Kennedy et al., 2006) - ASSIST (peer-led smoking cessation in schools) (Audrey et al., 2006a, Audrey et al., 2006b, Hoddinott et al., 2006b; - Pathfinder programme (neighbourhood minister, 2006, Communities & Local Government, 2006a); - Citynet project: building social capital and improving ICT access for disadvantaged groups in Nucltingham, UK. (Bolam et al., 2006); - - Roy Castle fag ends stop smoking service (Owens and Springett, 2006); - Community food initiatives (Pritchard et al., 2006); - Community food initiatives (Pritchard et al., 2006); - Community Nutrition Assistants (Hyland et al., 2006); - Community Nutrition Assistants (Hyland et al., 2006); - Community Nutrition Assistants (Hyland et al., 2006); - Lay food and health workers (Kennedy, 2006); - Lay food and health workers (Kennedy, 2006); - Activity Friends: peer mentor physical activity programme for over 50s (Corbin, 2006); - Activity Friends: peer mentor physical activity programme for over 50s (Corbin, 2006); - Health Trainers(Visram et al., 2006);	Year	Strengthening communities	Volunteer & peer roles	Collaborations & partnerships	Access to community resources
	2006	people with learning difficulties	 schools) (Audrey et al., 2006a, Audrey et al., 2006b); Breastfeeding peer support in rural Scotland (Hoddinott et al., 2006b, Hoddinott et al., 2006a); Roy Castle fag ends stop smoking service (Owens and Springett, 2006); Community food initiatives (Pritchard et al., 2006); Community food initiatives (Pritchard et al., 2006); Volunteering (Bowers et al., 2006, Baines et al., 2006); Community Nutrition Assistants (Hyland et al., 2006); Lay food and health workers (Kennedy, 2006); Activity Friends: peer mentor physical activity programme for over 50s (Corbin, 2006); 	management) (Office of the Deputy Prime Minister, 2006, Department for Communities & Local Government, 2006a);	 capital and improving ICT access for disadvantaged groups in Nottingham, UK.(Bolam et al., 2006); Sure Start (Bagley and Ackerley,

Year	Strengthening communities	Volunteer & peer roles	Collaborations & partnerships	Access to community resources
2007	 Healthy Futures (CE model) (Glasgow Centre for Population Health, 2007); Local Wellbeing Project (empowerment) (Hothi et al., 2007); Healthy Living Centres (Hills et al., 2007); Community development training course(Clay Christopher et al., 2007) 	- Health Trainers (South et al., 2007); Breastfeeding peer support (Curtis et al., 2007)	 New Deal for Communities (neighbourhood regeneration) (Blank et al., 2007, Dinham, 2007, Wallace, 2007, Lawless et al., 2007) JRF Neighbourhood Renewal Programme (Taylor et al., 2007); Community based participatory research (Marais, 2007); Health Impact Assessment (Elliott et al., 2007, Mahoney et al., 2007); Pathfinders programme (neighbourhood management) (Department for Communities & Local Government, 2007b) 	 Get Heard! –involving people with experience of poverty in shaping policies to combat poverty (U. K. Coalition Against Poverty, 2007); Sure Start (Anning et al., 2007)
2008	 Community development and mental health (Seebohm and Gilchrist, 2008); Streets Ahead On Safety: Young people & road safety (Kimberlee, 2008) 	 ASSIST (peer-led smoking cessation in schools) (Audrey et al., 2008, Campbell et al., 2008); RIPPLE (Peer-led sex education in schools) (Stephenson et al., 2008); Lay food and health workers (Kennedy et al., 2008); Volunteering (Community Service Volunteers (CSV), 2008) 	 Health Impact Assessment (Chadderton et al., 2008); New Deal for Communities (neighbourhood regeneration) (Stafford et al., 2008); Sure Start and co-production (Pemberton and Mason, 2008) 	 Involvement in commissioning for people with LD and complex needs (Davis, 2008, McCaffrey, 2008); Citizens' Juries (Gooberman-Hill et al., 2008)
2009	Healthy Living Centres (Taylor, 2009);	ASSIST (peer-led smoking cessation in schools) (Starkey et al., 2009); Social support for infant feeding (Watt et al., 2009);	Participatory Action Research (McDaid, 2009); Partnerships for Older People Programme (Windle et al., 2009, Williamson et al., 2009);	

Year	Strengthening communities	Volunteer & peer roles	Collaborations & partnerships	Access to community resources
	Improving CE with Roma Community (Roma Support Group, 2009)	 Health/ Community Champions (Davies, 2009, East Midlands Regional Empowerment Partnership, 2009a); Breastfeeding peer support (MacArthur et al., 2009); Volunteers (home start) (Barnes et al., 2009); Health trainers (Ward and Banks, 2009); 	Well London (World café) (Bertotti et al., 2009); Pathfinder programme (neighbourhood management) (East Midlands Regional Empowerment Partnership, 2009b); Neighbourhood regeneration (Lawson and Kearns, 2009);	
2010	 Empowerment (Take Part approach) (Neumark, 2010) Empowerment (West Johnstone Digital Inclusion Project; Hearts of Salford) (Smith et al., 2010) 	 Lay food and health workers (Kennedy, 2010); Volunteers (home start) (MacPherson et al., 2010); Health trainers (Bpcssa, 2010, Carlson et al., 2010); Health Champions (Altogether Better) (Yorkshire & Humber Empowerment Project, 2010, White et al., 2010) 	 Co-production (Boyle et al., 2010); Social Inclusion Partnerships (Carlisle, 2010); New Deal for Communities (neighbourhood regeneration)(Muscat, 2010); The Black and Minority Ethnic (BME) Health Forum (community participatory research) (Race for Health, 2010); Well London (youth.com & Young Ambassadors; Community Activators; World Cafe) (Craig, 2010, Chapman, 2010, Sheridan et al., 2010); National Institute for Mental Health in England Community Engagement Project (Fountain and Hicks, 2010); Addressing stigma related to mental health problems with BME groups (NHS Greater Glasgow and Clyde, 2010) 	 patient public engagement (PPE) in sexual and reproductive health and HIV/ AIDS (SRHH) services (Robinson and Lorenc, 2010); Healthy lifestyle programme (Sefton men's health project) (Robinson et al., 2010)

Year	Strengthening communities	Volunteer & peer roles	Collaborations & partnerships	Access to community resources
2011	 National Empowerment Partnership Programme (Sender et al., 2011); Big Lottery Fund national wellbeing programme (CLES Consulting, 2011); NHS Health Empowerment Leverage Project (HELP) (Chanan, 2011) 	 Health champions (Well London) (Well London and NHS Hammersmith &Fulham, 2011, Cawley and Berzins, 2011, Sadare, 2011, Tunariu et al., 2011); Volunteering (O'Brien et al., 2011); Health Trainers (Attree et al., 2011, Ball and Nasr, 2011, Institute for Criminal Policy Research, 2011, North West Public Health Observatory, 2011, Royal Society for Public Health, 2011); Community Mentoring service for older people (Dickens Andy et al., 2011) 	 Neighbourhood regeneration (Jarvis et al., 2011) 	 Healthy Weight Communities programme (Rocket Science Ltd, 2011); Social Housing (Rosenburg, 2011); Housing Associations (Place Shapers Group, 2011)
2012	Asset-based approaches (McLean and McNeice, 2012, Iriss, 2012); Community development and mental health (Seebohm et al., 2012); Equally Well (Harkins and Egan, 2012); Community organisations (GlasGrow) (Mackintosh, 2012)	 Well London (co-production/ health champions) (Phillips et al., 2012); Health Champions (Sheffield All-Being Well Consortium) (Reece and Flint, 2012); Health Champions (health literacy) (Liverpool John Moore's University, 2012); Health trainers (White et al., 2012, Cook and Wills, 2012, Data Collection Reporting System, 2012, Gardner et al., 2012, Green, 2012); 	Co-production (people powered health) (Nesta, 2012b, Nesta, 2012a, Local Government Information Unit, 2012, Hatzidimitriadou et al., 2012); Well London (co-production/ health champions) (Phillips et al., 2012)	Training course: Health Issues In the community (Community Health Exchange, 2012a); Positive Mental Attitudes (mental health inequalities programme) (Quinn and Knifton, 2012); Social marketing, road safety (Christie et al., 2012)

Year	Strengthening communities	Volunteer & peer roles	Collaborations & partnerships	Access to community resources
		Community agents (Active at 60 programme) (Hatamian et al., 2012);		
		Breastfeeding peer support (Jolly et al., 2012);		
		Peer power for people with mental illness (Duffy, 2012);		
		Volunteering (Nazroo and Matthews, 2012)		
2013	Asset based approaches (Scottish Community Development Centre, 2013,	Breastfeeding peer support (Ingram, 2013);	Co-production/ peer support (people powered health) (Nesta, 2013)	Time banks (Cambridge Centre for Housing & Planning Research, 2013);
	Fenton, 2013, Scottish Community Development, 2013);	Volunteering (Naylor et al., 2013);		
		Youth (peer)-led mental health and general support (Music and Change) (Mental Health Foundation, 2013);		political advocacy approach to reduce pedestrian injuries in deprived
	Equally Well (Scottish Government, 2013)	Health champions (White and Woodward, 2013, Woodall et al., 2012b)		communities (Hills et al., 2013)
		Health trainers (Dooris et al., 2013, Jennings et al., 2013, Lorenc and Wills, 2013, Shircore, 2013)		