



LEEDS  
BECKETT  
UNIVERSITY

---

Citation:

Paul, L and Naughton, M and Jones, B and Davidow, D and Patel, A and Lambert, M and Hendricks, S (2022) Quantifying Collision Frequency and Intensity in Rugby Union and Rugby Sevens: A Systematic Review. *Sports Medicine - Open*, 8 (1). p. 12. ISSN 2198-9761 DOI: <https://doi.org/10.1186/s40798-021-00398-4>

Link to Leeds Beckett Repository record:

<https://eprints.leedsbeckett.ac.uk/id/eprint/8466/>

Document Version:

Article (Published Version)

---

Creative Commons: Attribution 4.0

The aim of the Leeds Beckett Repository is to provide open access to our research, as required by funder policies and permitted by publishers and copyright law.

The Leeds Beckett repository holds a wide range of publications, each of which has been checked for copyright and the relevant embargo period has been applied by the Research Services team.

We operate on a standard take-down policy. If you are the author or publisher of an output and you would like it removed from the repository, please [contact us](#) and we will investigate on a case-by-case basis.

Each thesis in the repository has been cleared where necessary by the author for third party copyright. If you would like a thesis to be removed from the repository or believe there is an issue with copyright, please contact us on [openaccess@leedsbeckett.ac.uk](mailto:openaccess@leedsbeckett.ac.uk) and we will investigate on a case-by-case basis.

SYSTEMATIC REVIEW

Open Access



# Quantifying Collision Frequency and Intensity in Rugby Union and Rugby Sevens: A Systematic Review

Lara Paul<sup>1,8\*</sup> , Mitchell Naughton<sup>2,3</sup> , Ben Jones<sup>1,4,5,6,7</sup> , Demi Davidow<sup>1,8</sup> , Amir Patel<sup>9</sup> , Mike Lambert<sup>1,8</sup>  and Sharief Hendricks<sup>1,5,8</sup> 

## Abstract

**Background:** Collisions in rugby union and sevens have a high injury incidence and burden, and are also associated with player and team performance. Understanding the frequency and intensity of these collisions is therefore important for coaches and practitioners to adequately prepare players for competition. The aim of this review is to synthesise the current literature to provide a summary of the collision frequencies and intensities for rugby union and rugby sevens based on video-based analysis and microtechnology.

**Methods:** A systematic search using key words was done on four different databases from 1 January 1990 to 1 September 2021 (PubMed, Scopus, SPORTDiscus and Web of Science).

**Results:** Seventy-three studies were included in the final review, with fifty-eight studies focusing on rugby union, while fifteen studies explored rugby sevens. Of the included studies, four focused on training—three in rugby union and one in sevens, two focused on both training and match-play in rugby union and one in rugby sevens, while the remaining sixty-six studies explored collisions from match-play. The studies included, provincial, national, international, professional, experienced, novice and collegiate players. Most of the studies used video-based analysis ( $n = 37$ ) to quantify collisions. In rugby union, on average a total of 22.0 (19.0–25.0) scrums, 116.2 (62.7–169.7) rucks, and 156.1 (121.2–191.0) tackles occur per match. In sevens, on average 1.8 (1.7–2.0) scrums, 4.8 (0–11.8) rucks and 14.1 (0–32.8) tackles occur per match.

**Conclusions:** This review showed more studies quantified collisions in matches compared to training. To ensure athletes are adequately prepared for match collision loads, training should be prescribed to meet the match demands. Per minute, rugby sevens players perform more tackles and ball carries into contact than rugby union players and forwards experienced more impacts and tackles than backs. Forwards also perform more very heavy impacts and severe impacts than backs in rugby union. To improve the relationship between matches and training, integrating both video-based analysis and microtechnology is recommended. The frequency and intensity of collisions in training and matches may lead to adaptations for a “collision-fit” player and lend itself to general training principles such as periodisation for optimum collision adaptation.

*Trial Registration* PROSPERO registration number: CRD42020191112.

**Keywords:** Rugby, Microtechnology, Video-based analysis, Collisions, Training, Injury prevention

\*Correspondence: sharief.hendricks01@gmail.com

<sup>1</sup> Division of Physiological Sciences, Department of Human Biology, Faculty of Health Sciences, University of Cape Town, Cape Town, South Africa

Full list of author information is available at the end of the article

## Key Points

- In this systematic review of collision frequency and intensity in rugby union and rugby sevens, only four

studies quantified collision frequencies and/or intensities in training, three focused on both training and match-play, while 66 studies quantified frequencies and/or intensities of collisions in matches. Further investigation is needed to improve and understand the relationship between training and matches.

- Per minute, rugby sevens players perform more tackles and ball carries into contact than rugby union players and forwards experienced more impacts and tackles than backs. Forwards also perform more very heavy impacts and severe impacts than backs in rugby union.
- Integrating video-based analysis and microtechnology is recommended, and the metrics and grouping variables between training and matches should be consistent.
- The frequency and intensity of collisions in training and matches may lead to adaptations for a “collision-fit” player and lend itself to general training principles such as periodisation for optimum collision adaptation.

## Background

Rugby union and rugby sevens (henceforth called sevens) are invasion team sports that are characterised by frequent high speed running and physical collisions [1, 2]. Although the two rugby codes differ in match duration (sevens = 14 min; rugby union = 80 min) and player numbers (sevens = 7 players; rugby union = 15 players) [3–6], the type of collisions are similar (i.e., tackles, scrums, rucks and mauls) [6]. Winning these collisions is associated with overall team success and player performance [7–9]. For example, Ortega et al. (2009) identified that winning teams complete more tackles than losing teams [7]. These collisions are also physically and technically demanding for players with an associated high injury incidence and burden (injury incidence rate  $\times$  mean severity) [10–13]. For instance, in senior professional male rugby union players, 29.0 injuries per 1000 player hours occur when being tackled, 19.0 injuries per 1000 player hours occur when tackling and 17.0 injuries per 1000 player hours occur in the ruck/maul [14]. In sevens, 40.4 injuries per 1000 player hours occur when tackling, with 1.2 injuries per 1000 player hours occurring in the mauls and scrums [15].

Given the high injury incidence and burden, and the positive performance outcomes associated with winning collisions in rugby union and sevens, it is important for coaches and practitioners to adequately prepare players for competition. To do this, they need to know the frequency and intensity of these collisions in both training and matches [16]. In matches and training, the frequency

and intensity of collisions have been quantified primarily using two methods: video-based analysis and microtechnology. Quantifying the frequency and intensity of collisions using video-based analysis requires the systematic observation and interpretation of video from matches and/or training [17, 18]. Analysing collisions can occur while the matches or training session(s) are underway, although most detailed analyses occur post-match [17]. Previously, video-based analysis was the main method used to quantify collisions in both rugby cohorts [17]. Quantifying collisions in this manner however, is based on human observation, and as such, it is labour intensive and requires reliability checking to reduce bias and subjectivity [16]. For these reasons, a shift to automated methods of collecting collision data through the use of microtechnology has occurred.

In sport, microtechnology typically incorporates global positioning systems (GPS) and micro-electrical mechanical systems (MEMs) that capture the external physical demands of competition and training [19]. Commercially available microtechnology devices for team sports are designed to be unobstructive, so players can wear them during competition and training. One of the first studies using microtechnology to determine physical demands in rugby union was published in 2009 [20], and since then, research using these devices has grown [19]. Initially, GPS was only used to provide information on distance and speed [21, 22]. Since then, MEMs have been built into GPS devices which now house triaxial accelerometers, gyroscopes and magnetometers [22]. Triaxial accelerometers measure acceleration in three different axes (anterior–posterior, medial–lateral and vertical) [16, 22], and the sum of the acceleration in these three axes provides a vector magnitude (g force). This vector magnitude can be used to quantify the intensity of the collision [19, 22]. Each manufacturer has a different algorithm that is used to quantify collisions [23]. As a consequence, validating collision metrics for these devices has been challenging [23]. Although quantifying collisions using microtechnology may be more time efficient than video-based methods, the validity and reliability of microtechnology in rugby union and sevens requires further investigation [16, 24] due to the ambiguity in the current results [25].

To benefit coaches and practitioners, and aid injury prevention and injury management strategies, a synthesis of the frequency and intensity of collisions in rugby union and sevens to date, both in training and matches, is required. For example, a coach who understands the positional match tackle frequencies and intensities can optimise tackle training sessions to meet those position specific match demands. Since one of the roles of coaches and practitioners is to ensure positive adaptations to training and reduce

maladaptation, understanding the frequency and intensity of collisions may also aid optimising recovery between training and matches. Therefore, the aim of this systematic review to synthesise the collision frequencies and intensities for rugby union and rugby sevens based on video-based analysis and microtechnology.

**Methods**


**Search Strategy**

The search strategy was based on a similar systematic review in rugby league [16]. The current systematic review was carried out in accordance with the PRISMA guidelines [28]. The search was conducted from 1 January 1990 to 1 September 2021 on four different electronic databases (PubMed, Scopus, SPORTDiscus and Web of Science). The search used the following combined key terms for collisions ('tackl\*' OR 'collision' OR 'impact\*') AND ('dose' OR 'frequency' OR 'intensity' OR 'demands') AND rugby union ('rugby' OR 'rugby union' OR 'rugby sevens'). For example, in PubMed the search was (((tackl\* OR collision OR impact\* OR collisions)) AND (dose OR frequency OR intensity OR demands)) AND (rugby OR rugby union OR

rugby sevens). The reference list of the final full-text articles (n = 73) was also examined.

**Selection of Studies**

After consolidating the studies from the different electronic databases, LP removed the duplicates and screened the titles and abstracts (Fig. 1) for eligibility before retrieving the full text [28]. The review was registered with PROSPERO (registration number: CRD42020191112). The full text articles were further screened for eligibility by LP and MN. Any discrepancies in the screening process were discussed until agreed upon. A third researcher was available if consensus on the inclusion of an article could not be reached; however this was not required. The inclusion criteria were (i) any publication that quantified collisions in terms of frequency or intensity in rugby union and/or sevens (ii) study participants within each study had to be over 18 years of age. When collisions were based on 'impact metrics,' only impacts > 8 g were included in the data to eliminate possible confusion with running demands (i.e., high intensity accelerations or decelerations) unless stated otherwise [25]. Publications from conferences and annual meetings were excluded. Only peer-reviewed publications were included. Any publication that could not be translated



**Fig. 1** Literature selection process for the systematic review

into English was excluded. Authors were contacted for detailed information if necessary. The final full-text articles went through the data extraction process.

Collisions were broadly defined as any physical contact made with another player (teammate or opposition), which resulted in an alteration to the player's momentum. This included collisions such as the tackle (tackling and being tackled), scrums, rucks and mauls [26, 27]. For this review the studies did not need to have a definition to be included.

### Data Extraction

Data relating to participant characteristics (i.e., number, age, height, weight, level of competition, sex, cohort), context (i.e., match play or training), method used to quantify the collisions (i.e., video or microtechnology), the model and specifics of the device (i.e., GPS device rate, inertial sensors, number of files, software), video-based analysis characteristics (i.e., camera system, number of cameras, location of the devices and software), and collision characteristics were extracted from the final 73 full-text articles. Collision characteristics included type of collision, number of matches or training sessions, year of competition, absolute frequency (number), collisions in relation to playing time (number of collisions per minute) and the intensity of each collision. Collision intensity was commonly classified as *very heavy* (8–10 g), *severe* (>10 g) or *another range* that was specific to the device based on the nature of the collision [29].

### Assessment of Methodological Quality

The quality of the included studies was assessed using the checklist of Downs and Black's assessment of methodological quality [30]. Questions 5, 8, 9, 13–15, 19, 21–28 were inapplicable due to the nature of the studies. The assessment was done by LP and MN (Additional file 1: Table S1). No studies were eliminated based on the methodological quality.

### Data Analysis

All data were reported in the tables as mean  $\pm$  standard deviation (SD) unless stated otherwise. Where possible, a meta-analysis (OpenMeta[Analyst]) was completed to produce a pooled mean and 95% confidence intervals (CI). An analysis was only conducted if there were at least two studies with mean and standard deviations. The DerSimonian-Laird continuous random-effects analysis method was used for the meta-analysis, with  $I^2$  used to assess the heterogeneity of the data.  $I^2$  of 0–40% was considered low heterogeneity, 40–75%: moderate heterogeneity and >70% was considered high

heterogeneity [16]. The forest plots (mean and 95% CI) presented the results of the meta-analysis.

## Results

### Identification of Studies

The literature search captured 1114 papers (Fig. 1). After the screening process, 73 publications were included in the final review [3, 5, 8, 20, 23–25, 29, 31–95].

### Study Characteristics

In total, 6212 participants were recorded throughout the seventy-three studies (Table 1). Fifteen studies explored sevens (21%) [3, 5, 35–38, 47, 51, 60, 62, 67, 70–72, 78] while fifty-eight studies investigated rugby union (79%) [8, 20, 23–25, 29, 31–34, 39–46, 48–50, 52–59, 61, 63–66, 68, 69, 73–77, 79–95]. Four studies (5%) focused on training (three in rugby union [32, 80, 90] and one in sevens [47]), while two studies investigated training and matches in rugby union (4%) [34, 42] and one in sevens (1%) [51]. The other sixty-six studies (90%) focused on match-play only [3, 5, 8, 20, 23–25, 29, 31, 33, 35–41, 43–46, 48–50, 52–79, 81–89, 91–95]. The studies included, provincial, national, international, professional, experienced, novice and collegiate players. Studies were recorded from the Super Rugby competition [29, 31, 41, 43, 49, 50, 55, 59, 73, 75], Six Nations Championship [8, 33, 88], English Premiership [45, 46, 48, 68], World Rugby Sevens World Series [3, 51, 72], Bledisloe Cup [63], Pro14 [23], and the Rugby World Cup [92, 93].

Twenty-four studies used microtechnology as a method to record collision demands (33%) [20, 29, 32, 35, 36, 38, 42, 47, 48, 51, 53, 58, 59, 61, 62, 76, 77, 80–84, 91, 95]

and thirty-seven studies used video-based analysis (51%) [3, 5, 8, 31, 33, 40, 41, 43–46, 49, 50, 54, 55, 57, 60, 63–65, 68–75, 79, 85–89, 92–94] (Table 1). Twelve studies used both microtechnology and video-based analysis to capture collision demands (16%) [23–25, 34, 37, 39, 52, 56, 66, 67, 78, 90]. Seven studies (21%) used the GPSports' SPI Pro device [29, 39, 81–83, 90, 91] and GPSports' SPI HPU [34–38, 42, 59], 18% used Catapult Minimax S4 [32, 47, 52, 53, 56, 58] and 12% used the StatSports GPS technology [25, 48, 61, 84]. Specifics of both the microtechnology device and software used are provided in Additional file 1: Table S2. Similarly, camera specifics and the video-based analysis system used can be found in Additional file 1: Table S3.

### Microtechnology

#### Rugby Union Match-Play

Ten studies recorded collision frequency using microtechnology in match-play (14%) [20, 23–25, 39, 52, 53, 58, 84, 91] (Table 2). Two studies in rugby union recorded

**Table 1** Characteristics of studies that were included

Study: author (year)	Number of participants	Male or female	Participant competition level	Age (years): mean $\pm$ SD	Height (cm): mean $\pm$ SD	Body mass (kg): mean $\pm$ SD	Method of data capture	Cohort	Match-play/ training or both
Austin et al. (2011) [31]	20	NR	Super 14	Front row forwards: 23 $\pm$ 2 Back row forwards: 26 $\pm$ 3 Inside backs: 22 $\pm$ 1	Front row forwards: 183 $\pm$ 2 Back row forwards: 183 $\pm$ 4 Inside backs: 179 $\pm$ 6	Front row forwards: 144 $\pm$ 4 Back row forwards: 103 $\pm$ 9 Inside backs: 87 $\pm$ 3	Video	Rugby union	Match-play
Bradley et al. (2015) [32]	44 (24 forwards, 20 backs)	NR	Elite	21–34	Forwards: 189 $\pm$ 0.6	Forwards: 110.1 $\pm$ 6.1	Microtechnology	Rugby union	Training
Bradley et al. (2017) [33]	NR	NR	Six Nation Championship	NR	Backs: 183 $\pm$ 0.5	Backs: 92.1 $\pm$ 7	Video	Rugby union	Match-play
Campbell et al. (2017) [34]	32	Male	Premier Grade Club	24 $\pm$ 4	177 $\pm$ 10	88 $\pm$ 20	Microtechnology and video	Rugby union	Both
Clarke et al. (2015) [35]	12 National	Female	State and National	National: 22.3 $\pm$ 2.5	National: 167 $\pm$ 0.4	National: 65.8 $\pm$ 4.6	Microtechnology	Sevens	Match-play
Clarke et al. (2015) [36]	10 State	Female	State and National	State: 24.4 $\pm$ 4.3	State: 167 $\pm$ 0.3	State: 66.1 $\pm$ 7.9	Microtechnology	Sevens	Match-play
Clarke et al. (2016) [37]	12 males	Male and female	International	State: 24.4 $\pm$ 4.3 Male: 24.1 $\pm$ 3.2	State: 167 $\pm$ 0.3 Male: 184 $\pm$ 0.8	State: 66.1 $\pm$ 7.9 Male: 92 $\pm$ 6.9	Microtechnology and video	Sevens	Match-play
Clarke et al. (2017) [38]	12 females	Male and female	Domestic and International	Female: 22.8 $\pm$ 3.6	Female: 169 $\pm$ 0.2	Female: 68.6 $\pm$ 4.4	Microtechnology	Sevens	Match-play
Coughlan et al. (2011) [39]	2 (one forward, one back)	NR	International	30	Forward: 198	Forward: 111.8	Microtechnology and video	Rugby union	Match-play
Cunniffe et al. (2009) [20]	3	NR	Elite	25 $\pm$ 3.6	Back: 181	Back: 94.9	Microtechnology	Rugby union	Match-play
Deutsch et al. (1998) [40]	24	Male	Under 19	18.4 $\pm$ 0.5	193.3 $\pm$ 9.7	104.6 $\pm$ 10.4	Video	Rugby union	Match-play

**Table 1** (continued)

Study: author (year)	Number of participants	Male or female	Participant competition level	Age (years): mean $\pm$ SD	Height (cm): mean $\pm$ SD	Body mass (kg): mean $\pm$ SD	Method of data capture	Cohort	Match-play/ training or both
Deutsch et al. (2007) [41]	Forwards: 16 Backs: 13	NR	Super 12	NR	NR	NR	Video	Rugby union	Match-play
Dubois et al. (2020) [42]	Forwards: 6 Backs: 8	NR	Professional	26.9 $\pm$ 1.9	185 $\pm$ 7.9	97.6 $\pm$ 13.2	Microtechnology	Rugby union	Both
Duthie et al. (2005) [43]	47	NR	Super 12	NR	NR	NR	Video	Rugby union	Match-play
Eaton et al. (2006) [44]	35	NR	Professional	20–34 years	NR	NR	Video	Rugby union	Match-play
Fuller et al. (2007) [45]	645	NR	English Premiership	NR	NR	NR	Video	Rugby union	Match-play
Fuller et al. (2008) [46]	645	NR	English Premiership	NR	NR	NR	Video	Rugby union	Match-play
Gibson et al. (2015) [47]	12	Male	International	27.8 $\pm$ 3.9	177.8 $\pm$ 5.9	81 $\pm$ 8.3	Microtechnology	Sevens	Training
Grainger et al. (2018) [48]	38	NR	English Premiership	26.4 $\pm$ 4.7	182.3 $\pm$ 30.2	100 $\pm$ 11	Microtechnology	Rugby union	Match-play
Hendricks et al. (2013) [49]	NR	NR	Super 14	NR	NR	NR	Video	Rugby union	Match-play
Hendricks et al. (2014) [50]	NR	NR	Super 14	NR	NR	NR	Video	Rugby union	Match-play
Hendricks et al. (2018) [8]	NR	NR	Six Nations and Championship	NR	NR	NR	Video	Rugby union	Match-play
Hendricks et al. (2019) [3]	NR	NR	Rugby Sevens World Series	NR	NR	NR	Video	Sevens	Match-play
Higham et al. (2014) [5]	196	Male	International	NR	NR	NR	Video	Sevens	Match-play
Higham et al. (2016) [51]	42	Male	International (World Rugby Sevens World Series and Federation of Oceania Rugby Unions Oceania Sevens Championship)	Forwards: 21.6 $\pm$ 2.4 Backs: 21 $\pm$ 2.2	Forwards: 185 $\pm$ 0.5 Backs: 181 $\pm$ 0.6	Forwards: 95.8 $\pm$ 6.7 Backs: 86.2 $\pm$ 5.6	Microtechnology	Sevens	Both
Jones et al. (2014) [52]	28	Male	European Cup	Forwards: 26.7 $\pm$ 2.8	NR	Forwards: 111.6 $\pm$ 5.7	Microtechnology and video	Rugby union	Match-play

**Table 1** (continued)

Study: author (year)	Number of participants	Male or female	Participant competition level	Age (years): mean $\pm$ SD	Height (cm): mean $\pm$ SD	Body mass (kg): mean $\pm$ SD	Method of data capture	Cohort	Match-play/ training or both
Jones et al. (2015) [53]	33	NR	Professional	Backs: 23.4 $\pm$ 2.6 25 $\pm$ 4	NR	Backs: 94.2 $\pm$ 7.9 104 $\pm$ 10.6	Microtechnology	Rugby union	Match-play
Lacome et al. (2016) [54]	375	Male	International	NR	NR	NR	Video	Rugby union	Match-play
Lindsay et al. (2015) [55]	37	NR	Super 15	Front row: 26.6 $\pm$ 3.7 Locks: 23.7 $\pm$ 2.1 Loose forwards: 27 $\pm$ 4.4 Inside backs: 27.5 $\pm$ 2.7 Outside backs: 25.8 $\pm$ 1.3	Front row: 186 $\pm$ 0.4 Locks: 201 $\pm$ 0.5 Loose forwards: 188 $\pm$ 0.4 Inside backs: 181 $\pm$ 0.2 Outside backs: 189 $\pm$ 0.5	Front row: 112.1 $\pm$ 5.1 Locks: 112.3 $\pm$ 3.5 Loose forwards: 106.5 $\pm$ 2.3 Inside backs: 92.9 $\pm$ 3 Outside backs: 106.3 $\pm$ 13.7	Video	Rugby union	Match-play
Lindsay et al. (2017) [56]	37	NR	Professional	26 $\pm$ 3.5	186 $\pm$ 0.7	104.5 $\pm$ 9.3	Microtechnology and video	Rugby union	Match-play
MacLeod et al. (2018) [25]	37	Male	Professional	27.9 $\pm$ 3.6	185.4 $\pm$ 7	103.1 $\pm$ 12.1	Microtechnology and video	Rugby union	Match-play
McIntosh et al. (2010) [57]	NR	NR	Club Level	NR	NR	NR	Video	Rugby union	Match-play
McLaren et al. (2015) [58]	28 Forwards: 15 Backs: 13	Male	Professional	27 $\pm$ 4	187 $\pm$ 8	101 $\pm$ 14	Microtechnology	Rugby union	Match-play
McLellan et al. (2013) [29]	5	Male	Super 15	Forwards: 23 $\pm$ 0.2	Forwards: 193 $\pm$ 6.1	Forwards: 116 $\pm$ 1.4	Microtechnology	Rugby union	Match-play
Owen et al. (2015) [59]	33	Male	Super 14	Backs: 22.3 $\pm$ 1.5 25.2 $\pm$ 3.5	Backs: 187 $\pm$ 1.2 1798 $\pm$ 33	Backs: 93.7 $\pm$ 1.5 101.2 $\pm$ 13.2	Microtechnology	Rugby union	Match-play
Peeters et al. (2019) [60]	15	Male	Elite	25.8 $\pm$ 3.6	182 $\pm$ 1	88.9 $\pm$ 13.5	Video	Sevens	Match-play
Pollard et al. (2018) [61]	22	Male	International	27 $\pm$ 2.9	187 $\pm$ 7	106.1 $\pm$ 14.1	Microtechnology	Rugby union	Match-play
Portillo et al. (2016) [62]	16	Female	National	23 $\pm$ 2	166 $\pm$ 7	66 $\pm$ 7	Microtechnology	Sevens	Match-play
Quarrie et al. (2007) [63]	NR	NR	Bledisloe Cup	NR	NR	NR	Video	Rugby union	Match-play



**Table 1** (continued)

Study: author (year)	Number of participants	Male or female	Participant competition level	Age (years): mean $\pm$ SD	Height (cm): mean $\pm$ SD	Body mass (kg): mean $\pm$ SD	Method of data capture	Cohort	Match-play/ training or both
Quarrie et al. (2008) [64]	NR	NR	Professional	NR	NR	NR	Video	Rugby union	Match-play
Quarrie et al. (2012) [65]	763	NR	National	NR	NR	NR	Video	Rugby union	Match-play
Reardon et al. (2017) [24]	36	NR	Elite	Forwards: 27.2 $\pm$ 3.9 Backs: 26.4 $\pm$ 5.1	Forwards: 188 $\pm$ 0.8 Backs: 181 $\pm$ 0.4	Forwards: 111.6 $\pm$ 9 Backs: 92 $\pm$ 7.4	Microtechnology and video	Rugby union	Match-play
Reardon et al. (2017) [66]	39	NR	Elite	27.2 $\pm$ 3.9	185 $\pm$ 4.3	99.2 $\pm$ 24.4	Microtechnology and video	Rugby union	Match-play
Reyneke et al. (2018) [67]	15	Female	International	24.3 $\pm$ 3.9	168 $\pm$ 7.1	67.5 $\pm$ 6.3	Microtechnology and video	Sevens	Match-play
Roberts et al. (2008) [68]	29 Forwards: 14 Backs: 15	NR	English Premiership	NR	NR	NR	Video	Rugby union	Match-play
Roberts et al. (2014) [69]	NR	Male	English community level (3–9)	NR	NR	NR	Video	Rugby union	Match-play
Ross et al. (2015) [70]	84	NR	International and Provincial	NR	NR	NR	Video	Sevens	Match-play
Ross et al. (2015) [71]	27	Male	International	Forwards: 24.4 $\pm$ 3.3 Backs: 23.3 $\pm$ 2.9	Forwards: 188 $\pm$ 4.8 Backs: 183 $\pm$ 4.2	Forwards: 95.4 $\pm$ 6.3 Backs: 89.7 $\pm$ 5.9	Video	Sevens	Match-play
Ross et al. (2016) [72]	NR	NR	IRB Sevens World Series	NR	NR	NR	Video	Sevens	Match-play
Schoeman et al. (2015) [73]	15	NR	Super Rugby	NR	NR	NR	Video	Rugby union	Match-play
Smart et al. (2008) [74]	23	Male	New Zealand National Provincial Championship	25 $\pm$ 3	184 $\pm$ 9	99.2 $\pm$ 10.1	Video	Rugby union	Match-play
Smart et al. (2014) [75]	510	NR	Super 14	NR	NR	NR	Video	Rugby union	Match-play
Suarez-Arrones et al. (2012) [76]	9	NR	National	25.9 $\pm$ 4	181.5 $\pm$ 6.2	90.8 $\pm$ 4.8	Microtechnology	Rugby union	Match-play
Suarez-Arrones et al. (2013) [77]	8	Woman	National	Forwards: 26.6 $\pm$ 1.9 Backs: 27 $\pm$ 2.6	Forwards: 173.8 $\pm$ 5.9 Backs: 170 $\pm$ 2.3	Forwards: 76.8 $\pm$ 10.4 Backs: 68 $\pm$ 3.6	Microtechnology	Rugby union	Match-play
Suarez-Arrones et al. (2014) [78]	10	Male	National	27.4 $\pm$ 1.6	180.4 $\pm$ 7.8	87.9 $\pm$ 11	Microtechnology and video	Sevens	Match-play

**Table 1** (continued)

Study: author (year)	Number of participants	Male or female	Participant competition level	Age (years): mean $\pm$ SD	Height (cm): mean $\pm$ SD	Body mass (kg): mean $\pm$ SD	Method of data capture	Cohort	Match-play/ training or both
Takarada (2003) [79]	14	NR	Elite	23–30	179.8 $\pm$ 1	87.4 $\pm$ 2.2	Video	Rugby union	Match-play
Takeda et al. (2014) [80]	20	Male	Collegiate	20 $\pm$ 0.6	174 $\pm$ 0.5	85.4 $\pm$ 2	Microtechnology	Rugby union	Training
Tee et al. (2015) [81]	19	NR	Professional	26 $\pm$ 2	186 $\pm$ 0.7	101.5 $\pm$ 12.2	Microtechnology	Rugby union	Match-play
Tee et al. (2017) [82]	19	NR	Professional	26 $\pm$ 2	186 $\pm$ 0.7	101.5 $\pm$ 12.2	Microtechnology	Rugby union	Match-play
Tee et al. (2020) [83]	19	NR	Professional	26 $\pm$ 2	186 $\pm$ 0.7	101.5 $\pm$ 12.2	Microtechnology	Rugby union	Match-play
Tierney et al. (2020) [23]	44		Guinness PRO14	25.7 $\pm$ 3.9	187.0 $\pm$ 7.6	102.6 $\pm$ 12.0	Microtechnology and video	Rugby union	Match-play
Tierney et al. (2021) [84]	118	Male	Elite	24.7 $\pm$ 4.1	186.5 $\pm$ 7.0	101.6 $\pm$ 12.2	Microtechnology	Rugby union	Match-play
Tucker et al. (2017) [85]	NR	NR	International and National	NR	NR	NR	Video	Rugby union	Match-play
Van Rooyen et al. (2008) [86]	10	NR	Professional	23 $\pm$ 3	184 $\pm$ 8	99 $\pm$ 15	Video	Rugby union	Match-play
Van Rooyen et al. (2012) [87]	NR	NR	International	NR	NR	NR	Video	Rugby union	Match-play
Van Rooyen et al. (2014) [88]	NR	NR	Six Nations	NR	NR	NR	Video	Rugby union	Match-play
Vaz et al. (2010) [89]	NR	NR	International Rugby Board competitions and Super 12	NR	NR	NR	Video	Rugby union	Match-play
Vaz et al. (2012) [90]	40	NR	Experienced and novice	21.6 $\pm$ 3.6	177.7 $\pm$ 7.4	81.2 $\pm$ 10.2	Microtechnology and video	Rugby union	Training
Venter et al. (2011) [91]	17	Male	Provincial	18.5 $\pm$ 0.5	183 $\pm$ 6	89.8 $\pm$ 10.8	Microtechnology	Rugby union	Match-play
Villarejo et al. (2013) [92]	626	NR	Rugby World Cup	NR	NR	NR	Video	Rugby union	Match-play
Villarejo et al. (2015) [93]	736	Male	Rugby World Cup	NR	NR	NR	Video	Rugby union	Match-play
Virr et al. (2014) [94]	38	Female	Premier division club level	24.1 $\pm$ 4	168.7 $\pm$ 6.5	73.4 $\pm$ 10.9	Video	Rugby union	Match-play
Yamamoto et al. (2020) [95]	298	Male	Elite	Forwards: 27.9 $\pm$ 3.0 Backs: 27.7 $\pm$ 2.7	Forwards: 183.1 $\pm$ 6.3 Backs: 173.9 $\pm$ 7.8	Forwards: 100.3 $\pm$ 7.2 Backs: 84.2 $\pm$ 11.8	Microtechnology	Rugby union	Match-play

NR not reported

**Table 2** Characteristics of collision frequency detected by microtechnology in rugby union and rugby sevens

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean ± SD		Relative frequency of collisions: mean ± SD (no. per min)		Load (AU)	
<i>Rugby union</i>									
Bradley et al. (2015) [32]	Training sessions	Contact number	Weekly	Forwards: 80 ± 25		NR		NR	
Coughlan et al. (2011) [39]	1 match	Collisions	Number	Total: 1411		NR		NR	
		Tackles	Total	Forwards: 838 Backs: 573					
		Average Body Load tackle against		Forwards: 10 Backs: 12				Forwards: 8.4 G	
Cunniffe et al. (2009) [20]	1 match	Impacts	Total	Forwards: 798		NR		NR	
Jones et al. (2014) [52]	4 matches			Backs: 1274					
				Forwards:		Backs:	NR		NR
		Tackles	Per match	5 ± 3	4 ± 3				
		Contacts hit	Per match	15 ± 6	6 ± 4				
		Impacts	Total	25 ± 9	15 ± 7				
Jones et al. (2015) [53]	71 matches	Scrum	Per match	13 ± 5	0				
		Contacts	Total	31 ± 14	16 ± 7				
		Contacts	Per match	First half: 12.3 ± 9.5		NR		NR	
				Second half: 12.6 ± 9.8					
			0–10 min	2.9 ± 2.5					
			10–20 min	3.1 ± 3					
			20–30 min	4.1 ± 4.6					
			30–40 min	3.7 ± 5					
			40–50 min	4 ± 3.8					
			50–60 min	2.5 ± 2.2					
			60–70 min	2.3 ± 2.1					
MacLeod et al. (2018) [25]	11 matches	Collisions	Number per game	Forwards:	Backs:	Forwards:	Backs:		
				Prop: 31 ± 6	Half back: 16 ± 5	Prop: 0.4 ± 0.1	Half back: 0.2 ± 0.1		
				Hooker: 33 ± 5	Centre: 23 ± 5.4	Hooker: 0.38 ± 0.1	Centre: 0.3 ± 0.1		
				Second row: 35 ± 7	Back three: 21 ± 5.8	Second row: 0.4 ± 0.1	Back three: 0.2 ± 0.1		

**Table 2** (continued)

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean $\pm$ SD	Relative frequency of collisions: mean $\pm$ SD (no. per min)	Load (AU)
		Load per collision		Back row: 35 $\pm$ 10	Back row: 0.4 $\pm$ 0.2	Forwards: 7.9 $\pm$ 1.4 Half back: 7.6 $\pm$ 1.4 Hooker: 7.7 $\pm$ 1.4 Centre: 8.0 $\pm$ 1.4 Second row: 7.3 $\pm$ 1.4 Back three: 8.3 $\pm$ 1.6 Back row: 7.6 $\pm$ 1.6
McLaren et al. (2015) [58]	15 matches	Impacts	Total	Total: 50 $\pm$ 289	Total: 0.7 $\pm$ 0.4	NR
Reardon et al. (2017) [24]	13 matches	Collisions	Total	Forwards: 78 $\pm$ 18 Backs: 28 $\pm$ 12 Prop: 34 $\pm$ 11 Hooker: 33 $\pm$ 9 Second row: 35 $\pm$ 11 Back row: 44 $\pm$ 10 Scrum half: 11 $\pm$ 6 Out-half: 21 $\pm$ 7 Centre: 20 $\pm$ 5 Wing: 20 $\pm$ 5 Full back: 21 $\pm$ 6	Forwards: 1 $\pm$ 0.3 Backs: 1.1 $\pm$ 0.2 NR	NR
Takeda et al. (2014) [80]	Training and simulated match	Tackles	Total number	37.6 $\pm$ 3	NR	NR
Tierney et al. (2020) [23]	Match play	Contacts	Collisions per player per game	10.4 $\pm$ 2.5	NR	NR
Tierney et al. (2021) [84]	Match play	Collisions	Collision count	11	NR	NR
			Collision load	0.4 $\pm$ 0.1	NR	2.8 $\pm$ 1.1
Venter et al. (2011) [91]	5 matches	Impacts	Total	Back row forwards: 683.4 $\pm$ 295	NR	NR
				Outside backs: 474.3 $\pm$ 81.9		
<i>Rugby sevens</i>						
Clarke et al. (2015) [36]	3–6 matches	Impacts	Total	National: 7300 $\pm$ 2200	NR	NR
				State: 5200 $\pm$ 2400		
Clarke et al. (2016) [37]	2 matches	Collisions	NR	Men: 35	NR	NR

**Table 2** (continued)

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean $\pm$ SD	Relative frequency of collisions: mean $\pm$ SD (no. per min)	Load (AU)
Gibson et al. (2015) [47]	3 weeks training	Tackles	Count	Women: 20 Week 1: 22.8 $\pm$ 10.6 Week 2: 14.6 $\pm$ 9.1 Week 3: 15.8 $\pm$ 5.7	NR	NR
Portillo et al. (2016) [62]	5 matches	Tackle	Number/min	NR	Tackle: 0.3 $\pm$ 0.1	NR
Suarez-Arrones et al. (2014) [78]	23 matches	Ruck	Whole match	Forwards: 7.4 $\pm$ 1.8	Ruck: 0.3 $\pm$ 0.1	NR
		Ball Carry			Ball Carry: 0.2 $\pm$ 0.1	
		Tackle			NR	
		Scrum			NR	
			Whole match	First half: 3.3 $\pm$ 1.3 Second half: 4.1 $\pm$ 1.8 Backs: 4.1 $\pm$ 2.4 First half: 2.3 $\pm$ 1.8 Second half: 1.9 $\pm$ 1.4		
		Ruck	Whole match	Forwards: 1 $\pm$ 1.1 First half: 0.4 $\pm$ 0.5 Second half: 0.6 $\pm$ 0.8		
			Whole match	Backs: 0.6 $\pm$ 0.9 First half: 0.3 $\pm$ 0.5 Second half: 0.4 $\pm$ 0.5		
		Scrum		Forwards: First half: 2.9 $\pm$ 0.7 Second half: 1 $\pm$ 0.8		

NR not reported

collisions per match [23, 39], while two recorded per position [24, 25]. One study recorded the impacts per min ( $0.7 \pm 0.4$  impacts per min) [58]. Macleod et al. (2018) recorded the frequency of collisions per minute per position [25]. Tackles per match [39, 52] and impacts per match [52] for forwards and backs were recorded [20, 39]. Three studies recorded load per collision [25, 39, 84].

Sixteen studies recorded the intensity of collisions by using microtechnology (22%) (Table 3) [20, 25, 29, 39, 42, 48, 59, 61, 76, 77, 81–83, 90, 91, 95]. Forwards on average (frequency) experience 52.5 (29.8–75.2) *very heavy impacts* and 10.8 (4.4–17.1) *severe impacts* per match (Fig. 2) [29, 76, 77]. Backs experience on average 41.7 (26.4–57.0) *very heavy impacts* and 6.7 (5.1–8.4)

*severe impacts* per match [29, 76, 77] (Fig. 2). Three studies recorded the relative frequency of collisions by intensity [81–83]. On average, forwards experience 9.1 (7.5–10.8) *impacts*  $> 5$  g per min [81, 83] (Fig. 3). Backs experience on average 9.5 (8.1–10.1) *impacts*  $> 5$  g per min [81, 83]. Note, Tee et al. only included  $> 5$  g impact since it included  $> 8$  g impacts [83]. Players experienced the highest amount of contacts in the first 20–30 min of a match and the least amount of contacts between 60 and 70 min [82]. Forwards experience more *very heavy* contacts in the second half of the match in comparison to the first half of the match. Backs experience fewer impacts in the second half of the match in comparison to the first half of the match [29]. There was no

**Table 3** Characteristics of collision intensity detected by microtechnology in rugby union and rugby sevens

Study: author (year)	Type of collisions	Frequency of collisions by intensity: mean $\pm$ SD		Relative frequency of collisions by intensity: mean $\pm$ SD (no. per min)
<i>Rugby union</i>				
Coughlan et al. (2011) [39]	Impacts	Forwards:		Backs: NR
		Very heavy: 53		Very Heavy: 40
		Severe: 10		Severe: 13
Cunniffe et al. (2009) [20]	Impacts	Forwards:		Backs: NR
		Very heavy: 56		Very heavy: 24
		Severe: 13		Severe: 4
Dubois et al. (2020) [42]	Impacts (> 8 g) weekly (game included)	Forwards:	Backs:	NR
		23.7 $\pm$ 27	26.7 $\pm$ 38.5	
Grainger et al. (2018) [48]	Impacts	Impacts G:	Forwards:	Backs: NR
		Impacts > 9.01:	229 $\pm$ 160	226 $\pm$ 151
		Impacts 9.01–11:	114 $\pm$ 79	118 $\pm$ 79
		Impacts 11.01–13:	48 $\pm$ 41	47 $\pm$ 38
		Impacts > 13:	66 $\pm$ 44	59 $\pm$ 40
MacLeod et al. (2018) [25]	Impacts	Impacts (> 8 g)	Forwards:	Backs: NR
			Prop: 19.1 $\pm$ 7	Half back: 17.8 $\pm$ 6.9
			Hooker: 19.6 $\pm$ 7.9	Centre: 19.1 $\pm$ 8
			Second row: 17.7 $\pm$ 7.1	Back three: 20.4 $\pm$ 7.5
			Back row: 18.7 $\pm$ 7.3	
McLellan et al. (2013) [29]	Impacts	Impacts (g)	Forwards:	Backs: NR
		Very heavy	First half: 35 $\pm$ 23	First half: 32 $\pm$ 25
			Second half: 37 $\pm$ 25	Second half: 24 $\pm$ 19
			Total match: 70 $\pm$ 43	Total match: 54 $\pm$ 42
		Severe	First half: 9 $\pm$ 3	First half: 7 $\pm$ 4
			Second half: 9 $\pm$ 6	Second half: 5 $\pm$ 4
			Total match: 18 $\pm$ 7	Total match: 11 $\pm$ 6
Owen et al. (2015) [59]	Impacts (first half)	Forwards:		Backs: NR
		Very heavy:	42 $\pm$ 21	Very Heavy: 34 $\pm$ 18
		Severe: 25 $\pm$ 11		Severe: 22 $\pm$ 12
		High level: 120 $\pm$ 55		High level: 99 $\pm$ 44
Pollard et al. (2018) [61]	Collisions	NR		Mean of the whole match: Forwards: 0.5 $\pm$ 0.1

**Table 3** (continued)

Study: author (year)	Type of collisions	Frequency of collisions by intensity: mean $\pm$ SD	Relative frequency of collisions by intensity: mean $\pm$ SD (no. per min)	
Suarez-Arrones et al. (2012) [76]	Impacts per match	Forwards:  Very heavy: 66.6 $\pm$ 48 Severe: 10.4 $\pm$ 5	Backs:  Very Heavy: 35.2 $\pm$ 26 Severe: 6.3 $\pm$ 4	Backs: 0.3 $\pm$ 0.1 NR
Suarez-Arrones et al. (2013) [77]	Impacts for the match	Forwards:  Very heavy: 39 $\pm$ 7.6 Severe: 5.2 $\pm$ 3.5	Backs:  Very heavy: 51.6 $\pm$ 35.3 Severe: 6.3 $\pm$ 0.6	NR
Tee et al. (2015) [81]	Impacts	NR	Forwards:  Impacts > 5G: 10 $\pm$ 3 Impacts > 8G: 1.1 $\pm$ 0.5	Backs:  Impacts > 5G: 9.5 $\pm$ 3.2 Impacts > 8G: 1.1 $\pm$ 0.4
Tee et al. (2017) [82]	Total impacts	NR	Forwards:  Impacts > 5G: First half: 8.7 $\pm$ 2.4 Q1: 9.3 $\pm$ 4.5 Q2: 9.2 $\pm$ 2.4 Q3: 8.2 $\pm$ 3.7 Q4: 7.4 $\pm$ 2.1 Second half: 7.9 $\pm$ 3.2 Q1: 8.2 $\pm$ 3.7 Q2: 9.4 $\pm$ 4.8 Q3: 8.2 $\pm$ 3.1 Q4: 8.7 $\pm$ 4 Impacts > 8G: First half: 0.8 $\pm$ 0.3 Q1: 0.8 $\pm$ 0.6 Q2: 0.9 $\pm$ 0.4 Q3: 0.6 $\pm$ 0.3 Q4: 0.8 $\pm$ 0.5 Second half: 0.7 $\pm$ 0.3 Q1: 0.8 $\pm$ 0.5 Q2: 0.8 $\pm$ 0.4 Q3: 0.7 $\pm$ 0.4 Q4: 0.8 $\pm$ 0.4	Backs:  Impacts > 5G: 10 $\pm$ 3.5 First half: 10 $\pm$ 3.5 Q1: 10.4 $\pm$ 5.3 Q2: 10 $\pm$ 3.9 Q3: 10.4 $\pm$ 4.1 Q4: 9.6 $\pm$ 4.8 Second half: 9 $\pm$ 0.3 Q1: 9.7 $\pm$ 3.7 Q2: 9.4 $\pm$ 3.3 Q3: 10 $\pm$ 3.6 Q4: 7.1 $\pm$ 4 Impacts > 8G: 1.1 $\pm$ 0.3 First half: 1.1 $\pm$ 0.3 Q1: 1 $\pm$ 0.5 Q2: 1.1 $\pm$ 0.4 Q3: 1.1 $\pm$ 0.4 Q4: 1.1 $\pm$ 0.7 Second half: 1.1 $\pm$ 0.4 Q1: 1.1 $\pm$ 0.5 Q2: 1.2 $\pm$ 0.6 Q3: 1.1 $\pm$ 0.5 Q4: 0.9 $\pm$ 0.7
Tee et al. (2020) [83]	Impacts per game (> 5 G)	NR	Forwards:  8.3 $\pm$ 2.7 Q1: 11 $\pm$ 5 Q2: 8 $\pm$ 2 Q3: 8 $\pm$ 4	Backs:  9.5 $\pm$ 3.1 Q1: 10 $\pm$ 4 Q2: 10 $\pm$ 4 Q3: 10 $\pm$ 3

**Table 3** (continued)

Study: author (year)	Type of collisions	Frequency of collisions by intensity: mean $\pm$ SD	Relative frequency of collisions by intensity: mean $\pm$ SD (no. per min)
Vaz et al. (2012) [90]	Impacts	Novice:  Very heavy: 21.3 $\pm$ 17.1 Severe: 4.7 $\pm$ 9.1 189.8 $\pm$ 93.3	Experienced:  Very heavy: 14 $\pm$ 10.4 Severe: 1.6 $\pm$ 2.4 182.5 $\pm$ 61.4
Venter et al. (2011) [91]	Impacts	Severe impacts > 10G:  Front row forwards: 8 $\pm$ 4.6 Inside backs: 12.2 $\pm$ 3.2	NR
Yamamoto et al. (2020) [95]	Impacts total	Impacts 8.1–10 and > 10 g: (mean $\pm$ Standard error) Forwards: 202.3 $\pm$ 14.5 Props: 192.4 $\pm$ 17.6 Hooker: 197.2 $\pm$ 24.7 Locks: 225.4 $\pm$ 36 Flankers: 181.8 $\pm$ 11 No. 8: 196 $\pm$ 17.9 Impacts > 10 g: (mean $\pm$ Standard error) Forwards: 48 $\pm$ 4.3 Props: 40.5 $\pm$ 7 Hooker: 20.5 $\pm$ 5.1 Locks: 57 $\pm$ 10.1 Flankers: 42.6 $\pm$ 3.8 No. 8: 50.2 $\pm$ 8.5	Impacts 8.1–10 and > 10 g: (mean $\pm$ Standard error) Backs: 171.9 $\pm$ 6.3 Scrumhalf: 138.1 $\pm$ 31.4 Fly-half: 145.9 $\pm$ 14.9 Centres: 217.9 $\pm$ 11.2 Wings: 149.5 $\pm$ 8 Fullback: 168.5 $\pm$ 18.9 Impacts > 10 g: (mean $\pm$ Standard error) Backs: 35.6 $\pm$ 2.1 Scrumhalf: 26.6 $\pm$ 7.6 Fly-half: 35.6 $\pm$ 6 Centres: 42.4 $\pm$ 4.8 Wings: 31.3 $\pm$ 2.7 Fullback: 36.5 $\pm$ 5.1
<i>Rugby sevens</i> Clarke et al. (2015) [35]	Impacts	Day one:  National: 5–6 games State: 4–6 games Impacts 8–10 g: National: 32 $\pm$ 14 State: 26 $\pm$ 18 Impacts > 10 g: National: 15 $\pm$ 6 State: 12 $\pm$ 7	Day two:  Impacts 8–10 g: National: 34 $\pm$ 24 State: 23 $\pm$ 17 Impacts > 10 g: National: 17 $\pm$ 9 State: 10 $\pm$ 5
Clarke et al. (2015) [36]	Impacts	Impacts > 10 g:  National: 29 $\pm$ 11 State: 22 $\pm$ 11	NR
Clarke et al. (2017) [38]	Impacts	Impacts > 10 g Elite:  Male: 25 $\pm$ 11.2 Female: 12.6 $\pm$ 4.7 Impacts > 10 g Senior: Male: 11.8 $\pm$ 6.6 Female: 10.2 $\pm$ 7.1	NR
Higham et al. (2016) [51]	Impacts during the 22 matches	NR	Forwards: 26.2 $\pm$ 10.7



**Table 3** (continued)

Study: author (year)	Type of collisions	Frequency of collisions by intensity: mean $\pm$ SD	Relative frequency of collisions by intensity: mean $\pm$ SD (no. per min)
Suarez-Arrones et al. (2014) [78]	Impacts	Forwards:  Very Heavy: First half: 9 $\pm$ 5.1 Second half: 7 $\pm$ 3.7 Severe: First half: 0.7 $\pm$ 1  Second half: 1.4 $\pm$ 1.3 Impacts > 7 g: Whole match: 45.1 $\pm$ 24.5	Backs: 23.5 $\pm$ 9.6 NR  Very Heavy: First half: 8 $\pm$ 6.1 Second half: 6.6 $\pm$ 3.8 Severe: First half: 0.9 $\pm$ 1.1 Second half: 1.9 $\pm$ 1.8 Impacts > 7 g: Whole match: 41.8 $\pm$ 20.7

NR not reported

difference in impacts > 8 g per min for backs and forwards across the match [81]. Forwards experience more impacts > 5 g per min in 0–10 and 50–60 min and experienced the least amount in the 20–30 min, 40–50 min and 60–70 min intervals of the match. Backs experience more impacts > 5 g in the 0–10 min interval of the match and the 20–30 min interval of the match and the least in the 70–80 min interval [81].

#### Rugby Union Training

Two studies recorded collision frequency using microtechnology during training (3%) [32, 80]. Bradley et al. (2015) recorded the contact number of weekly training sessions of forwards and backs. Note, match data were also included in this training week [32]. Takeda et al. (2014) recorded 10.4  $\pm$  2.5 tackles and 37.6  $\pm$  3.0 contacts during a training simulated match [80].

#### Sevens Match-Play

Eight studies (11%) reported collision frequency using microtechnology during match-play [35–38, 47, 51, 62, 78]. One study reported positional groupings (forwards and backs) [78], another study reported the level of play [36] and another study reported collision frequency by sex [37] (Table 2). Collision types included impacts, collisions, tackles, rucks and scrums. Only one study recorded the relative frequency of tackles, ball carries in contact and rucks [62] and another study recorded relative frequency of impacts for forwards and backs [51].

Of the eight studies, only five reported the intensity of collisions (63%) (Table 3) [35, 36, 38, 51, 78]. Three studies recorded 16.9 (12.5–21.2) impacts > 10 g per match (Fig. 4) [35, 36, 38].


#### Sevens Training

Only one study reported tackle frequency during training (on average 17.8  $\pm$  4.4 tackles per week) [47].

#### Video-Based Analysis

##### Rugby Union Match-Play



Thirty-seven studies recorded the collision frequency using video-based analysis methods (51%) [8, 24, 31, 33, 34, 40, 41, 43–46, 49, 50, 52, 54–57, 63–66, 68, 69, 73–75, 79, 85–90, 92–94] (Table 4). Thirty-five studies were conducted during matches (95%) [8, 24, 31, 33, 40, 41, 43–46, 49, 50, 52, 54–57, 63–66, 68, 69, 73–75, 79, 85–89, 92–94], one investigated training (3%) [90] and one study investigated matches and training (3%) [34]. On average (frequency) a total of 22.0 (19.0–25.0) scrums [33, 41, 44, 52, 63, 74, 94], 116.2 (62.7–169.7) rucks [8, 63], and 156.1 [121.2–191.0] tackles occur per match (Fig. 5) [8, 49, 50, 63, 64, 87–89]. On average, forwards experience 12.8 (7.5–18.1) tackles [41, 43, 52, 68, 74] and backs experience 7.6 [4.3–10.9] tackles (Fig. 6) [41, 43, 52, 68, 74]. On average front row forwards perform 10.5 (5.7–15.2) tackles [31, 34, 43], back row forwards perform 15.9 (10.1–21.8) tackles [31, 43], inside backs perform 17.2 (3.6–30.9) tackles [31, 43] and outside backs perform 8.9 (2.0–15.7) tackles per match (Fig. 7) [31, 34, 43]. Props experience on average 5.5 [1.2–9.8]



tackles per match [44, 65], locks experience 4.5 (3.6–5.4) tackles per match [44, 65], hookers experience 6.3 (5.2–7.4) tackles [44, 65] and scrumhalves experience 6.4 (1.8–11.0) tackles per match [44, 65] (Fig. 8).

**Rugby Union Training**

Only one study reported collision frequency during training [90]. Vaz et al. (2012) reported that novice players perform an average of 28.2±3.3 tackles during



small-sided games, while experienced players perform  $48.7 \pm 3.3$  tackles on average [90].

**Sevens Match Play**

Eight studies recorded the collision frequency by using video-based analysis (11%) (Table 4) [3, 5, 37, 60, 67, 70–72]. Ross et al. (2015) recorded the relative frequency of rucks and tackles at provincial and international level [70]. Three studies recorded the frequency of collisions [37], contact actions [60], tackles, being tackled (ball-carrier) and scrums (in relation to high and low scoring matches) [67]. Clarke et al. (2016) recorded 51 collisions for males and 44 collisions for females in a single match [37]. On average, 14.1 (0–32.8) tackles occur per match [3, 67], 4.8 (0–11.8) rucks per match [5, 72] and 1.8 (1.7–2.0) scrums per match [5, 67, 71] (Fig. 9). Finally, backs and forwards experience more contacts in the second half of the match compared to the first half [60].

**Sevens Training**

No video-based training studies were found for sevens.

**Discussion**

To our knowledge, this is the first systematic review on quantifying collision frequency and intensity in rugby union and rugby sevens. This review demonstrates that video-based analysis and microtechnology are the main methods used to quantify collisions in rugby union and sevens. Not surprisingly, the absolute collision frequency during sevens matches was lower than rugby union due to the shorter duration of the game and fewer players on the field. When comparing relative frequencies though, rugby union players seem to perform less tackles and ball carries into contact than sevens players, while rucks per minute were similar between the two rugby codes [55, 70]. Expressing collision frequencies relative to playing time provides coaches and players with the ‘collision density’ [96], a metric that can potentially be used in training

**Table 4** Characteristics of collision frequency detected by video-based analysis in rugby union and rugby sevens

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean ± SD		Relative frequency of collisions: mean ± SD (no. per min)	
<i>Rugby union</i>							
Austin et al. (2011) [31]	7 matches	Tackling	Number during match play	Front row forwards: 20 ± 4 Back row forwards: 19 ± 4 Inside backs: 25 ± 13 Outside backs: 20 ± 7		NR	
		Scrummaging (ruck/maul/scrum)		Front row forwards: 62 ± 13 Back row forwards: 68 ± 15 Inside backs: 17 ± 7 Outside backs: 14 ± 5			
Bradley et al. (2017) [33]	60 matches	Scrum	Scrum (count) total:	2013: 16.9 ± 4.3 2014: 14.7 ± 3.3 2015: 14.5 ± 3.3 2016: 16.5 ± 4.5		NR	
Campbell et al. (2017) [34]	14 matches  29 training session	Tackles	Per match or training session	Match:	Training:	Match:	Training:
			Outside backs:	1.5 ± 1	1.1 ± 1.5	0.01 ± 0.01	0.01 ± 0.01
			Centres:	5.7 ± 2.6	2.9 ± 3.1	0.06 ± 0.02	0.03 ± 0.04
			Halves:	4.5 ± 2.4	1.8 ± 2.2	0.05 ± 0.02	0.02 ± 0.02
			Loose forwards:	7.2 ± 3.2	2.4 ± 2.6	0.08 ± 0.03	0.02 ± 0.04
			Locks forwards:	6 ± 2.9	2.4 ± 2.6	0.07 ± 0.04	0.02 ± 0.02
			Front row forwards:	5.6 ± 3	1.7 ± 1.8	0.07 ± 0.05	0.02 ± 0.02
		Rucks	Loose forwards:	12.9 ± 4.2	1.3 ± 3.8	0.1 ± 0.04	0.01 ± 0.04
			Locks forwards:	15 ± 6.4	1 ± 4.1	0.2 ± 0.1	0.01 ± 0.04
			Front row forwards:	10.9 ± 4.5	1.2 ± 3.6	0.2 ± 0.1	0.01 ± 0.03
		Mauls	Loose forwards:	3.1 ± 2.7	1.5 ± 3	0.03 ± 0.03	0.01 ± 0.03
			Locks forwards:	3.3 ± 3	1.9 ± 3.3	0.03 ± 0.03	0.02 ± 0.03
			Front row forwards:	2.9 ± 2.6	1.8 ± 3.4	0.04 ± 0.04	0.02 ± 0.04
		Scrum	Loose forwards:	23.4 ± 3.9	1.8 ± 3.4	0.3 ± 0.06	0.02 ± 0.06
			Locks forwards:	21.4 ± 7.2	1.6 ± 3.2	0.3 ± 0.1	0.01 ± 0.03
			Front row forwards:	21.7 ± 5.5	1.6 ± 3.2	0.3 ± 0.2	0.01 ± 0.03
Deutsch et al. (1998) [40]	4 matches	Ruck/maul	Total	Props and Locks: 72 ± 7 Back row: 78 ± 8 Inside backs: 12 ± 2 Outside backs: 9 ± 4		NR	

**Table 4** (continued)

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean $\pm$ SD	Relative frequency of collisions: mean $\pm$ SD (no. per min)
Deutsch et al. (2007) [41]	9 matches	Scrum		Props and Locks: 32 $\pm$ 3 Back row: 35 $\pm$ 1 Forwards:	Backs: NR
		Ruck/maul	Total	66.9 $\pm$ 15.8	9.5 $\pm$ 5.7
		Scrum		38.2 $\pm$ 8.7	
Duthie et al. (2005) [43]	16 matches	Tackling		23.1 $\pm$ 14 Forwards:	Backs: NR
		Static exertion	No per game	Front row: 78 $\pm$ 16 Back row: 82 $\pm$ 17 Total: 80 $\pm$ 17	Inside back: 27 $\pm$ 10 Outside back: 13 $\pm$ 5 Total: 21 $\pm$ 11
		Tackles	No per game	Front row: 10 $\pm$ 8 Back row: 13 $\pm$ 5 Total: 11 $\pm$ 7 Prop: 38 $\pm$ 12	Inside back: 11 $\pm$ 6 Outside back: 7 $\pm$ 4 Total: 9 $\pm$ 6
Eaton et al. (2006) [44]	6 matches	Rucks and mauls	Number	Hooker: 49 $\pm$ 10 Lock: 49 $\pm$ 19 Loose: 48 $\pm$ 13 Scrum half: 15 $\pm$ 5 Inside back: 15 $\pm$ 9 Outside back: 13 $\pm$ 6	
		Tackling: Tackler		Prop: 8 $\pm$ 4 Hooker: 8 $\pm$ 4 Lock: 11 $\pm$ 3 Loose: 13 $\pm$ 6 Scrum half: 11 $\pm$ 4 Inside back: 9 $\pm$ 4 Outside back: 6 $\pm$ 3	
		Tackled		Prop: 5 $\pm$ 3 Hooker: 7 $\pm$ 4 Lock: 4 $\pm$ 2 Loose: 8 $\pm$ 5 Scrum half: 9 $\pm$ 4 Inside back: 5 $\pm$ 3 Outside back: 5 $\pm$ 3	
		Scrum		Prop: 29 $\pm$ 6 Hooker: 29 $\pm$ 6 Lock: 29 $\pm$ 6 Loose: 27 $\pm$ 7	
			Average total	29 $\pm$ 6	
			Total	22,842	
Fuller et al. (2007) [45]	50 matches	Contact events	Total	22,842	NR
		Scrum	Total	1447	
		Tackles	Total	11,048	

**Table 4** (continued)

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean $\pm$ SD	Relative frequency of collisions: mean $\pm$ SD (no. per min)
Fuller et al. (2008) [46]	26 matches	Rucks	Total	7124	NR
		Mauls	Total	921	
		Tackles	General play total	6219	
		One on one tackles	No of tackles in general play:	Tackler-1 (all): 3558 Arm: 1690 Collision: 384 Jersey: 93 Lift: 16 Shoulder: 826 Smoother: 526 Tap: 23	
		Double tackles	No of tackles in general play:	Tackler-1 (all): 2512 Arm: 1443 Collision: 10 Jersey: 86 Lift: 11 Shoulder: 746 Smoother: 209 Tap: 7 Tackler-2 (all): 2512 Arm: 1589 Collision: 14 Jersey: 22 Lift: 3 Shoulder: 358 Smoother: 527 Tap: 2	
		Arm double tackles:	No of tackles in general play:	Ball Carrier: Forward: 650 Back: 750	
Hendricks et al. (2013) [49]	21 matches	Tackles	Per match	114 $\pm$ 20	NR
		Scrum	Total	199	
Hendricks et al. (2014) [50]	18 matches	Maul	Total	152	NR
		Tackles	Per match	116 $\pm$ 20	

**Table 4** (continued)

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean ± SD	Relative frequency of collisions: mean ± SD (no. per min)							
Hendricks et al. (2018) [8]	12: Six Nations 15: Championship	Tackles	Each competition week	149	NR							
			Per team	131								
			Total	4479								
			Championship	1853								
			Six Nations	2626								
		Rucks	Per match in Six Nations	175 ± 21								
			Per match in Championship	154 ± 36								
			Total	2914								
			Championship	1234								
			Six Nations	1680								
Jones et al. (2014) [52]	4 matches	Tackles	Per match	Forwards:	Backs:							
				5 ± 3	4 ± 3							
				Contacts hit	15 ± 6		6 ± 4					
				Impacts	Total		25 ± 9	15 ± 7				
				Scrum	Number		13 ± 5	0				
				Contacts	Total		31 ± 14	16 ± 7				
				Lacome et al. (2016) [54]	18 matches		Tackles	Players Completing Entire Match	NR	Forwards:	Backs:	
									First half:	0.1 ± 0.1	First half:	0.1 ± 0.1
									Second half:	0.1 ± 0.1	Second half:	0.1 ± 0.1
									Group:	0.5 ± 0.2		
Lindsay et al. (2015) [55]	NR	Impacts:	Total	NR	Forwards:	0.6 ± 0.2						
					Backs:	0.4 ± 0.2						
					Front row:	0.5 ± 0.1						
					Locks:	0.5 ± 0.01						
					Loose forwards:	0.6 ± 0.4						
		Tackles and tackle assists:	Total				Inside backs:	0.4 ± 0.2				
							Outside backs:	0.3 ± 0.1				
							Groups:	0.1 ± 0.1				
							Forwards:	0.2 ± 0.1				
							Backs:	0.1 ± 0.1				
Front row:	0.1 ± 0.1											
					Locks:	0.2 ± 0.1						

**Table 4** (continued)

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean ± SD	Relative frequency of collisions: mean ± SD (no. per min)
		Rucks:	Total		Loose forwards: 0.2 ± 0.1 Inside backs: 0.1 ± 0.1 Outside backs: 0.07 ± 0.1 Groups: 0.2 ± 0.2 Forwards: 0.3 ± 0.3 Backs: 0.1 ± 0.1 Front row: 0.3 ± 0.1 Locks: 0.3 ± 0.1 Loose forwards: 0.4 ± 0.4 Inside backs: 0.2 ± 0.1 Outside backs: 0.1 ± 0.03
		Ball carries	Total		Groups: 0.1 ± 0.1 Forwards: 0.1 ± 0.1 Backs: 0.1 ± 0.1 Front row: 0.1 ± 0.1 Locks: 0.1 ± 0.02 Loose forwards: 0.1 ± 0.1 Inside backs: 0.1 ± 0.1 Outside backs: 0.1 ± 0.1
Lindsay et al. (2017) [56]	2 matches	Impacts	Total	Game 1: 21.3 ± 13.4 Game 2: 26.8 ± 13.5	NR
McIntosh et al. (2010) [57]	77 matches (15 Elite, 15 Grade, 24 < 20)	Collisions	Total	Elite: 1422 Grade: 1368 < 20: 2000	Tackle per hour: Elite: 142 Grade: 152 < 20: 135
Quarrie et al. (2007) [63]	26 matches		Number of match activities	1995: 2004:	NR
		Scrum		33 ± 7	26 ± 7
		Rucks		72 ± 18	178 ± 27
		Mauls		33 ± 8	22 ± 9
		Tackles		160 ± 32	270 ± 25
Quarrie et al. (2008) [64]	434 matches	Tackle events	Total analysed	140,269	NR
			Per game	203 ± 29	
Quarrie et al. (2012) [65]	27 matches	Scrum	Per match	Prop: 25 ± 7.8	NR
				Hooker: 25 ± 7.6 Lock: 25 ± 7.9 Flankers: 25 ± 7.9 Number 8: 25 ± 7.5	
		Mauls	Per match	Prop: 1.4 ± 1.5 Hooker: 2 ± 2.04 Lock: 1.9 ± 1.9 Flankers: 1.8 ± 1 Number 8: 1.8 ± 1.4 Scrum Half: 0.2 ± 1	



**Table 4** (continued)

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean $\pm$ SD	Relative frequency of collisions: mean $\pm$ SD (no. per min)
				Fly Half: 0.2 $\pm$ 0.8 Midfield back: 0.3 $\pm$ 0.8 Wing: 0.2 $\pm$ 1 Full back: 0.3 $\pm$ 0.8 Prop: 7.9 $\pm$ 3.6 Hooker: 9.7 $\pm$ 3.8 Lock: 11 $\pm$ 3.8 Flankers: 14 $\pm$ 4.1 Number 8: 12 $\pm$ 4 Scrum Half: 8.2 $\pm$ 3.3 Fly Half: 9.7 $\pm$ 3.5 Midfield back: 10 $\pm$ 4 Wing: 5.5 $\pm$ 2.7 Full back: 4.1 $\pm$ 2.3 Prop: 3.6 $\pm$ 2.6	
		Successful tackles	Per match	Hooker: 6.2 $\pm$ 3.2 Lock: 4.7 $\pm$ 2.8 Flankers: 6.1 $\pm$ 3.4 Number 8: 9.7 $\pm$ 3.9 Scrum Half: 4.3 $\pm$ 2.7 Fly Half: 3.9 $\pm$ 2.6 Midfield back: 6.5 $\pm$ 3.1 Wing: 5.4 $\pm$ 2.9 Full back: 6.1 $\pm$ 3.1 Prop: 33 $\pm$ 8	
		Number of times tackled	Per match	Hooker: 29 $\pm$ 8 Second row: 33 $\pm$ 7 Back row: 42 $\pm$ 8 Scrum half: 10 $\pm$ 6 Out half: 19 $\pm$ 3 Centre: 23 $\pm$ 7 Wing: 22 $\pm$ 3 Fullback: 20 $\pm$ 5	
Reardon et al. (2017) [24]	13 matches	Collisions	Total	NR	NR
				Hooker: 29 $\pm$ 8 Second row: 33 $\pm$ 7 Back row: 42 $\pm$ 8 Scrum half: 10 $\pm$ 6 Out half: 19 $\pm$ 3 Centre: 23 $\pm$ 7 Wing: 22 $\pm$ 3 Fullback: 20 $\pm$ 5	
Reardon et al. (2017) [66]	17 matches	Collisions	NR	NR	Tight five forwards: 0.7 $\pm$ 0.6–0.8 Back row forwards: 0.9 $\pm$ 0.8–1.01 Inside backs: 0.3 $\pm$ 0.2–0.4 Outside backs: 0.4 $\pm$ 0.3–0.6
Roberts et al. (2008) [68]	NR			Forwards:	Backs: NR
		Rucks	Number	35 $\pm$ 8	11 $\pm$ 6
		Mauls		25 $\pm$ 8	4 $\pm$ 4
		Scrum		21 $\pm$ 12	
		Tackle		14 $\pm$ 4	10 $\pm$ 4
Roberts et al. (2014) [69]	30 matches (10 from each group: A, B, C)	Collisions	Total analysed	370	NR

**Table 4** (continued)

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean $\pm$ SD	Relative frequency of collisions: mean $\pm$ SD (no. per min)
Schoeman et al. (2015) [73]	30 matches	Scrum	Per match	32.2	NR
		Tackles	Per match	140.9	
		Rucks	Per match	115.0	
		Mauls	Per match	23.4	
		Tackles	Per position	60	
		Total tackles in 30 games:		Loose-head prop: 568	
				Hooker: 475	
				Tight-head prop: 553	
				Loose-head lock: 666	
				Tight-head lock: 674	
				Blind-side flank: 742	
				Open-side flank: 868	
				Eighthman: 797	
		Scrum-half: 423			
		Fly-half: 505			
		Left wing: 277			
		Inside centre: 668			
		Outside centre: 515			
		Right wing: 319			
		Full-back: 301			
		Mean collision rate/80 min:	Loose-head prop: 39.3		
			Hooker: 38.5		
			Tight-head prop: 42.1		
			Loose-head lock: 44.8		
			Tight-head lock: 41.2		
			Blind-side flank: 46.1		
			Open-side flank: 50.9		
			Eighthman: 43.1		
			Scrum-half: 16.3		
			Fly-half: 19.5		
			Left wing: 19.4		
			Inside centre: 32.3		
			Outside centre: 25.7		
			Right wing: 19.9		
			Full-back: 20.5		
		Mean tackle rate/80 min:	Loose-head prop: 12.1		
			Hooker: 11.1		
			Tight-head prop: 13.2		
			Loose-head lock: 13.7		
			Tight-head lock: 14.1		
			Blind-side flank: 16.6		
			Open-side flank: 17.3		
			Eighthman: 14.7		
			Scrum-half: 8.9		

**Table 4** (continued)

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean ± SD	Relative frequency of collisions: mean ± SD (no. per min)		
Smart et al. (2008) [74]	5 matches	Tackles made Scrum Scrum Impact Collisions	Per match Number Total Per match	Fly-half: 9.4 Left wing: 5.2 Inside centre: 12.9 Outside centre: 9.9 Right wing: 6.3 Full-back: 5.4 Forwards:	Backs:		
				13.6 ± 7.5	6.5 ± 4.7	Forwards: 0.6 ± 0.2	Backs: 0.2 ± 0.1
				12 ± 4.4	0		
				147.4 ± 89.8	0		
				43.6 ± 18.3	13.5 ± 7.4		
Smart et al. (2014) [75]	296 matches	Tackles	Successful tackles (%)	Forwards: 88 ± 14 Backs: 80 ± 20	NR		
Takarada (2003) [79]	2 matches	Tackle	Mean tackles per match	14 ± 7.4	NR		
Tucker et al. (2017) [85]	1516 matches	Rucks	Per match	162.9	NR		
		Mauls Tackles	Per match Per match	10.4 158			
Van Rooyen et al. (2008) [86]	7 matches	Impact contacts	Average per game	Fly half: 5 Scrum half: 3.8 Centre: 5.8 Full back: 2.1 Wing: 2.7 Hooker: 6.9 Number 8: 6.4 Prop: 5.5 Lock: 6.1 Flanker: 7.4	NR		
				Total: 386			
				Forwards: 257 Backs: 125			
				Scrum: Forwards: 81 Ruck: Forwards: 48 Backs: 8			
				Maul: Forwards: 14 Backs: 4.5			
Van Rooyen et al. (2012) [87]	69 matches	Tackles	Total per match	21,886 (average 159 ± 42)	NR		
			6 Nations	165 ± 28			
			Tri Nations	141 ± 24			
			RWC	156 ± 47			

**Table 4** (continued)

Study: author (year)	Number of matches/ training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean $\pm$ SD	Relative frequency of collisions: mean $\pm$ SD (no. per min)	
Van Rooyen et al. (2014) [88]	15 matches	Tackle	Tackle situations per match	Average: 191 $\pm$ 32	NR	
Vaz et al. (2010) [89]	IRB competitions: 64 matches	Tackles made:	Total	Average winning team: 89 $\pm$ 30 Average losing team: 101 $\pm$ 24 Winners: 88 $\pm$ 27.6	Losers: 89 $\pm$ 37.8	NR
Vaz et al. (2012) [90]	Training session (Small sided games)	Tackles	Tackles made:	Novice: 28.2 $\pm$ 3.3	Experienced: 48.7 $\pm$ 3.3	NR
Villarejo et al. (2013) [92]	48 matches	Tackles	Attempted tackles	Front row: 10 Second row: 10.9 Back row: 14.3 Scrum halves: 12.5 Middle backs: 10.5 Back three: 5.9		NR
			Tackles made	Front row: 8 Second row: 8.6 Back row: 11.2 Scrum halves: 8.3 Middle backs: 7.2 Back three: 3.7		
			Ineffective tackles	Front row: 0.7 Second row: 0.6 Back row: 1.1 Scrum halves: 1.7 Middle backs: 1.2 Back three: 0.9		
Villarejo et al. (2015) [93]	48 matches	Tackles	Attempted tackles	Winning team: Front row: 10.5 $\pm$ 14.04 Second row: 10.2 $\pm$ 8.6 Back row: 14.5 $\pm$ 14.6 Scrum halves: 9.5 $\pm$ 11.1 Inside backs: 9.3 $\pm$ 12.9 Outside backs: 5.5 $\pm$ 9.6	Losing team: Front row: 9.4 $\pm$ 12.4 Second row: 11.6 $\pm$ 14.9 Back row: 14.2 $\pm$ 17.6 Scrum halves: 15.3 $\pm$ 24.7 Inside backs: 11.4 $\pm$ 10.6 Outside backs: 6.2 $\pm$ 7.4	NR
			Effective tackles:	Front row: 8.9 $\pm$ 12.9 Second row: 8.4 $\pm$ 7.3	Front row: 6.8 $\pm$ 9.8 Second row: 8.7 $\pm$ 9.5	

**Table 4** (continued)

Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean $\pm$ SD	Relative frequency of collisions: mean $\pm$ SD (no. per min)
				Back row: $12 \pm 11.6$	Back row: $10.6 \pm 14.9$
				Scrum halves: $7.5 \pm 9.3$	Scrum halves: $8.8 \pm 15.4$
				Inside backs: $7.02 \pm 10.9$	Inside backs: $7.1 \pm 7.2$
				Outside backs: $4 \pm 7.5$	Outside backs: $3.3 \pm 3.7$
			Ineffective tackles:	Front row: $0.5 \pm 2$	Front row: $0.9 \pm 2.4$
				Second row: $0.5 \pm 1.1$	Second row: $0.8 \pm 1.5$
				Back row: $1 \pm 4.1$	Back row: $1.1 \pm 2.8$
				Scrum halves: $1.1 \pm 3.1$	Scrum halves: $2.3 \pm 6$
				Inside backs: $0.7 \pm 2.03$	Inside backs: $1.5 \pm 2.8$
				Outside backs: $0.5 \pm 1.7$	Outside backs: $1.4 \pm 6.1$
Virr et al. (2014) [94]	10 matches	Ruck/maul/tackle	Total number	Forwards:	Backs: NR
		Scrum		$61 \pm 12$	$25 \pm 11$
				$33 \pm 7$	
<i>Rugby sevens</i>					
Clarke et al. (2016) [37]	2 matches	Collisions	Collisions	Men: 51	NR
				Women: 44	
Hendricks et al. (2019) [3]	135 matches	Tackles	Per match	$1.9 \pm 1.3$	NR
			Total	$8.4 \pm 4.1$	
		Ruck	Total	$0.4 \pm 0.7$	
Higham et al. (2014) [5]	196 matches	Scrum	Per team per match	$1.9 \pm 0.1$	NR
		Rucks	Per team per match	$8.4 \pm 0.6$	
Peeters et al. (2019) [60]	32 matches	Contact actions	Tackles/collisions/rucks/mauls	Forwards:	Backs: NR
				First half: $5.3 \pm 2.8$	First half: $5.3 \pm 3$
				Second half: $6.3 \pm 2.9$	Second half: $6.1 \pm 2.7$
Reyneke et al. (2018) [67]	15 matches	Tackles:	Low (< 21 score):	$3.4 \pm 1.8$	NR
			High ( $\geq 21$ score):	$3 \pm 2$	
		Scrum	Low (< 21 score):	$1.6 \pm 1.3$	
			High ( $\geq 21$ score):	$1.2 \pm 1.8$	
		Ball Carry	Low (< 21 score):	$4.4 \pm 2.9$	

**Table 4** (continued)


Study: author (year)	Number of matches/training sessions	Type of collisions	Frequency definition	Frequency of collisions: mean $\pm$ SD	Relative frequency of collisions: mean $\pm$ SD (no. per min)
Ross et al. (2015) [70]	NR	Tackles:	High (>= 21 score): <b>Total</b>	4.9 $\pm$ 2.5 NR	
			Provincial:		0.2 $\pm$ 0.1
			International:		0.2 $\pm$ 0.2
		Rucks:	Provincial:		0.1 $\pm$ 0.1
			International:		0.2 $\pm$ 0.2
		Ball Carries:	Provincial:		0.3 $\pm$ 0.2
			International:		0.2 $\pm$ 0.2
Ross et al. (2015) [71]	54 matches			Forwards:	Backs: NR
		Tackles	Per match	2.7 $\pm$ 2.6	2.41 $\pm$ 2.5
		Scrum		1.8 $\pm$ 1.9	
		Ball Carries		3.2 $\pm$ 2.4	4.1 $\pm$ 3.2
Ross et al. (2016) [72]	37 matches (between team analysis) 50 matches (single team analysis)	Tackles	Dominant tackles per match:	2.1 $\pm$ 2.3	NR
			Ineffective tackles:	8.1 $\pm$ 3.9	
		Rucks	Defensive ruck average per match:	1.2 $\pm$ 0.3	
			Ruck average:	1.2 $\pm$ 0.2	


NR not reported, RWC Rugby World Cup

to better prepare players for the collision demands of matches. With that said, only two studies expressed collisions or contact events per minute in sevens [62, 70], which highlights an area for further work. In rugby union match-play, forwards experience more tackles than backs (12.8 (7.5–18.1) tackles and 7.6 (4.3–10.9) tackles, respectively). Another key finding of this review is that forwards experience more *very heavy* impacts (52.5 (29.8–75.2) vs. 41.7 (26.4–57.0) *very heavy* impacts) and *severe* impacts (10.8 (4.4–17.1) vs. 6.7 (5.1–8.4) *severe* impacts) than backs in rugby union. Coaches are recommended to train players specific to their positional grouping for appropriate adaptations. In both rugby cohorts, only six studies were completed on females [35, 36, 62, 67, 77, 94] and two studies on both sexes [37, 38]. Overall, there was a lack of consistency on the definition of a collision. Also, grouping variables (i.e., how the positions were grouped) made it hard to make comparisons. It is recommended to integrate microtechnology and video-based analysis

simultaneously to ensure maximal accuracy of metrics. Given the high injury incidence and burden of collision events, it is important that we adequately prepare athletes for collisions in training to meet the collision demands of matches.

To optimise training, researchers, trainers and sport practitioners typically study competition activities and demands, and attempt to replicate these demands in training [76, 78, 93, 97]. Training is subsequently monitored to ensure athletes meet said competition activities and demands [34]. Monitoring training also ensures athletes are not exposed to any unnecessary injury risks, and are positively adapting to training [34]. Only four studies quantified collision frequencies and/or intensities in training—three in rugby union [32, 80, 90] and one in sevens [47], while 66 studies quantified frequencies and/or intensities of collisions in matches. Three studies related the frequency and intensity of collisions during training to matches—two in rugby union [34, 42] and





**Fig. 6** Meta-analysis of studies reporting absolute tackles per match (n) from video-based analysis in rugby union. The forest plot (mean and 95% confidence interval (CI)) presents the results of the meta-analysis of the pooled data estimates for the absolute tackle frequency for **a** forwards and **b** backs. The squares and horizontal lines represent individual study mean and 95% CI and the diamond presents the pooled mean and 95% CI. The bigger the square the larger the sample size


one in sevens [51]. In both studies, collision frequencies and intensities were lower in training, suggesting that players may not be adequately preparing for matches [34, 51]. Indeed, the adaptations for a “collision-fit” player are likely to respond to general training principles including the concept of periodization [98]. Using general training concepts, such as periodisation, and collision demands data from match-play, coaches and practitioners can develop training programmes to enhance players’ adaptability and capacity to repeatably engage in physical-technical contests without increasing their risk of injury; in other words, building a ‘collision-fit’ player. Recently, this has been suggested for skill training and Hendricks et al. (2018) described such a periodised plan for the rugby tackle [99]. Understanding the adaptations for a “collision-fit” player will also allow for safer return to play protocols for collision sport athletes and reduce the risk of re-injury. To inform collision preparation practice, more work on collision training and its relationship to match demands, player development, performance and/or (re) injury risk is required. Collision training studies of this nature should also ideally be collected over more than one season and from multiple teams.

Collision frequency and intensities have been quantified in studies using video-based analysis ( $n=37$ ), microtechnology ( $n=24$ ) or both methods ( $n=12$ ). Each method has its advantages and disadvantages. For example, video-based analysis is laborious and reliant on human observation, while it may capture more contextual detail of the collision event [16]. Conversely, microtechnology may be more efficient and objective, but its reliability and validity for quantifying collision demands

is inconclusive at this stage [16, 24, 25]. Also, customised algorithms detect collisions, making study comparisons difficult [100]. With that said, studies are emerging to support collision metrics when used in conjunction with video-based analysis [23, 25]. Although some literature supports the use of microtechnology for collision monitoring, there is still a lack of validity regarding other metrics and therefore more investigation is needed [23]. As such, a superior approach to quantifying collision demands from a research and practitioner perspective may be to integrate video and microtechnology [18, 19]. Using both video and microtechnology, coaches, practitioners and researchers are able to cross check the microtechnology data with video, determine its accuracy and distinguish between collision events [18, 24, 25].

If the goal is to ensure players are well-prepared for matches by providing the optimal collision frequency and intensity dose, the metrics (i.e., collisions, contacts, scrums, tackles, rucks and mauls) and grouping variables (i.e., specific positions, forwards and backs) between training and matches need to be consistent and more accurate. In other words, how collision demands are reported for matches should be useful to the coach and practitioner, and transferable to a training setting. Therefore, metrics and grouping variables between the two settings need to be consistent to ensure this transfer. Strong engagement with the coach and practitioner when developing reporting metrics is therefore recommended [101]. Recently, a consensus document for the video-based analysis of contact events was published to improve the consistency and quality of video-based analysis work in rugby union and sevens [18]. A similar consensus-based







approach may be required for microtechnology collision metrics [16, 22]. As mentioned, many studies report collisions differently, making study comparisons difficult between groups, methods used and between rugby cohorts. As a result, this limited the current synthesis.

Collision intensity metrics in particular were inconsistent between studies. The lack of consistency between studies is a key factor limiting our understanding of collision loads [16]. Additionally, the intensity of collisions is difficult to compare longitudinally, given that technology


**a.**




**b.**




**c.**



**d.**



**Fig. 8** Meta-analysis of studies reporting absolute tackles per match (n) from video-based analysis in rugby union. The forest plot (mean and 95% confidence interval (CI)) presents the results of the meta-analysis of the pooled data estimates for the absolute tackle frequency for **a** props, **b** locks, **c** hooker and **d** scrumhalf. The squares and horizontal lines represent individual study mean and 95% CI and the diamond presents the pooled mean and 95% CI. The bigger the square the larger the sample size



is constantly evolving. More recent technology is likely more accurate as algorithms are improved over time ensuring MEMs have a high specificity and sensitivity, and are more likely to detect a collision when it occurs [23], although limited studies can confirm this [25].

The purpose of this review was to synthesise the frequency and intensity of collisions during training and matches in rugby union and sevens. In both rugby cohorts, future studies should investigate training in comparison to match-play. Additionally, future studies should explore women’s rugby. Many of these groups were understudied and are very important in our rugby community. A consensus-based approach for microtechnology is warranted since grouping variables and metrics were inconsistent throughout the studies. Beyond this, there are a number of other factors that

can affect how players respond and adapt to different frequencies and intensities of contact. Collision events in rugby union and sevens are dynamic and have a major technical-skill component [102, 103]. The opposing players’ technical ability may also affect the perceived intensity of the collision event. The perceived physical and technical demands of collision events can also be captured using subjective ratings such as rating of perceived exertion (RPE) [104] and rating of perceived challenge (RPC) [98, 104], respectively. These subjective ratings are useful when planning and monitoring training [104]. Also, collisions are interspersed between periods of high intensity running (sprinting, accelerations, decelerations) and low-intensity activities (walking, jogging). As such, advanced collision

training should also include periods of high-intensity running to mimic complete match demands and fatigue conditions [97].

## Conclusion

In conclusion, this review found a discrepancy in the number of studies quantifying collision demands in training compared to matches. While more work on quantifying the collision demands of training is required, studies should also compare training and matches if we are to improve our understanding of the relationship between training and matches. Another key finding is that the main method for quantifying collisions was video-based analysis. To improve the relationship between matches and training, integrating both video-based analysis and microtechnology is recommended, and the metrics and grouping variables between training and matches should be consistent. Per minute, rugby sevens players perform more tackles and ball carries into contact than rugby union players and forwards experienced more tackles than backs (12.8 (7.5–18.1) tackles and 7.6 (4.3–10.9) tackles, respectively). Another key finding in this review is that forwards experience more very heavy impacts (52.5 (29.8–75.2) vs. 41.7 (26.4–57.0) *very heavy* impacts) and severe impacts (10.8 (4.4–17.1) vs. 6.7 (5.1–8.4) *severe* impacts) than backs in rugby union. The frequency and intensity of collisions in training and matches may lead to adaptations for a “collision-fit” player and lend themselves to general training principles such as periodisation for optimum collision adaptation. Subjective measures such as RPE and RPC should be incorporated into the monitoring and management of the collision section of training to understand the internal load.

## Supplementary Information

The online version contains supplementary material available at <https://doi.org/10.1186/s40798-021-00398-4>.

**Additional file 1: Table S1.** Methodological quality assessment of the final full text articles according to Downs et al. [30]. **Table S2.** Characteristics of studies using microtechnology to record collisions during match-play or training sessions. **Table S3.** Characteristics of studies using video-based analysis to record collisions during match-play or training sessions.

## Acknowledgements

The authors would like to acknowledge the University of Cape Town and the National Research Foundation for the funding and support from the Vice-Chancellor award, the UCT Master’s scholarship and the National Research Foundation Postgraduate Scholarship during the study.

## Authors’ Contributions

MN, BJ, SH and LP conceptualized the idea for the manuscript. LP conducted the systematic search. The full text articles were screened for eligibility by LP and MN. LP and MN completed the quality assessment. LP drafted the

manuscript and all authors contributed to the final draft. All authors read and approved the final manuscript.

## Funding

University of Cape Town (Vice Chancellor Award, Master’s Research Scholarship) and National Research Foundation (NRF) (NRF Postgraduate Award).

## Availability of Data and Materials

Not applicable.

## Declarations

### Ethics Approval and Consent to Participate

Not applicable.

### Consent for Publication

Not applicable.

### Competing Interests

Lara Paul, Mitchell Naughton, Ben Jones, Demi Davidow, Amir Patel, Mike Lambert and Sharief Hendricks declare that they have no competing interests relevant to the content of this review.

### Author details

<sup>1</sup>Division of Physiological Sciences, Department of Human Biology, Faculty of Health Sciences, University of Cape Town, Cape Town, South Africa. <sup>2</sup>School of Health and Behavioural Sciences, University of the Sunshine Coast, Sippy Downs, QLD, Australia. <sup>3</sup>Centre for Human Factors and Sociotechnical Systems, University of the Sunshine Coast, Sippy Downs, QLD, Australia. <sup>4</sup>School of Science and Technology, University of New England, Armidale, NSW, Australia. <sup>5</sup>Carnegie Applied Rugby Research (CARR) Centre, Carnegie School of Sport, Leeds Beckett University, Leeds, UK. <sup>6</sup>Leeds Rhinos Rugby League Club, Leeds, UK. <sup>7</sup>England Performance Unit, The Rugby Football League, Leeds, UK. <sup>8</sup>Health Through Physical Activity, Lifestyle and Sport Research Centre (HPALS), Department of Human Biology, Faculty of Health Sciences, University of Cape Town, Cape Town, South Africa. <sup>9</sup>Department of Electrical Engineering, African Robotics unit, University of Cape Town, Western Cape, South Africa.

Received: 4 June 2021 Accepted: 13 December 2021

Published online: 20 January 2022

## References

- Hendricks S, Karpul D, Lambert M. Momentum and kinetic energy before the tackle in rugby union. *J Sports Sci Med*. 2014;13:557–63.
- Hendricks S, Lambert M. Tackling in rugby: coaching strategies for effective technique and injury prevention. *Int J Sports Sci Coach*. 2010;5(1):117–35.
- Hendricks S, Sin DW, van Niekerk T, den Hollander S, Brown J, Maree W, et al. Technical determinants of tackle and ruck performance in international rugby sevens. *Eur J Sport Sci*. 2019;20:1–27.
- Fuller CW, Taylor A, Molloy MG. Epidemiological study of injuries in international rugby sevens. *Clin J Sport Med*. 2010;20(3):179–84.
- Higham DG, Hopkins WG, Pyne DB, Anson JM. Performance indicators related to points scoring and winning in international rugby sevens. *J Sport Sci Med*. 2014;13(2):358–64.
- Ross A, Gill N, Cronin J. Match analysis and player characteristics in rugby sevens. *Sports Med*. 2013;44:357–67.
- Ortega E, Villarejo D, Palao JM. Differences in game statistics between winning and losing rugby teams in the six nations tournament. *J Sport Sci Med*. 2009;8(4):523–7.
- Hendricks S, van Niekerk T, Sin DW, Lambert M, den Hollander S, Brown J, et al. Technical determinants of tackle and ruck performance in international rugby union. *J Sports Sci*. 2018;36(5):522–8.
- Wheeler K, Askew C, Sayers M. Effective attacking strategies in rugby union. *Eur J Sport Sci*. 2010;1:19–35.
- Fuller CW. Injury risk (burden), risk matrices and risk contours in team sports: a review of principles, practices and problems. *Sport Med*. 2018;48:1597–606.

11. Brooks JHM, Fuller CW, Kemp SPT, Reddin DB. Epidemiology of injuries in English professional rugby union: part 1 match injuries. *Br J Sports Med*. 2005;39(10):757–66.
12. Schwellnus MP, Thomson A, Derman W, Jordaan E, Readhead C, Collins R, et al. More than 50% of players sustained a time-loss injury (> 1 day of lost training or playing time) during the 2012 Super Rugby Union Tournament : a prospective cohort study of 17,340 player-hours. *Br J Sports Med*. 2014;1:1306–15.
13. Roberts SP, Trewartha G, England M, Shaddick G, Stokes KA. Epidemiology of time-loss injuries in English community-level rugby union. *BMJ Open*. 2013;3(11):1–7.
14. Williams S, Trewartha G, Kemp S, Stokes K. A meta-analysis of injuries in senior men's professional rugby union. *Sport Med*. 2013;43(10):1043–55.
15. Lopez V, Galano GJ, Black CM, Gupta AT, James DE, Kelleher KM, et al. Profile of an American amateur rugby union sevens series. *Am J Sports Med*. 2012;40(1):179–84.
16. Naughton M, Jones B, Hendricks S, King D, Murphy A, Cummins C. Quantifying the collision dose in rugby league: a systematic review, meta-analysis, and critical analysis. *Sport Med Open*. 2020;6(1):1–26.
17. den Hollander S, Jones B, Lambert M, Hendricks S. The what and how of video analysis research in rugby union: a critical review. *Sport Med Open*. 2018;4(1):27.
18. Hendricks S, Till K, Den HS, Savage TN, Roberts SP, Tierney G, et al. Consensus on a video analysis framework of descriptors and definitions by the Rugby Union Video Analysis Consensus group. *Br J Sports Med*. 2020;54:566–72.
19. Whitehead S, Till K, Weaving D, Jones B. The use of microtechnology to quantify the peak match demands of the football codes: a systematic review. *Sport Med*. 2018;48(11):2549–75.
20. Cunniffe B, Proctor W, Baker J, Davies B. An evaluation of the physiological demands elite rugby union using global positioning system tracking software. *J Strength Cond Res*. 2009;23(4):1195–203.
21. Roe G, Halkier M, Beggs C, Till K, Jones B. The use of accelerometers to quantify collisions and running demands of rugby union match-play. *Int J Perform Anal Sport*. 2016;16(2):590–601.
22. Cummins C, Orr R, Connor HO. Global positioning systems (GPS) and microtechnology sensors in team sports: a systematic review. *Sports Med*. 2013;43:1025–42.
23. Tierney P, Blake C, Delahun E. The relationship between collision metrics from micro-sensor technology and video-coded events in rugby union. *Scand J Med Sci Sport*. 2020;30(11):2193–204.
24. Reardon C, Tobin DP, Tierney P, Delahun E. Collision count in rugby union: a comparison of micro-technology and video analysis methods. *J Sports Sci*. 2017;35(20):2028–34.
25. MacLeod SJ, Hagan C, Egaña M, Davis J, Drake D. The use of microtechnology to monitor collision performance in professional rugby union. *Int J Sports Physiol Perform*. 2018;13(8):1075–82.
26. Gabbett T, Jenkins D, Abernethy B. Physical collisions and injury during professional rugby league skills training. *J Sci Med Sport*. 2010;13(6):578–83.
27. Hulin BT, Gabbett TJ, Johnston RD, Jenkins DG. Wearable microtechnology can accurately identify collision events during professional rugby league match-play. *J Sci Med Sport*. 2017;20(7):638–42.
28. Moher D, Liberati A, Tetzlaff J, Altman DG. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *BMJ*. 2009;339(7716):332–6.
29. McLellan C. Performance analysis of super 15 rugby match-play using portable micro-technology. *J Athl Enhanc*. 2013;02(05):2–5.
30. Downs SH, Black N. The feasibility of creating a checklist for the assessment of the methodological quality both of randomised and non-randomised studies of health care interventions. *J Epidemiol Community Health*. 1998;52(6):377–84.
31. Austin D, Gabbett T, Jenkins D. The physical demands of Super 14 rugby union. *J Sci Med Sport*. 2011;14(3):259–63.
32. Bradley WJ, Cavanagh B, Douglas W, Donovan TF, Twist C, Morton JP, et al. Energy intake and expenditure assessed 'in-season' in an elite European rugby union squad. *Eur J Sport Sci*. 2015;15(6):469–79.
33. Bradley E, Hogg B, Archer D. Effect of the PreBind Engagement Process on scrum timing and stability in the 2013 to 2016 six nations authors. *Int J Sports Physiol Perform*. 2017;13:903–9.
34. Campbell PG, Peake JM, Minett GM. The specificity of rugby union training sessions in preparation for match demands. *Int J Sports Physiol Perform*. 2017;13(4):496–503.
35. Clarke AC, Anson JM, Pyne DB. Neuromuscular fatigue and muscle damage after a women's rugby sevens tournament. *Int J Sports Physiol Perform*. 2015;10(6):808–14.
36. Clarke A, Anson J, Pyne D. The effect of running demands and impacts on post-tournament markers of inflammation and haemolysis in women's rugby sevens. *Annu Rev CyberTherapy Telemed*. 2015;11:63.
37. Clarke A, Anson J, Pyne D. Proof of concept of automated collision detection technology in rugby sevens. *J Strength Cond Res*. 2016;31:1116–20.
38. Clarke AC, Anson JM, Pyne DB. Game movement demands and physical profiles of junior, senior and elite male and female rugby sevens players. *J Sports Sci*. 2017;35(8):727–33.
39. Coughlan GF, Green BS, Pook PT, Toolan E, Connor SPO. Physical game demands in Elite Rugby Union: a global positioning system analysis and possible implications for rehabilitation. *J Orthop Sports Phys Ther*. 2011;41(8):10–2.
40. Deutsch MU, Maw GJ, Jenkins D, Reaburn P. Heart rate, blood lactate and kinematic data of elite colts (under-19) rugby union players during competition. *J Sports Sci*. 1998;16(6):561–70.
41. Deutsch MU, Kearney GA, Rehrer NJ. Time-motion analysis of professional rugby union players during match-play. *J Sports Sci*. 2007;25(4):461–72.
42. Dubois R, Lyons M, Paillard T, Maurelli O, Prioux J. Influence of weekly workload on physical, biochemical and psychological characteristics in professional rugby union players over a competitive season. *J Strength Cond Res*. 2020;34(2):527–45.
43. Duthie G, Pyne D, Hooper S. Time motion analysis of 2001 and 2002 super 12 rugby. *J Sports Sci*. 2005;23(5):523–30.
44. Eaton C, George K. Position specific rehabilitation for rugby union players. Part I: empirical movement analysis data. *Phys Ther Sport*. 2006;7(1):22–9.
45. Fuller CW, Brooks JHM, Cancea RJ, Hall J, Kemp SPT. Contact events in rugby union and their propensity to cause injury. *Br J Sports Med*. 2007;41(12):862–7.
46. Fuller CW, Ashton T, Brooks JHM, Cancea RJ, Hall J, Kemp SPT. Injury risks associated with tackling in rugby union. *Br J Sports Med*. 2008;44(3):159–67.
47. Gibson N, Boyd A, Murry A. Countermovement jump is not affected during final competition preparation periods in elite rugby sevens players. *J Strength Cond Res*. 2015;30(3):777–83.
48. Grainger A, McMahon JJ, Comfort P. Assessing the frequency and magnitude of match impacts accrued during an elite rugby union playing season. *Int J Perform Anal Sport*. 2018;18(4):507–22.
49. Hendricks S, Roode B, Matthews B, Lambert M. Defensive strategies in rugby union. *Percept Mot Skills*. 2013;117(1):65–87.
50. Hendricks S, Matthews B, Roode B, Lambert M. Tackler characteristics associated with tackle performance in rugby union. *Eur J Sport Sci*. 2014;14(8):753–62.
51. Higham DG, Pyne DB, Anson JM, Hopkins WG, Eddy A. Comparison of activity profiles and physiological demands between international rugby sevens matches and training. *J Strength Cond Res*. 2016;30(5):1287–94.
52. Jones MR, West DJ, Harrington BJ, Cook CJ, Bracken RM, Shearer DA, et al. Match play performance characteristics that predict post-match creatine kinase responses in professional rugby union players. *BMC Sports Sci Med Rehabil*. 2014;6(1):1–7.
53. Jones MR, West DJ, Crewther BT, Cook CJ, Kilduff LP. Quantifying positional and temporal movement patterns in professional rugby union using global positioning system. *Eur J Sport Sci*. 2015;15(6):488–96.
54. Lacombe M, Piscione J, Hager J-P, Carling C. Analysis of running and technical performance in substitute players in international male rugby union competition. *Int J Sport Physiol Perform*. 2016;11(6):783–92.
55. Lindsay A, Draper N, Lewis J, Gieseg SP, Gill N. Positional demands of professional rugby. *Eur J Sport Sci*. 2015;15(6):480–7.
56. Lindsay A, Lewis JG, Gill N, Draper N, Gieseg SP. No relationship exists between urinary NT-proBNP and GPS technology in professional rugby union. *J Sci Med Sport*. 2017;20(8):790–4.

57. McIntosh AS, Savage TN, McCrory P, Fréchéde BO, Wolfe R. Tackle characteristics and injury in a cross section of rugby union football. *Med Sci Sports Exerc.* 2010;42(5):977–84.
58. McLaren SJ, Weston M, Smith A, Cramb R, Portas MD. Variability of physical performance and player match loads in professional rugby union. *J Sci Med Sport.* 2015;19(6):493–7.
59. Owen SM, Venter RE, Du TS, Kraak WJ. Acceleratory match-play demands of a super rugby team over a competitive season. *J Sports Sci.* 2015;33(19):2061–9.
60. Peeters A, Carling C, Piscione J, Lacombe M. In-match physical performance fluctuations in international rugby sevens competition. *J Sports Sci Med.* 2019;18(3):419–26.
61. Pollard BT, Turner AN, Eager R, Cunningham DJ, Cook CJ, Hogben P, et al. The ball in play demands of international rugby union. *J Sci Med Sport.* 2018;21(10):1090–4.
62. Portillo J, Del Coso J, Abian-vicén J. Effects of caffeine ingestion on skill performance during an international female rugby sevens competition. *J Strength Cond Res.* 2016;31:3351–7.
63. Quarrie KL, Hopkins WG. Changes in player characteristics and match activities in Bledisloe Cup rugby union from 1972 to 2004. *J Sports Sci.* 2007;25(8):895–903.
64. Quarrie KL, Hopkins WG. Tackle injuries in professional rugby union. *Am J Sports Med.* 2008;36(9):1705–16.
65. Quarrie KL, Hopkins WG, Anthony MJ, Gill ND. Positional demands of international rugby union: evaluation of player actions and movements. *J Sci Med Sport.* 2012;16(4):353–9.
66. Reardon C, Tobin DP, Tierney P, Delahun E. The worst case scenario: locomotor and collision demands of the longest periods of gameplay in professional rugby union. *PLoS ONE.* 2017;12(5):1–11.
67. Reyneke J, Hansen K, Cronin JB, Macadam P. An investigation into the influence of score differential on the physical demands of international women's rugby sevens match play. *Int J Perform Anal Sport.* 2018;18(4):523–31.
68. Roberts SP, Trewartha G, Higgitt RJ, El-Abd J, Stokes KA. The physical demands of elite English rugby union. *J Sports Sci.* 2008;26(8):825–33.
69. Roberts SP, Trewartha G, England M, Stokes KA. Collapsed scrums and collision tackles: what is the injury risk? *Br J Sports Med.* 2014;49(8):536–40.
70. Ross A, Gill ND, Cronin JB. A comparison of the match demands of international and provincial rugby sevens. *Int J Sports Physiol Perform.* 2015;10(6):786–90.
71. Ross A, Gill N, Cronin J. The match demands of international rugby sevens. *J Sports Sci.* 2015;33(10):1035–41.
72. Ross A, Gill N, Cronin J, Malcata R. Defensive and attacking performance indicators in rugby sevens. *Int J Perform Anal Sport.* 2016;16(2):569–80.
73. Schoeman R, Coetzee D, Schall R. Positional tackle and collision rates in super rugby. *Int J Perform Anal Sport.* 2015;15(3):1022–36.
74. Smart DJ, Gill ND, Beaven CM, Cook CJ, Blazeovich AJ. The relationship between changes in interstitial creatine kinase and game-related impacts in rugby union. *Br J Sports Med.* 2008;42(3):198–201.
75. Smart D, Hopkins WG, Quarrie KL, Gill N. The relationship between physical fitness and game behaviours in rugby union players. *Eur J Sport Sci.* 2014;14:58–17.
76. Suárez-Arrones LJ, Portillo LJ, González-Ravé JM, Muoz VE, Sanchez F. Match running performance in Spanish elite male rugby union using global positioning system. *Isokinet Exerc Sci.* 2012;20(2):77–83.
77. Suarez-Arrones L, Portillo J, Pareja-Blanco F, De Villareal ES, Sánchez-Medina L, Munguía-Izquierdo D. Match-play activity profile in elite women's rugby union players. *J Strength Cond Res.* 2013;28(2):452–8.
78. Suarez-Arrones L, Arenas C, López G, Requena B, Terrill O, Mendez-Villanueva A. Positional differences in match running performance and physical collisions in men rugby sevens. *Int J Sports Physiol Perform.* 2014;9(2):316–23.
79. Takarada Y. Evaluation of muscle damage after a rugby match with special reference to tackle plays. *Br J Sports Med.* 2003;37(5):416–9.
80. Takeda M, Sato T, Hasegawa T, Shintaku H, Kato H, Yamaguchi Y, et al. The effects of cold water immersion after rugby training on muscle power and biochemical markers. *J Sport Sci Med.* 2014;13(3):616–23.
81. Tee JC, Coopoo Y. Movement and impact characteristics of South African professional rugby union players. *S Afr J Sports Med.* 2015;27(March):33–9.
82. Tee JC, Lambert MI, Coopoo Y. Impact of fatigue on positional movements during professional rugby union match play. *Int J Sports Physiol Perform.* 2017;12(4):554–61.
83. Tee JC, Coopoo Y, Lambert M. Pacing characteristics of whole and part-game players in professional rugby union. *Eur J Sport Sci.* 2020;20(6):722–33.
84. Tierney P, Blake C, Delahun E. Physical characteristics of different professional rugby union competition levels. *J Sci Med Sport.* 2021;24:1267–71.
85. Tucker R, Raftery M, Fuller GW, Hester B, Kemp S, Cross MJ. A video analysis of head injuries satisfying the criteria for a head injury assessment in professional rugby union: a prospective cohort study. *Br J Sports Med.* 2017;51(15):1147–51.
86. van Rooyen M, Rock K, Prim S, Lambert M. The quantification of contacts with impact during professional rugby matches. *Int J Perform Anal Sport.* 2008;8(1):113–26.
87. Van Rooyen MK. A statistical analysis of tackling performance during international rugby union matches from 2011. *Int J Perform Anal Sport.* 2012;12(3):517–30.
88. van Rooyen M, Yasin N, Viljoen W. Characteristics of an 'effective' tackle outcome in six nations rugby. *Eur J Sport Sci.* 2014;14(2):123–9.
89. Vaz L, van Rooyen M, Sampaio J. Rugby game-related statistics that discriminate between winning and losing teams in IRB and super twelve close games. *J Sport Sci Med.* 2010;9(1):51–5.
90. Vaz L, Leite N, João PV, Gonçalves B, Sampaio J. Differences between experienced and novice rugby union players during small-sided games. *Percept Mot Skills.* 2012;115(2):594–604.
91. Venter R, Opperman E, Opperman S. The use of global positioning system (GPS) tracking devices to assess movement demands and impacts in under-19 rugby union match play. *African J Phys Heal Educ Recreat Danc.* 2011;17(1):1–8.
92. Villarejo D, Palao JM, Toro EO. Match profiles for establishing position specific rehabilitation for rugby union players. *Int J Perform Anal Sport.* 2013;13(2):567–71.
93. Villarejo D, Palao JM, Ortega E, Gomez-Ruano MÁ, Kraak W. Match-related statistics discriminating between playing positions during the men's 2011 Rugby World Cup. *Int J Perform Anal Sport.* 2015;15(1):97–111.
94. Virr JL, Game A, Bell GJ, Syrotuik D. Physiological demands of women's rugby union: time-motion analysis and heart rate response. *J Sports Sci.* 2014;32(3):239–47.
95. Yamamoto H, Takemura M, Iguchi J, Tachibana M, Tsujita J, Hojo T. In-match physical demands on elite Japanese rugby union players using a global positioning system. *BMJ Open Sport Exerc Med.* 2020;6(1):1–10.
96. Waldron M, Jones C, Melotti L, Brown R, Kilduff LP. Collision monitoring in elite male rugby union using a new instrumented mouth-guard. *J Sport Exerc Sci.* 2021;5(3):179–87.
97. Ziv G, Lidor R. On-field performances of rugby union players—a review. *J Strength Cond Res.* 2016;30(3):881–92.
98. Mujika I, Halson S, Burke LM, Balagué G, Farrow D. An integrated, multifactorial approach to periodization for optimal performance in individual and team sports. *Int J Sports Physiol Perform.* 2018;13(5):538–61.
99. Hendricks S, Till K, Oliver JL, Johnston RD, Attwood M, Brown J, et al. Technical skill training framework and skill load measurements for the rugby union tackle. *Strength Cond J.* 2018;40(5):44–59.
100. Chambers RM, Gabbett TJ, Gupta R, Josman C, Bown R, Stridgeon P, et al. Automatic detection of one-on-one tackles and ruck events using microtechnology in rugby union. *J Sci Med Sport.* 2019;2018:1–6.
101. Nosek P, Brownlee TE, Drust B, Andrew M, Nosek P, Brownlee TE, et al. Feedback of GPS training data within professional English soccer: a

- comparison of decision making and perceptions between coaches, players and performance staff. *Sci Med Footb.* 2020;5:35–47.
102. West SW, Williams S, Kemp SPT, Cross MJ, Fuller CW, Taylor A, et al. Patterns of training volume and injury risk in elite rugby union : An analysis of 1.5 million hours of training exposure over eleven seasons. *J Sports Sci.* 2019;38:1–10.
  103. Hendricks S, Davidow D, Viljoen W, Burger N, Lambert M, Readhead C, et al. Video analysis of contact technique during head collisions in rugby union. *BJSM.* 2017;51:328.
  104. Hendricks S, Till K, Oliver JL, Johnston RD, Attwood MJ, Brown JC, et al. Rating of perceived challenge as a measure of internal load for technical skill performance. *Br J Sports Med.* 2019;53(10):611–3.

### **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

**Submit your manuscript to a SpringerOpen<sup>®</sup> journal and benefit from:**

- ▶ Convenient online submission
- ▶ Rigorous peer review
- ▶ Open access: articles freely available online
- ▶ High visibility within the field
- ▶ Retaining the copyright to your article

---

Submit your next manuscript at ▶ [springeropen.com](https://www.springeropen.com)

---