



LEEDS  
BECKETT  
UNIVERSITY

---

Citation:

Wood, E and King, R and Robertson, S and Senek, M and Tod, A and Ryan, T (2021) Sources of satisfaction, dissatisfaction and well-being for UK advanced practice nurses: A qualitative study. *Journal of Nursing Management*, 29 (5). pp. 1073-1080. ISSN 1365-2834 DOI: <https://doi.org/10.1111/jonm.13245>

Link to Leeds Beckett Repository record:

<https://eprints.leedsbeckett.ac.uk/id/eprint/9774/>

Document Version:

Article (Published Version)

---

Creative Commons: Attribution 4.0

© 2021 The Authors.

The aim of the Leeds Beckett Repository is to provide open access to our research, as required by funder policies and permitted by publishers and copyright law.

The Leeds Beckett repository holds a wide range of publications, each of which has been checked for copyright and the relevant embargo period has been applied by the Research Services team.

We operate on a standard take-down policy. If you are the author or publisher of an output and you would like it removed from the repository, please [contact us](#) and we will investigate on a case-by-case basis.

Each thesis in the repository has been cleared where necessary by the author for third party copyright. If you would like a thesis to be removed from the repository or believe there is an issue with copyright, please contact us on [openaccess@leedsbeckett.ac.uk](mailto:openaccess@leedsbeckett.ac.uk) and we will investigate on a case-by-case basis.

# Sources of satisfaction, dissatisfaction and well-being for UK advanced practice nurses: A qualitative study

Emily Wood PhD, RN, Research Fellow<sup>1</sup>   | Rachel King PhD, RN, Research Associate<sup>1</sup> | Steve Robertson PhD, RN, RHV, Programme Director<sup>1,2,3</sup>  | Michaela Senek PhD, Research Associate<sup>1</sup> | Angela Tod PhD, RN, Professor<sup>1</sup> | Tony Ryan PhD, Professor<sup>1</sup>

<sup>1</sup>Division of Nursing and Midwifery, Health Sciences School, University of Sheffield, Sheffield, UK

<sup>2</sup>Leeds Beckett University, Leeds, UK

<sup>3</sup>Waterford Institute of Technology, Waterford City, Ireland

## Correspondence

Emily Wood, Division of Nursing and Midwifery, Health Sciences School, University of Sheffield, Barber House Annexe, 3a Clarkehouse Road, Sheffield S10 2LA, UK.  
Email: e.f.wood@sheffield.ac.uk

## Funding information

The project was funded by the Royal College of Nursing (RCN) as part of the Strategic Research Alliance between the RCN and the University of Sheffield. The views expressed are those of the author(s) and not necessarily those of the RCN or University of Sheffield. The RCN expressed an interest in the credentialing of the ANP role and offered peer review to the study protocol. They also aided recruitment by sending recruitment emails to their mailing list of credentialed ANPs. They had no input into the analysis and interpretation of data, writing the report or decision to publish.

## Abstract

**Aims:** To examine and explore organisational and role conditions that promote or inhibit job satisfaction and workplace well-being for advanced practice nurses.

**Background:** The advanced practice role is common across the world. Research shows it is well regarded by patients and improves patient outcomes, but there is little evidence about what the role is like for nurses.

**Methods:** A subsample of an existing cohort of advanced practice nurses were invited for interview. Twenty-two nurses were interviewed over the phone. Interviews transcripts were analysed using thematic analysis.

**Results:** Four themes were derived from the data; 'the advanced nurse role and professional identity', 'feeling exposed', 'support for the advancement of the role' and 'demonstrating impact'.

**Conclusion:** Nurses report considerable dissatisfaction with role identity and concerns relating to isolation on a daily basis, and these negatively affect well-being. However, they also identified significant satisfaction with the role, particularly when well supported and able to recognize the unique contribution that they made to the lives of patients and to their organisations.

**Implications for nursing management:** Clear role definitions, provision of high-quality clinical supervision and addressing issues of isolation are likely to improve the job satisfaction of advanced practice nurses.

## KEYWORDS

advanced practice nursing, nurse practitioner, nurse's role, satisfaction, well-being

## 1 | BACKGROUND

Advanced Practice Nurses (APNs) are now established across the globe (International Council of Nurses, 2008; Schober et al., 2020). Positive outcomes emanating from APN care has been demonstrated in the specific fields of: primary care (Collins, 2019), ambulatory care (Martin-Misener et al., 2015), transitional care (Donald et al., 2015) and gerontological nursing (Morilla-Herrera et al., 2016).

However, a range of challenges of an organisational, relational and inter-professional nature has hampered the development of the APN role, including role ambiguity (King et al., 2017), role overload and challenges in clinical autonomy (Woo et al., 2019). Barriers related to effective leadership include a lack of understanding of role, poor interdisciplinary working, pressure on resources and overload, and structural impediments to strategic posts. Facilitators include the provision of good organisational support, mentorship and

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2021 The Authors. *Journal of Nursing Management* published by John Wiley & Sons Ltd.

frameworks of support (such as clinical supervision) as well as peer support (Elliott, 2017).

The importance of the organisational embeddedness and clarity of role is further reflected in existing evidence concerning levels of job satisfaction for APNs. Role ambiguity and a lack of intra-practice collegiality have been identified as specific forms of dissatisfaction amongst senior practitioners in the USA (Faris et al., 2010). There are correlations between intention to stay in post with job satisfaction, role perception and role ambiguity (Brom et al., 2016). A systematic review identified extrinsic factors, such as autonomy and meaningful work, as important factors in determining levels of job satisfaction amongst APNs (Han et al., 2018). O'Keeffe et al. (2015) identified poor intra-practice collegiality and limited support for role development as the least satisfying aspects of being an APN. Qualitative papers have sought to explore these issues still further. Jangland et al. (2016) point to 'not being accepted' within an organisation as a source of dissatisfaction. On the other hand, Jangland et al. (2016) highlight patient outcomes as determinant of satisfaction. Workplace well-being is known to be related to workplace satisfaction (Kim et al., 2019). There is a close relationship between satisfaction, work place well-being and intention to leave (De Milt et al., 2011). Similarly, the relationship between job satisfaction and stress for APNs has been noted (Brom et al., 2016). Jangland et al. (2016) note a threat to well-being emerging from '*being caught between two roles*'. We sought to explore organisational and role conditions that promote or inhibit job satisfaction and workplace well-being for APNs.

## 2 | METHODS

The study utilized a qualitative approach, centred on a thematic analysis. This approach enabled an in-depth exploration of the relational, organisational, professional and contextual factors influencing work-related satisfaction for APNs from their perspective. This allowed us to explore the responses made by participants through close examination of social experiences, meaning and psycho-social processes, enabling explanatory insight (Denzin & Lincoln, 2005).

### 2.1 | Sampling and recruitment

We sampled purposively from the Advanced-Level Nursing Practice Cohort Study (Wood et al., 2020) (total number 143) on the basis of cohort participant responses to job satisfaction and well-being items in the core questionnaire. We chose the range of 15–20 participants after consideration of the factors that contribute to the number of participants required to achieve 'meaning saturation' (Hennink et al., 2017). Participants in the cohort study had consented to be approached via email to consider participation in 'new' studies relating to advanced nursing practice.

The email contained a link to an information sheet and consent form, completion of which initiated further contact to arrange a telephone interview.

### 2.2 | Data collection

We carried out semi-structured telephone interviews with participants. The interview schedule consisted of several open-ended questions to encourage participants to talk about stress and well-being in the workplace, as well as allowing an exploration of organisational conditions. The questions were designed to explore issues that had arisen from analysis of the cohort's first survey questionnaire. See Appendix S1 for the 'Topic Guide'.

Interviews were conducted in summer 2019, at a time convenient to the participant. They were digitally recorded for transcription and lasted between 20 and 35 min. Interviews were conducted by two of the co-authors [EW and TR]. Field notes were not made during the interviews, but researchers reflected on the interviews afterwards and recorded their thoughts for discussion. Transcripts were not sent to the participant. Participants were offered a complimentary gift voucher after the interview. We adhered to the CONSolidated criteria for REporting Qualitative research (COREQ) reporting standards (Tong et al., 2007).

### 2.3 | Data analysis

Data were analysed using an approach informed by thematic analysis (Braun & Clarke, 2014). This approach has six stages: familiarization, generating initial codes, searching for themes, reviewing themes, confirming themes and reporting. The data were coded and categorized primarily by one researcher (TR), and a subsample was then analysed independently by two others (EW and RK). All authors assisted in finalizing the themes. All researchers used Quirkos (www.quirkos.com) v2.1 software to manage the data.

### 2.4 | Ethical considerations

This research was reviewed by the Institutional ethics committee and given approval on September 3rd 2018 (reference number 022736). Informed consent was gained from all participants. This research was carried out in accordance with the principles of the Helsinki Declaration.

## 3 | FINDINGS

Of the 29 cohort members approached, 22 agreed to be interviewed of whom three were male. Twelve worked in primary care settings, eight in secondary care settings and two across both settings. Most had advanced practitioner in their job title (e.g. advanced nurse

practitioner, advanced clinical practitioner), but other advanced roles were also named including nurse practitioner, community manager, specialized clinical educator and professional lead. They had been working at an advanced practice level for between three and 15 years, often across multiple settings.

Four super-ordinate themes were derived from the data: 'the APN role and professional identity', 'feeling exposed', 'support for the advancement of the APN role' and 'demonstrating impact'. Each of the four themes are comprised of a number of subordinate themes and are presented below. The four themes cannot be understood in isolation from one another. Each theme relates to our primary concerns about the conditions, which might inhibit or promote role satisfaction, dissatisfaction and overall workplace well-being.

## 4 | THE APN ROLE AND PROFESSIONAL IDENTITY

There is a well-established understanding that nursing has a strong professional identity and there exists a robust sense of belonging within the profession. Role definition is key to this process, but there is also evidence that hierarchical and organisational positioning influenced how participants were perceived by others. Role confusion furthered the process of dislocation from a stable professional identity and is identified here as a source of dissatisfaction.

### 4.1 | Professional and work related identity

Participants spoke about the identity of APNs and reflected on how nurses had transitioned from traditional roles, into those perceived as previously located within the medical field. This shift challenged the social and professional identity of some participants leading to a sense of loss of identity, resulting in a sense of liminality and isolation. The participant below had recently changed title from nurse to Advanced Clinical Practitioner:

We fall under the medical team, didn't want us to work as a nurse, so I found that quite difficult. They didn't want us to think of ourselves as nurses anymore, but also, the senior nurses in the department didn't really want that much to do with us because we'd left the nursing workforce, as they saw it. So you kind of feel like you're in the middle of nowhere.

(APN 12)

For some, there remained a robust link with the nursing profession, remarking upon a feeling that they will '*always be a nurse*' (APN16). Professional isolation, however, often stemmed from changes in daily routines and practices. Often, newly formed daily routines were at odds with those that they had undertaken in the past, creating

discontinuity with established ways of working, professional networks and patterns of work presence.

### 4.2 | Role confusion

Participants repeatedly commented that fellow professionals were often unsure of the nature of their role. The notion of pushing boundaries of competence is noted below, but alongside this, participants also noted an inefficiency about this failure to clearly identify roles and responsibilities.

I find it quite frustrating because I know like other places have had this role for a very long time, so it seems like a lot of the time it does seem like we're probably reinventing the wheel, we're probably coming up against the same problems that everywhere has, and if there was a sort of wider structure to it, like nationwide, it would be helpful if you could just step into that.

(APN 05)

Role flexibility was recognized as something that may contribute to improved patient outcomes. However, as one participant pointed out, flexibility may have limits and where role confusion and overlap were such that lines of responsibility have become unclear, inefficiencies may occur:

I'm very comfortable with blurred role boundaries, as in flexing them in individual situations. But I think when they become blurred to the point where nobody's quite sure who's responsible for doing what, that is unhelpful.

(APN 20)

These comments reflect the discomfort and ultimate dissatisfaction with one's working environment. Participants presented a range of consequences to the lack of clear national standards and regulation. It offered the benefits of role flexibility and innovation, but it also contributed to the challenges related to widespread ambiguity.

## 5 | FEELING EXPOSED

APNs talked of the clinical risk associated with their expanded scope of practice and, in the absence of a national framework, the personal accountability for regulating their own practice. This theme is primarily concerned with the transition to new roles.

## 5.1 | Accountability for autonomous practice

The emerging APN role was viewed as considerably altered and laden with additional responsibilities and practices. Participants spoke of a newly expanded range of patient concerns, others noted the transition to areas of clinical practice with considerable risk attached:

I think we've taken on a lot of the risk that medical colleagues have traditionally taken on. And I think for a lot of nurses, that's a major issue.

(APN 01)

APNs at times felt under pressure from the weight of this clinical responsibility and accountability, recognizing the risk associated with practising autonomously in their expanded roles. Threats to well-being are clear. The exposure as an individual and the absence of a regulatory framework, weighed down on some, especially when new in post:

But I think there is a significant amount of stress clinically. You know, if I give them the wrong antibiotic or don't admit them when they need admitting, or anything of that ilk, clinically there could be somebody that is very sick, or indeed, dead because of my action or inaction.

(APN 17)

In light of this, APNs were acutely aware of their responsibility to remain within scope of their own practice competences. Participants reported instances where, by virtue of the APN status, fellow professionals were encouraging them to work beyond their competencies.

## 5.2 | Team expectations

Exposure to the strain of managing one's own clinical practice, within the context of an absence of a regulatory framework, was exacerbated by the presumption of others about the APN role. Workplace well-being and the sense of satisfaction derived from practice were at times threatened. The participant below has a joint clinical and educational post, relinquishing her full-time nursing role:

I found it very difficult and I did know it was increasing my stress levels because of the expectation that was still put upon me by the team at the time.

(APN 06)

There is a further organisational context to these manifestations of burden in the form of a perceived failure, of regulatory bodies to provide a framework for collective responsibility. For example, in addition to the pressures of self-regulation, some APNs were uncertain that

their professional body (the Nursing and Midwifery Council (NMC)) underpinned their role with the necessary regulatory framework:

I wonder if actually the NMC know exactly what I do and how they would feel, and who would have our back, I suppose, and that's what's stressful, I think.

(APN 05)

APNs recognize that their role involves high levels of uncertainty and lack of support and this threatens work place well-being and role satisfaction. This, alongside self-regulation and a lack of standardized training, leads some to experience stress and perhaps a self-imposed reduced scope of practice to minimize the risk associated with more challenging consultations.

## 6 | IMPORTANCE OF SUPPORT FOR THE ADVANCEMENT OF THE APN ROLE

Support for the APN role was recognized as a key mechanism in enabling productive, safe and efficient clinical practice. Those sources of support were, however, variable in quality and diverse in source. Physical location, the presence or absence of robust policies and resources to provide support were identified as important factors in the availability of support, particularly in relation to clinical supervision.

### 6.1 | Clinical supervision

Participants in the study reported that they received good clinical supervision, although it was observed that community-based APNs were at risk of not being supported in this way. Good clinical supervision contributed to positive well-being. Once again, differences between employing organisations were highlighted. In some areas, this was mandatory, in others an optional extra to be sought in one's own time. This further 'individualization' of clinical supervision practices placed further burden and responsibility on participants.

I sought out and I receive clinical supervision. It's one of those things. There is a policy in our Trust, it's not mandatory, it's up to people to seek it out.

(APN 20)

### 6.2 | Other sources of support

A supportive network of fellow professionals was a key element of peer support within the APN role and participants valued these professional connections. Participants spoke about peer support as a key condition upon which effective advanced practice was based, the existence of which allowed participants to '*work at the level I do* (APN11). *Geographical isolation, however, brought challenges to the maintenance of*

such networks, especially in primary care and rural areas. However, even in large, busy urban surgeries isolation still occurred:

*The one thing I do find, the one thing that doesn't help, is the fact you feel quite isolated, because you're in a room on your own and you may not see anybody all day apart from your patients.*

(APN 09)<sup>1</sup>

Participants also spoke of other sources of support from within the team, acting as informal clinical supervision, prompting a sense of satisfaction with one's role. Some had been especially proactive in setting up ways to give and receive support. This was often more common in primary care as a response to the physical and professional isolation experienced in that environment:

I've actually set up in our area a Nurse Practitioner Forum. And part of it is just for that, speaking to peers, bouncing things off, having that contact, even just knowing what training courses are out there. Just so we can support one another. And I use social media a lot for that. There's a lot of advanced practice groups on Facebook and closed groups that are used for that.

(APN 01)

Social media and face-to-face forums were essential to consolidating the professional identity of APNs and for sharing knowledge and training opportunities. It is interesting to note, however, the perceived need to orchestrate such opportunities in response to isolation and an absence of organisational forms of support.

## 7 | DEMONSTRATING IMPACT

The final super-ordinate theme addresses the ways in which participants described an awareness of the impact of the role of APN, enhancing work satisfaction. Impact can be identified at three levels: the personal, the interpersonal and the organisational.

### 7.1 | Bridging in the work environment

Decision-making in the arena of patient care is identified as a territory where relationships have been mediated via complex interactions between nurses and medical colleagues. The changing role of nurses, via advanced roles, has contributed to this complexity. The position of nurses in decision-making situations, and the subsequent impact, can be attributed here to APN status, via the notion of 'bridging' between that of the Registered Nurse and medical professional:

Simple things like that, having the clinical presence to actually say to relatively senior doctors, no we're not

going to do that, we don't need to, she's fine... and then afterwards being able to actually explain why that decision was made and why I overruled it and said, no we're not going to do anything until she can at least help us and then we'll look at it. So, that kind of bridging between nursing and medicine is actually quite an ideal role for the [APN].

(APN 06)

The participant is recalling an encounter where 'overruling' was identified as a moment when the status of advanced practice was crucial to this process of gaining professional autonomy, in part through having access to comprehensive knowledge about the patient. Furthermore, the participant notes that the role allows for 'bridging' between the disciplines, contributing to impact on patient outcomes.

The second example of the changing power within working relationships is identified via the negotiation of role. APN impact was viewed as being enhanced when the idea that the role was an adjunct to medicine was challenged. In such circumstances, APNs preferred to identify a clear nursing skillset and identity:

Well actually, no we are not taking doctors' job roles, we are lead nurses. We are nurses who are working to a higher level, but also there to support other nurses and lead with other nurses. We are not taking any doctors' job role at all.

(APN 18)

### 7.2 | Essence of advance practice nursing

The second subordinate theme identified within the theme of the impact of APN is concerned with what participants began to view as the essence of advanced practice nursing. This idea is concerned again with challenging the notion of substitution. It is reflected in these data and suggests that being an APN draws centrally upon one's biography as a nurse, utilizing tacit knowledge, yet enabling and facilitating the confident execution of advanced competencies. Despite noting her isolation from others at times within her work, the participant below highlights moments of significant satisfaction in her role as an APN. For her, the use of existing nursing knowledge, practice and skills are central to her work as it is applied in a new context, yielding high impact on patient outcomes:

I think when I'm actually sat with my patient in front of me, yes, I can listen to a chest, yes, I can do diagnostics. Yes, I can refer this; I can come up with the clinical diagnosis. But how I get to that, I use my nursing knowledge and my nursing skill and all these years of experience to be able to communicate effectively and to be able to read the language of my patient.

(APN 09)



The provision of continuity of care for patients was also established as a key feature of the APN role. This continuity is transferred into the role of the APN, whilst also demonstrating the advanced competencies already described, as APN participants also referred to being able to respond to a 'complete episode of care' (APN 09) for patients.

### 7.3 | 'Strategic influence'

Finally, impact can be evidenced through reports of influence at an organisational level. Participants described how organisations had now come to know the value of APNs, recognizing that 'they've come to rely upon us' (APN 05) *In addition, participants were also able to identify the APN as an influencing force. This, in part, was noted as a product of the APN role in both having credibility as leaders and maintaining relationships with patients. This boundary spanning position allows APNs to observe the delivery of care at a diverse range of levels. The participant below notes how this affects organisational direction:*

*And sometimes as nurses you can see patterns emerging more so than medics sometimes because you've got that closer contact with the patient. Maybe it's because I'm in primary care and community settings.*

(APN 21).

This part of the advanced role reflects the leadership responsibilities inherent within APN roles. This unique positioning allows APNs to identify the challenges being faced by patients, instigate and pursue analysis of those challenges and provide strategies for improvement and development.

## 8 | DISCUSSION

This exploration into the organisational and role conditions that promote or inhibit job satisfaction and workplace well-being for APNs has highlighted four key themes: 'the APN role and professional identity', 'feeling exposed', 'support for the advancement of the APN role' and 'demonstrating impact'. Each theme relates to our primary concerns about the condition that may inhibit or facilitate role satisfaction, dissatisfaction and overall workplace well-being. We encountered APNs in a range of circumstances, some benefiting from a wealth of experience and others capitalizing on formal and informal support. The data note that some APN participants here were experiencing the burden of the elevated expectation of colleagues, whilst others were struggling to maintain work satisfaction as a result of confused role definition and altered workplace identity.

A failure to feel accepted by one's medical and nursing colleagues, leaving a sense of liminality for some participants, is important. This feature of APN experience has been previously identified in Nurse Practitioners in Sweden (Jangland et al., 2016). The absence of intra-practice collegiality as a specific form of

dissatisfaction amongst a group of senior practitioners in the USA (Faris et al., 2010). The nature of intra-practice relationships (particularly with medical colleagues) has been reported as a major source of dissatisfaction (Jones, 2005; O'Keefe et al., 2015). Our data concur with this evidence, suggesting that isolation from one's established nursing networks may account for dissatisfaction amongst APNs, diminishing workplace well-being and that newly transitioned APNs are more likely to indicate work-related stress (Brom et al., 2016).

A feature of these data relates to role definition and clarity, which is recognized as being absent at times. This is not new, and not peculiar to the UK. The Swedish study by Jangland et al. (2016) highlighted a feeling of being 'between two roles', neither nurse nor medic. Positive role perception correlates with high levels of job satisfaction among APNs (Brom et al., 2016). APNs who have little autonomy in their roles are more likely to leave their posts (De Milt et al., 2011). Jones (2005) recognized role ambiguity, role overload and challenges in clinical autonomy as key factors hampering the development of the APN. External role ambiguity is noted here as a source of dissatisfaction, particularly within the wider health care workforce. Perhaps more salient in terms of workplace burden, the absence of protected status and a regulatory framework was identified here as 'exposing' individuals who found themselves in roles of significant clinical responsibility.

Confusion about role and the adverse ways in which APNs are regarded is not universal. We identified APNs who demonstrated significant satisfaction, particularly regarding the impact their work was making on the lives of patients. A review of the advanced nursing role in relation to outcomes reported significant evidence in the fields of long-term conditions and older people (Casey et al., 2017). Participants noted that maintaining continuity with patients led to enhanced outcomes, as is the case for ambulatory care (Martin-Misener et al., 2015), transitional care (Donald et al., 2015) and gerontological nursing (Morilla-Herrera et al., 2016). The particular mechanisms that contribute to improved outcomes are not always articulated. Jangland et al. (2016), however, point to the preservation of a core set of nursing competencies, alongside the elevation to APN as important in facilitating improved outcomes. Nurse presence and greater knowledge of care environments are reported as contributing factors in improved outcomes (Woo et al., 2017). It is noted here that increased status within the multi-disciplinary team, resulted in APNs advocating on behalf of patients in a more effective way. Evidence would suggest that the APN role brings with it a range of features that might explain improved outcomes, including those already noted, as well as enhanced collaboration, opportunities for patient advocacy, leadership, expert clinical judgement and care management (Sastre-Fullana et al., 2014).

## 9 | LIMITATIONS

The sample within this study is relatively homogeneous. All were aged 40 years or over and identified as White British. Despite our best efforts, there are only three male participants within the study.

## 10 | CONCLUSIONS

There remains considerable dissatisfaction among APNs with role identity, concerns relating to isolation and frustration at the absence of a national regulatory framework. Nonetheless, we also identified significant satisfaction with the role, particularly when APNs were well supported and able to recognize the unique contribution that they made to the lives of patients and to their organisations. Support and satisfaction subsequently enhances APN well-being.

## 11 | IMPLICATIONS FOR NURSE MANAGEMENT

This study has highlighted a number of areas of dissatisfaction among APNs, with potential impact on nurse retention. We recommend managers seek to reduce isolation, particularly for primary care APNs, promote role clarity (through clear and consistent job descriptions) and generate opportunities for inter-professional development. APNs should be supported, through clinical supervision (with a suitably qualified supervisor), to enable them to flourish within clear role boundaries. Health care providers should seek to utilize the skills and experiences of APNs in order to maximize impact.

### ACKNOWLEDGMENTS

We would like to thank Dr Bethany Taylor for reviewing the manuscript prior to submission.

### CONFLICT OF INTEREST

The authors have no conflicts to declare.

### AUTHOR CONTRIBUTIONS

EW drafted the protocol and the paper, collected and analysed the data. TR collected data, contributed to the protocol and paper and analysed the data. RK, SR, MS, AT and TR contributed to the analysis and protocol development. All authors read and approved the final manuscript.

### ETHICAL APPROVAL

This research was reviewed by the Institutional ethics committee and given approval on 3 September 2018 (ref number O22736). Informed consent was gained from all participants. This research was carried out in accordance with the principles of the Helsinki Declaration.

### DATA AVAILABILITY STATEMENT

Research data are not shared.

### ORCID

Emily Wood  <https://orcid.org/0000-0002-1910-6230>

Steve Robertson  <https://orcid.org/0000-0002-5683-363X>

## REFERENCES

- Braun, V., & Clarke, V. (2014). What can "thematic analysis" offer health and wellbeing researchers? *International Journal of Qualitative Studies on Health and Well-Being*, 9(1), 26152. <https://doi.org/10.3402/qhw.v9.26152>
- Brom, H. M., Melnyk, B. M., Szalacha, L. A., & Graham, M. (2016). Nurse practitioners' role perception, stress, satisfaction, and intent to stay at a Midwestern academic medical center. *Journal of the American Association of Nurse Practitioners*, 28(5), 269–276. <https://doi.org/10.1002/2327-6924.12278>
- Casey, M., O'Connor, L., Cashin, A., Smith, R., O'Brien, D., Nicholson, E., O'Leary, D., Fealy, G., McNamara, M., Glasgow, M. E., Stokes, D., & Egan, C. (2017). An overview of the outcomes and impact of specialist and advanced nursing and midwifery practice, on quality of care, cost and access to services: A narrative review. *Nurse Education Today*, 56, 35–40. <https://doi.org/10.1016/j.nedt.2017.06.004>
- Collins, D. (2019). Assessing the effectiveness of advanced nurse practitioners undertaking home visits in an out of hours urgent primary care service in England. *Journal of Nursing Management*, 27(2), 450–458. <https://doi.org/10.1111/jonm.12680>
- De Milt, D. G., Fitzpatrick, J. J., & McNulty, S. R. (2011). Nurse practitioners' job satisfaction and intent to leave current positions, the nursing profession, and the nurse practitioner role as a direct care provider. *Journal of the American Academy of Nurse Practitioners*, 23(1), 42–50. <https://doi.org/10.1111/j.1745-7599.2010.00570.x>
- Denzin, N., & Lincoln, Y. (2005). *The Sage handbook of qualitative research* (3rd ed.). Sage Publications.
- Donald, F., Kilpatrick, K., Reid, K., Carter, N., Bryant-Lukosius, D., Martin-Misener, R., Kaasalainen, S., Harbman, P., Marshall, D., & DiCenso, A. (2015). Hospital to community transitional care by nurse practitioners: A systematic review of cost-effectiveness. *International Journal of Nursing Studies*, 52(1), 436–451. <https://doi.org/10.1016/J.IJNURSTU.2014.07.011>
- Elliott, N. (2017). Building leadership capacity in advanced nurse practitioners - The role of organisational management. *Journal of Nursing Management*, 25(1), 77–81. <https://doi.org/10.1111/jonm.12444>
- Faris, J. A., Douglas, M. K., Maples, D. C., Berg, L. R., & Thrailkill, A. (2010). Job satisfaction of advanced practice nurses in the Veterans Health Administration. *Journal of the American Academy of Nurse Practitioners*, 22(1), 35–44. <https://doi.org/10.1111/j.1745-7599.2009.00468.x>
- Han, R. M., Carter, P., & Champion, J. D. (2018). Relationships among factors affecting advanced practice registered nurses' job satisfaction and intent to leave. *Journal of the American Association of Nurse Practitioners*, 30(2), 101–113. <https://doi.org/10.1097/JXX.00000000000006>
- Hennink, M. M., Kaiser, B. N., & Marconi, V. C. (2017). Code saturation versus meaning saturation: How many interviews are enough? *Qualitative Health Research*, 27(4), 591–608. <https://doi.org/10.1177/1049732316665344>
- International Council of Nurses (2008). *The scope of practice, standards and competencies of the advanced practice nurse*.
- Jangland, E., Yngman Uhlin, P., & Arakelian, E. (2016). Between two roles – Experiences of newly trained nurse practitioners in surgical care in Sweden: A qualitative study using repeated interviews. *Nurse Education in Practice*, 21, 93–99. <https://doi.org/10.1016/j.nepr.2016.10.005>
- Jones, M. L. (2005). Role development and effective practice in specialist and advanced practice roles in acute hospital settings: Systematic review and meta-synthesis. *Journal of Advanced Nursing*, 49(2), 191–209. <https://doi.org/10.1111/j.1365-2648.2004.03279.x>
- Kim, S. R., Park, O. L., Kim, H. Y., & Kim, J. Y. (2019). Factors influencing well-being in clinical nurses: A path analysis using a multi-mediation model. *Journal of Clinical Nursing*, 28(23–24), 4549–4559. <https://doi.org/10.1111/jocn.15045>



- King, R., Tod, A., & Sanders, T. (2017). Development and regulation of advanced nurse practitioners in the UK and internationally. *Nursing Standard*, 32(14), 43–50. <https://doi.org/10.7748/ns.2017.e10858>
- Martin-Misener, R., Harbman, P., Donald, F., Reid, K., Kilpatrick, K., Carter, N., Bryant-Lukosius, D., Kaasalainen, S., Marshall, D. A., Charbonneau-Smith, R., & DiCenso, A. (2015). Cost-effectiveness of nurse practitioners in primary and specialised ambulatory care: Systematic review. *British Medical Journal Open*, 5(6), e007167. <https://doi.org/10.1136/bmjopen-2014-007167>
- Morilla-Herrera, J. C., Garcia-Mayor, S., Martín-Santos, F. J., Kaknani Uttumchandani, S., Leon Campos, Á., Caro Bautista, J., & Morales-Asencio, J. M. (2016). A systematic review of the effectiveness and roles of advanced practice nursing in older people. *International Journal of Nursing Studies*, 53, 290–307. <https://doi.org/10.1016/j.ijnurstu.2015.10.010>
- O’Keeffe, A. P., Corry, M., & Moser, D. K. (2015). Measuring job satisfaction of advanced nurse practitioners and advanced midwife practitioners in the Republic of Ireland: A survey. *Journal of Nursing Management*, 23(1), 107–117. <https://doi.org/10.1111/jonm.12096>
- Sastre-Fullana, P., De Pedro-Gómez, J. E., Bennasar-Veny, M., Serrano-Gallardo, P., & Morales-Asencio, J. M. (2014). Competency frameworks for advanced practice nursing: A literature review. *International Nursing Review*, 61(4), 534–542. <https://doi.org/10.1111/inr.12132>
- Schober, M., Lehwaldt, D., Rogers, M., Steinke, M., Turale, S., Pulcini, J., Roussel, J., & Stewart, D. (2020). *Guidelines on advanced practice nursing 2020*. International Council of Nurses.
- Tong, A., Sainsbury, P., & Craig, J. (2007). Consolidated criteria for reporting qualitative research (COREQ): A 32-item checklist for interviews and focus groups. *International Journal for Quality in Health Care*, 19(6), 349–357. <https://doi.org/10.1093/intqhc/mzm042>
- Woo, B. F. Y., Lee, J. X. Y., & Tam, W. W. S. (2017). The impact of the advanced practice nursing role on quality of care, clinical outcomes, patient satisfaction, and cost in the emergency and critical care settings: A systematic review. *Human Resources for Health*, 15(1), 1–22. <https://doi.org/10.1186/s12960-017-0237-9>
- Woo, B. F. Y., Zhou, W., Lim, T. W., & Tam, W. W. S. (2019). Practice patterns and role perception of advanced practice nurses: A nationwide cross-sectional study. *Journal of Nursing Management*, 27(5), 992–1004. <https://doi.org/10.1111/jonm.12759>
- Wood, E., King, R., Robertson, S., Allmark, P., Senek, M., Tod, A., & Ryan, T. (2020). Advanced practice nurses' experiences and well-being: Baseline demographics from a cohort study. *Journal of Nursing Management*, 28(4), 959–967. <https://doi.org/10.1111/JONM.13030>

## SUPPORTING INFORMATION

Additional supporting information may be found online in the Supporting Information section.

**How to cite this article:** Wood E, King R, Robertson S, Senek M, Tod A, Ryan T. Sources of satisfaction, dissatisfaction and well-being for UK advanced practice nurses: A qualitative study. *J Nurs Manag*. 2021;29:1073–1080. <https://doi.org/10.1111/jonm.13245>